

F A R O
BARCELONA



**designed
for happiness**

lighting&fan 2020

**LIVING
ON THE
BRIGHT
SIDE**



Edition
A2020M

Art Director / Graphics
Faro Art

Photographers
Guillem F-H
Andrés Fraga
Ricard Badía
Sergiy Kadulin
Stelios Kalisperis
Architectural Matter

Thanks to
Natalia Zubizarreta
Salto Proyectos
Vana Pernari Architecture
Estibaliz Martin Interiorismo
Colvin & Co.
Pia Capdevila
Erlantz Biderbost
Restaurant 3 Nusos
Pol&Grace Hotel
Elena Castells Poch
MIKMAX
Alfombras BSB
Bubes&Grabavska Design
Meritxell Ribé - The Room Studio

Printed by
Jiménez Godoy

All Rights Reserved
Reproduction without written permission from
the publisher is strictly prohibited.

Headquarters
Dinámica 1 / 08755 / Castellbisbal

Showroom
Princesa 52 / 08003 / Barcelona
+34 902 165 166 / faro@lorefar.com / faro.es

Contents

Indoor

32__39

Portable/Portátil

40__101

Table/Floor/Mesa y suelo

102__147

Suspended/Suspensión

148__217

Surface/Superficie

218__227

Spotlight/Foco



228__241

Ceiling/Techo

242__257

Recessed/Empotrable

258__265

Track/Carril



Outdoor

269__275

Hue

276__285

Portable/Portátil

286__317

Bollard/Baliza

318__321

Suspended/Suspensión

322__357

Surface/Superficie

358__369

Spike&Projector/
Estaca y Proyector

370__373

Ceiling/Techo

374__389

Recessed/Empotrable

Tech

390__417

Track/Carril

418__445

Recessed/Empotrable

446__463

Surface/Superficie

464__473

Drivers

Fan

480__501

Extra Large/Extra Grande

502__567

Large/Grande

568__586

Medium/Mediano

587__609

Small/Pequeño





The objects that surround us must help us live a more fully and happily life. That is just what we pursue with each of our creations. We design objects thinking about the happiness and comfort of the people who will be in contact with them.

Los objetos que nos rodean deben ayudarnos a conseguir vivir la vida de una forma más plena y feliz. Eso es justo lo que perseguimos con cada una de nuestras creaciones. Diseñamos objetos pensando en la felicidad y el confort de las personas que van a estar en contacto con ellos.

Designed for happiness

Pensado para la felicidad

A design is much more than an attractive aesthetic. Our design speaks of well-being, energy, commitment, respect and awareness. Our team believes in a design available to everyone. Achieving this challenge makes us extremely happy.

El diseño es mucho más que una estética atractiva y resultona. Nuestro diseño habla de bienestar, energía, compromiso, respeto y consciencia. Nuestro equipo cree en el diseño al alcance de todos. Conseguir este reto nos hace tremendamente felices.





Awards

	German Design Award Winner	HOOK
	iF Product Design Award Winner	INVITING
	Red Dot Design Award Winner	INVITING
	German Design Award Special	INVITING
	German Design Award Special	MUTE
	Red Dot Design Award Winner	HOOK
	Green Product Award Winner	HOOK
	Delta Awards Selection	HOOK
	Bienal Iberoamericana de Diseño Selection	HOOK
	Salone Satellite Selection	WHIZZ
	German Design Award Winner	MINE
	German Design Award Special	BU-OH!
	Restaurant&Bar Product Design Award Winner	MINE
	Design & Innovation Awards Winner	HAN

Los creadores

Diseñadores, artistas, creadores. Ellos hacen de nuestro mundo un lugar mejor gracias a su ingenio, talento y creatividad.



Christopher Friedrich Wagner



Goula/Figuera



Marina Milà



Àlex & Manel Llusçà



Conillas



Jordi Llopis



Oiko Design Office



Lucid



Jordi Busquets



Jordi Blasi

Creators



Xjer Studio



Nutcreatives

Designers, artists, creators. They make our world a better place thanks to their ingenuity, talent and creativity.



Andreu Carulla



Alegre Design



Bohman&Folenius



Faro Lab



Isaac Piñeiro



Nahtrang



Pepe Llaudet



Estudi Ribaudí

Control your light with app

All luminaires that can be controlled with our Smart Bulb are identified with [SMART 17498]

Todos las luminarias que permiten ser controladas con nuestra bombilla inteligente están identificadas con [SMART 17498]




It works with WiFi
Funciona con WiFi




Compatible with Alexa, Google assistant & Siri

Features


Funcionalidades




ON/OFF




GROUPING




SCENES




ANIMATION




GALLERY




INTENSITY



CALENDAR



TIMER




SUNRISE & SUNSET



Internet Of Things

Smart Lighting & Fan

Take control of luminaires and ceiling fans.
Toma el control de luminarias y ventiladores de techo.



IoT

Control your fan with wIZ app

All fans identified with this symbol can be controlled with this technology.

Todos los ventiladores identificados con este símbolo permiten ser controlados con esta tecnología.



It works with WiFi

Funciona con WiFi



Compatible with Alexa, Google assistant & Siri



Same features as remote control

Mismas funcionalidades que el mando a distancia



Optimiza tus proyectos

BIM (Building Information Modeling) es la metodología de trabajo colaborativa para la gestión de un proyecto de construcción que permite una mayor fiabilidad, rapidez y optimización.

Contacta con nosotros para solicitar los objetos BIM de nuestras luminarias y ventiladores.



Optimize your projects

BIM (Building Information Modeling) is the collaborative working methodology for the management of a construction project that allows greater reliability, speed and optimization.

Contact us to request BIM objects for our luminaires and fans.



INDEX

ÍNDICE

Indoor

Portable/Portátil



HOSHI
37



JELLYFISH
36



TAKE AWAY
39

Table/Mesa



1968
47



ACADEMY
70



AKANE
45



ANOUK
54



ARTIS
88



BANKER
49



BAOBAB
55



BERNI
95



BLISS
49



BOB
54

N



DRUM
73



ETERNA
82



GRU
54

N



GUADALUPE
57



HAT
49



HOSHI
44



HOTEL
97



INVITING
51



ITO
55



JELLYFISH
64



LAO
67

N



LE VITA
61



LENA
53



LINDA
90



LINK
66



LOOP
63



LULA
46



LUPE
91

N



MAMBO
74



MINE
43



MITIC
99



MIX
48



MOMA
98

N



MONTREAL
78



NIDIA
49



NIKO
42



OTTO
54



REM
84



REMAKE
55



RETRO
68



SABA
101



SAVOY
80



SERP
52

N



SNAP
53



STOOD
62



SWEET
94



TANGO
92



TEN
44



THANA
99



TREE
93



VESPER
89



VOLTA
96
































Floor/Suelo



Bathroom/Baño



Recessed/Empotrable

										
AIM 252	ARGÓN 249	BOL 250	BOW 254	CLEAR 252	COMPACT 253	EBBA 250	FALCON 255	FOX 251	FRESH 253	GAS 249
										
GINGKO 254	HYDE 247	KOI 248	LUAN 256	MOIST 253	MÓVIL 250	NEÓN 249	NEU 248	NORD 248	NUSA 251	PLAS 257
										
RADÓN 248	SIGNAL 257	SON 256	STAN 250	TED 256	TOD 256	TROOP 244	WABI 250	WET 253		




































































Track/Carril

						
LAO 263	LINK 260	ORLEANS 261	PLOT 265	RAM 265	RING 262	STAN 264






















































Ceiling/Techo

										
AMI 239	BIC 239	COCOTTE 232	DOLME 230	HARU 236	IRIS 238	JANET 237	LINK 234	MEGA 239	NATSU 236	ORLEANS 233
										
POTE 236	REL 236	RONDA 240	SEVEN 237	SIDE 231	SOGO 238	SQUAD 236	STAN 237	SVEN 235	TECTO 235	TENDER 230













Suspended/Suspensión


































										
AINA 147	ART 119	CHARLOTTE 127	CLAIRE 121	CLARA 119	COCOTTE 111	CONIK 116	COSMOS 123	CRÁTER 118	DANKA 122	DOLME 110
										
ETER 114	ETNA 114	FADA 124	FAUNA 124	FLASH 115	FONOVIA 138	FUSTA 145	HALITA 119	HELGA 124	HOTEL 145	HUE-IN 136
										
KOMBO 108	LANG 121	LE VITA 105	LIANA 126	LINDA 144	LISE 124	LIZ 119	LOOP 131	LOU 121	MAGMA 118	MAMBO 135
										
MARGOT 127	MARINA 127	MARLIN 119	MIA 127	MINE 129	MOU 121	MUTE 140	NAOS 109	NIDO 127	NUDOS 127	ORA 124
										
PAM 123	PAULINE 132	PHILL 133	PLANET 113	PLAT 119	PLEC 125	PLUMA 116	RETRO 117	ROSE 120	SABA 147	SABI 124
										
SAVOY 142	SEVEN 147	SIDE 113	SLIM 112	STAN 122	STOOD 130	TANGO 143	THANA 147	TREE 144	VESPER 146	WHIZZ 106
										
					WINCH 126					

Surface/Superficie

										
AMBO 207	BOARD 201	CELIA 200	CHERAS 204	CONIK 203	COTTON 173	DALLAS 207	DIULA 207	EACO 204	ELSA 205	ERES 197
										
HAN 155	HOMS 197	HUDSON 199	INVITING 163	KAMEN 203	KERA 196	LE VITA 151	LINDA 199	LIRIA 207	LISE 202	LIST 201
										
LOA 199	LOOP 161	LUNA 205	MAGRITTE 206	MARINA 199	MARLIN 200	MOY 150	NASH 203	NUDOS 200	OLAF 205	ORA 202
										
OSLO 205	OVO 197	PETRA 200	PLEC 199	PURE 157	RAS 200	RETRO 198	RODA 184	SABA 184	SAC 198	SERA 196
										
SLIM 154	SNOW 205	STAN 202	STOOD 160	TEN 196	TERA 205	THANA 183	WHIZZ 153	WINCH 199		

Bed Surface/Lector de cama

										
ACADEMY 176	ARTIS 168	AUREA 185	BEL 188	BERNI 180	BLOME 176	BOC 193	BOKEN 188	DESLIZ 177	ESSENTIAL 184	ETERNA 169
										
FLASH 194	FLIN 186	FOLD 167	FRAME 170	GUADALUPE 156	GUEST 157	HANDY 182	HANNA 183	HANOI 173	HOTEL 178	JOY 150

										
JULIET 188	KALE 188	LE PETIT 190	LEAD 189	LESER 188	LUPE 174	MAMBO 166	MITIC 184	MIX 185	MOMA 183	MONTREAL 164
										
MOOD 159	NIKO 158	NIT 195	NOON 195	PIXIE 186	PRESS 191	REM 171	ROB 185-193	RON 175	ROOM 179	SABANA 177
										
SAHARA 184	SAMI 188	SAVOY 165	SMILE 190	SUAU 193	SWEET 181	SWING 194	TANGO 180	TIRA 183	VESPER 181	VOLTA 179

Spotlight/Foco

						
COCO 222	LAO 226	LINK 224	ORLEANS 223	RING 227	STAN 221	STONE 225

Clip/Pinza

				
INVITING 163	LENA 188	LOKE 186	PEPPER 200	STUDIO 187

Tech

										
COLIN 431	CYLINDER 411	DEEP 419	FONOVIA 461	FUGA 401	NESO 395	OPTIC 427	SIGMA 407	SYNCH 423	TEKO 447	VIA 455

Outdoor

Portable/Portátil




ARGUS 285 BALDA 282 CADAQUÉS 279 CAGE 284 CAT 281 HUE 271 KERALA 285 TASK 284 TOC 283 VERSUS 280 VOILA 282

Post/Sobremuro



AGRA 306 BLOCK 288 BLUB'S 300 BU-OH! 305 DAS 307 DATNA 294 GIZA 296 MILA 302 MISTU 300 MOON 299 MUFFIN 300
MUGA 296 NALA 303 NAYA 306 NOBORU 308 SETE 302 SHELBY 293 SURAT 303 TWIST 291 VERNO 301 WILMA 301

Bollard/Baliza



AGRA 306 ALP 307 BERET 297 BLOCK 288 BLUB'S 300 BU-OH! 305 CHANDRA 310 DAS 307 DATNA 294 GINA 310 GIZA 296
GROP 297 GROW 304 KLAMP 310 LOGAR 298 LOTUS 289 MISTU 300 MOON 299 MUFFIN 300 MUGA 296 NANDA 298 NAYA 306
ONZE 303 PLIM 295 ROY 303 SAURA 311 SHADOW 309 SHELBY 293 SOLEIL 311 SPY 308 STICKER 290 TRAM 292 TWIST 291

Pole/Farola



Suspended/Suspensión




Ceiling/Techo



Projector/Proyector



Spike/Estaca



Recessed/Empotrable



Surface/Superficie




										
CRIPTA 357	DADO 333	DATNA 333	DERBY 357	DRAGMA 339	DRAK 348	ELE 347	ESTAY 356	ESTORIL 334	FEDON 356	FRED 354
										
FUTURE 337	GINA 347	GIZA 330	GRADA 351	GRANT 350	GUIZA 346	HALF 351	HIKARI 352	HONEY 333	KALA 346	KAULA 341
										
KEENAN 349	KERALA 330	KLAMP 345	KUBICK 352	LACE 342	LACRE 342	LING 342	LOG 342	LOTH 348	LOTUS 329	LUR 352
										
MARE 353	MASK 327	MISTU 332	MOL 355	MOON 332	MUFFIN 332	MUST 350	NAHIR 335	NAIROBI 346	NALA 353	NATRON 355
										
NÁUTICA 334	NEGUS 356	NINE 336	NORAY 335	OLAN 343	ORWELL 331	OVAL 340	ÓVALO 357	PATH 350	PILL 348	PISTÓN 343
										
PIVOT 353	PLIM 331	POL 353	POMO 353	PROA 345	QUART 339	SHELBY 330	STEPS 344	STICKER 338	SUMA 346	SUN 354
										
SUNSET 343	TACANA 341	TACOS 341	TAIMA 347	TAKUA 340	TAMASHI 353	TANE 340	TARRACO 331	TEJO 355	THON 343	TIMON 335
										
TINIA 347	TOC 333	TOLUCA 341	TOM 354	TONE 352	TORE 346	TRAM 330	TWIST 328	VIEW 339	WALLY 334	WEST 341
										
WILMA 333	WOOD 347									

Fan


Extra Large/Extra Grande



Large/Grande



Medium/Mediano



Small/Pequeño





INDOOR



INTERIOR


PORTABLE

PORTÁTIL

Н

О

О



К



reddot award 2018
winner



Green
Product Award
Winner 2018



GERMAN
DESIGN
AWARD
WINNER
2020

Hook is ecological, manufactured with recycled plastic and toxic-free materials.

Each light fixture sold will feed one child for an entire school year thanks to a collaboration with the NGO Mary's Meals. Assembled by disabled people from Fundació Maresme.

Get your Hook on hook.faro.es


mary's
meals

11, rue de la République
75001 Paris

FUNDACIÓ
EL MARESME
D'INCAPACITATS

JELLYFISH

— Nahtrng 



● 24523 black+gold/negro+oro



● 24524 white/blanco

LED SMD 3W 2700K 220lm CRI>80 Driver ✓

Body Metal

⏻ DC5V-1A 🔋 Battery ✓

🔌 USB charger ⏱ Max. 9h Worktime
8h Charge



1W 25lm




2W 90lm



3W 220lm

P.64
TABLE&FLOOR




USB
CHARGER



TOUCH
SWITCH

HOSHI

— Xjer Studio 



 **28386** gold+black/oro+negro


 **28389** black+copper/negro+cobre

LED SMD 4W 3000K 480lm CRI>80 Driver 

Body Metal

  DC5V-1A  Battery 

 USB charger  8h Worktime
4-6h Charge




P.44
TABLE



DIMMABLE
INTENSITY



USB
CHARGER



T

A

K

E

TAKE AWAY

— Nahtrang 



● 01015 white/blanco

● 01016 black/negro

LED 3W 3000K 300lm CRI>80 Driver ✓

Body Polycarbonate/Polycarbonato

Diff Silicone/Silicona

Base Wood/Madera



DC5V-1A



Battery ✓

🔌 USB charger





10h Worktime
3-4h Charge


WALL ACCESSORY

● 01017 wood/madera

Body Wood/Madera



1W 25lm



2W 90lm



3W 220lm



USB
CHARGER



PRESS
LAMP

TABLE/FLOOR

MESA/SUELO



● **01007** white+wood/blanco+madera





Diff Opal Glass/Cristal Opal

● **01025** white+wood/blanco+madera



Diff Polycarbonate/Policarbonato

LED SMD 7W 3000K 500lm CRI>80 Driver ✓


Body Metal

  220- 50/ 240V 60HZ   USB charger

5VdDc/2A Wireless charger



1W 80lm



4W 250lm



7W 500lm

P.158
WALL



WIRELESS
CHARGER




USB
CHARGER



TOUCH
SWITCH

MINE

— Nahtrng 



- 28378 white/blanco
- 28379 dark grey/gris oscuro


Diff Opal Glass/Cristal Opal

- 28211 white/blanco
- 28212 dark grey/gris oscuro

Diff Polycarbonate/Policarbonato


E27 MAX 15W LED  [17463/SMART 17498]

Body Metal+Wood/Metal+Madera




P.129
SUSPENDED





HOSHI

— Xjer Studio 







● 28387 gold+black/oro+negro


● 28388 black+copper/negro+cobre

LED SMD 12W 3000K 930lm CRI>80 Driver ✓

Body Metal

  100- 50/ 240V 60HZ   2.6 MT

P.37
PORTABLE



DIMMABLE
INTENSITY



● 62156 copper/cobre

● 62157 satin gold/oro satinado

E27 MAX 15W LED  [17429 or 17464]


Body Metal

   1.5 MT

P.196
WALL



TEN

— Faro Lab 

AKANE

— Pepe Llaudet




● 28370 black+beige/negro+beige

E27 MAX 15W LED ⊗ [17469]

Body Metal

Shade Papyrus/Papiro




● 28371 black+beige/negro+beige

E27 MAX 15W LED ⊗ [17464]

Body Metal

Shade Papyrus/Papiro



LULA

— Marina Milà




○ 28383 white/blanco

● 28385 black+white/negro+blanco

E27 MAX 15W LED ⊗ [17463/SMART 17498]

Body Metal

Shade Textile/Téxtil



○ 28380 white/blanco

● 28382 black+white/negro+blanco

E27 MAX 15W LED ⊗ [17463/SMART 17498]

Body Metal

Shade Textile/Téxtil



1968





— Jordi Busquets 


 28372 wood+beige/madera+beige

 LED SMD 8W 3000K 800lm CRI>80 Driver 

Body Wood

Shade Textile/Téxtil

  100- 50/
240V 60HZ   2.8 MT



DIMMABLE
INTENSITY



MIX


— Àlex & Manel Llusca 

● 29970 white+wood/blanco+madera

● 29971 black+wood/negro+madera

E 14 MAX 8W LED  [17461]

Body Metal+Wood/Metal+Madera



P.185
WALL






BLISS

● 28401 wood+white/madera+blanco

E27 MAX 15W LED ✕ [17463/SMART 17498]

Body Wood+Metal/Madera+Metal

Shade Textile/Téxtil



Thanks to Estibaliz Martín Interiorismo




HAT

● 28408 wood+white/madera+blanco

E14 MAX 8W LED ✕ [17461]

Body Wood/Madera

Shade Textile/Téxtil




NIDIA

● 68423 nickel+white/níquel+blanco

E27 MAX 15W LED ✕ [17462]

Body Metal

Shade Linen/Lino




BANKER

● 68334 old gold+green/oro viejo+verde

E27 MAX 15W LED ✕ [17463/SMART 17498]

Body Metal

Diff Glass/Cristal





INVITING


— Bohman&Folienius 



reddot award 2019
winner



- 57306 white/blanco
- 57307 black/negro
- 57308 yellow/amarillo
- 57311 grey/gris
- LED COB 6W 2700K 4800K 410lm CRI>80
- Driver ✓
- Body Aluminium/Aluminio
- Diff PMMA
-   100- 50/ 240V 60HZ 2 MT  CLIP ✓  180°
-  90°



P.163
CLIP&WALL



DIMMABLE
INTENSITY



DIMMABLE
KELVIN



CLIP
ACCESSORY




HALO

● **55191** black/negro

LED SMD 6W 3000K 500lm CRI>80 Driver ✓

Body Aluminium+Zinc/Aluminio+Zinc

100- 50/ 240V 60HZ 1,9 MT



SERP

● **50065** black/negro


● **50066** matt nickel/níquel mate

● **50067** copper/cobre

LED SMD 4W 3000K 220lm CRI>80 Driver ✓

Body Metal

100- 50/ 240V 60HZ 1,7 MT





LENA


- 52057 white/blanco
- 52058 black/negro

LED SMD 3W 4000K 300lm CRI>80 Driver ✓

Body Aluminium+Polycarbonate+Silicone/
Aluminio+Policarbonato+Silicona
Diff Glass/Cristal



Electronic Adapteur
11V 350mA ✓



P.188
CLIP




SNAP NEW

- 57400 off white/blanco roto
- 57401 dark grey/gris oscuro

E27 MAX 15W LED ✕ [17463/SMART 17498]

Body Steel/Acero





ANOUK


● 53414 white/blanco

● 53415 black/negro

LED SMD 8W 4000K 530lm CRI>80 Driver ✓

Body ABS

220-240V 50/60HZ 1.5 MT USB charger




BOB

● 52045 blue/azul

E27 MAX 15W LED ✗ [17463/SMART 17498]

Body ABS

1.7 MT



GRU


● 51916 white/blanco

● 51917 black/negro

E27 MAX 15W LED ✗ [17463/SMART 17498]

Body Metal

1.7 MT



OTTO

● 52064 black/negro


● 52065 white/blanco

LED SMD 6W 4000K 500lm CRI>80 Driver ✓

Body Metal+Polycarbonate+Silicone/
Metal+Policarbonato+Silicona

100-240V 50/60HZ 1.8 MT

Electronic Adapteur
II V 500mA ✓





REMAKE

- 50120 white/blanco
- 50121 black/negro
- 50122 chrome/cromo

E27 MAX 15W LED ✕ [17463/SMART 17498]

Body Metal



BAOBAB

- 51908 white/blanco
- 51909 black/negro
- 51910 grey/gris

E14 MAX 8W LED ✕ [17461]

Body Metal






ITO

- 52071 black/negro


LED SMD 5W 3000K 390lm CRI>80 Driver ✓

Body ABS+Aluminium/ABS+Aluminio
Diff Opal Polycarbonate/Polycarbonato Opal






NEW GUADALUPE

— Faro Lab 

- **20033+20035** black+beige/negro+beige
- **20033+20036** black+green/negro+green

E27 MAX 15W LED [17463/SMART 17498]



Body Metal
Shade Metal



- **20034+20035** black+beige/negro+beige
- **20034+20036** black+green/negro+green

E27 MAX 15W LED [17463/SMART 17498]

Body Metal
Shade Metal



P.156
WALL




NEW **GUEST**

— Andreu Carulla 

● **01046** black/negro

E27 MAX 15W LED  **[17426]**

Body Aluminium/Aluminio



Thanks to MIKMAX



P.157
WALL



SWITCH





CORK INCLUDED



- 29692D gold/oro
- 29697 NEW matt black/negro mate
- LED 6W 2700K 570lm CRI>80 Driver ✓


Body Metal
Diff Opal glass/Cristal Opal



P.105
SUSPENDED



P.151
WALL



TOUCH
DIMMER

LE VITA

— Nahtrng 



● 29693D gold/oro

● 29698 NEW matt black/negro mate

LED 6W 2700K 570lm CRI>80 Driver ✓

Body Metal

Diff Opal glass/Cristal Opal



STOOD

— Lucid 





 **29846** black+wood/negro+madera

E27 MAX 15W LED  [17464]

Body Metal

Shade Cherry Tree Wood/Madera Cerezo




 **29847** black+wood/negro+madera

E27 MAX 15W LED  [17464]

Body Metal

Shade Cherry Tree Wood/Madera Cerezo



P.130
SUSPENDED

P.160
WALL



CHERRY TREE
WOOD

LOOP

— Estudi Ribaudí






29568 black+wood/negro+madera

LED SMD 6W 2700K 600lm CRI>80 Driver ✓

Body Metal

Shade Cherry Tree Wood/Madera Cerezo





29569 black+wood/negro+madera

LED SMD 6W 2700K 600lm CRI>80 Driver ✓

Body Metal

Shade Cherry Tree Wood/Madera Cerezo



P.131
SUSPENDED

P.161
WALL



CHERRY TREE
WOOD




TOUCH
SWITCH



CLIP
INCLUDED

JELLYFISH




— Nahtrng 




 **24522** black+gold/negro+oro

LED SMD 6W 3000K 500lm CRI>80 Driver 

Body Metal

 220-240V  50/60HZ   1.8 MT



P.36
PORTABLE






● **24521** black+gold/negro+oro

LED SMD 6W 3000K 500lm CRI>80 Driver ✓

Body Metal

□ 220- 50/ 240V 60HZ ⏻ Ⓢ 4.3 MT






LINK

— Estudi Ribaudí 

- 29883 white/blanco
- 29884 black/negro
- 29899 bronze/bronce

GU 10 MAX 8W LED ⊗ [○ 17316 / ● 17324]


Body Steel/Acero



- 29881 white/blanco
- 29882 black/negro
- 29898 bronze/bronce

GU 10 MAX 8W LED ⊗ [● 17316 / ○ 17324]

Body Steel/Acero



P.234
CEILING



P.224
SPOT



P.260
TRACK



Thanks to Estibaliz Martin Interiorismo



Thanks to **Suave Interior Design** Photo **Luz Estudio**



LAO

— Nahtrang 


● **29049** black/negro

○ **29050** white/blanco

LED SMD 4W 3000K 400lm CRI>80 Driver ✓

Body Metal

Diff ABS




● **29047** black/negro

○ **29048** white/blanco

LED SMD 4W 3000K 400lm CRI>80 Driver ✓

Body Metal

Diff ABS



P.226
SPOT



P.263
TRACK






RETRO

— Àlex & Manel Llusca

- 20019 beige/beige
- 20020 olive green/verde oliva
- 20009 red/rojo

E14 MAX 8W LED [17461]


Body Metal



- 20003 beige/beige
- 20005 red/rojo

E14 MAX 8W LED [17461]

Body Metal



P.117
SUSPENDED



P.198
WALL



WHIZZ

— Christoph F. Wagner





● **20162+20164** black+gold/negro+oro

● **20163+20164** gold+black/oro+negro

E27 MAX 15W LED ⊗ [17426/17496]

Body Metal



20162



20163



20164

P.107
SUSPENDED




P.152
WALL



ADJUSTABLE
SHADE

ACADEMY

— Nahrang 





ADJUSTABLE



P.176
WALL



- 28204 chrome/cromo
- 28205 white/blanco
- 28208 black/negro

LED SMD 6W 3000K 550lm CRI>80 Driver ✓


Body Metal+Aluminium/Metal+Aluminium
Diff Opal PMMA/PMMA Opal



- 28202 chrome/cromo
- 28203 white/blanco
- 28207 black/negro

LED SMD 4W 3000K 350lm CRI>80 Driver ✓

Body Metal+Aluminium/Metal+Aluminium
Diff Opal PMMA/PMMA Opal



TOUCH DIMMER



NEW DRUM
— Nahrang

● **24023+2P0534** black+grey/negro+gris


● **24023+2P0532** black+beige/negro+beige

E27 MAX 15W LED [17463/SMART 17498]

Body Metal

Shade Textile/Téxtil

Diff ABS



● **24020+2P0524** black+grey/negro+gris


● **24020+2P0522** black+beige/negro+beige

E27 MAX 15W LED [17463/SMART 17498]

Body Metal

Shade Textile/Téxtil



Diff ABS




NEW MAMBO

— Faro Lab 



- 64310 white/blanco
- 64311 black/negro
- E27 MAX 15W LED  [17426]
- Body Metal
- 



Shade not included. See options on page 621 / Pantalla no incluida. Ver opciones en página 621



2P0121 white/blanco **2P0122** beige/beige **2P0123** black/negro **2P0625** beige/beige **2P0626** yellow/amarillo **2P0627** green/verde **2P0720** rattan




64313 + 2P0730

● 64312 white/blanco

● 64313 black/negro

E27 MAX 15W LED ✕ [17426]

Body Metal



Shade not included. See options on page 621 / Pantalla no incluida. Ver opciones en página 621



2P0131
white/blanco

2P0132
beige/beige

2P0133
black/negro

2P0635
beige/beige

2P0636
yellow/amarillo

2P0637
green/verde

2P0730
rattan



SWITCH

NEW **MAMBO**
— Faro Lab 



6-4310+2P0121

6-4312+2P0131




NEW MONTREAL

— Nahtrang 

- 24034 white/blanco
- 24035 chrome/cromo

E27 MAX 15W LED  [I7463/SMART I7498]

Body Metal
Shade Textile/Téxtil



P.164
WALL



Shade not included. See options on page 62I
Pantalla no incluida. Ver opciones en página 62I



2P0121
white/blanco



2P0122
beige/beige



2P0123
black/negro




24036+2P0131

- 24036 white/blanco
- 24037 chrome/cromo

E27 MAX 15W LED ⊗ [17463/SMART 17498]

Body Metal

Shade Textile/Téxtil



Shade not included. See options on page 62!
Pantalla no incluida. Ver opciones en página 62!



2P0131
white/blanco

2P0132
beige/beige

2P0133
black/negro

NEW SAVOY

— Isaac Piñeiro 




20305+20313

20304+20313

- 20304+20313 white+white/blanco+blanco
- 20304+20314 white+black/blanco+negro
- 20304+20315 white+green/blanco+verde
- 20305+20313 black+white/negro+blanco
- 20305+20314 black+black/negro+negro
- 20305+20315 black+green/negro+verde

E27 MAX 15W LED [17463/SMART 17498]

Body Metal
Shade Textile/Téxtil
Diff Metal



20305+20314

P.142
SUSPENDED



P.165
WALL






- 20306+20316 white+white/blanco+blanco
- 20306+20317 white+black/blanco+negro
- 20306+20318 white+green/blanco+verde
- 20307+20316 black+white/negro+blanco
- 20307+20317 black+black/negro+negro
- 20307+20318 black+green/negro+verde

E27 MAX 15W LED [17463/SMART 17498]

Body Metal
Shade Textile/Téxtil
Diff Metal




ETERNA

— Lucid 

● **24008** chrome/cromo

E27 MAX 15W LED ✕ [17463/SMART 17498]

Body Metal



P.169
WALL



Shade not included. See options on page 62I
Pantalla no incluida. Ver opciones en página 62I



2P0221
white/blanco



2P0222
beige/beige




2P0223
black/negro



24009+2P0231

● **24009** chrome/cromo
E27 MAX 15W LED ✕ [17464]
 Body Metal



Shade not included. See options on page 62!
 Pantalla no incluida. Ver opciones en página 62!



2P0231
 white/blanco



2P0232
 beige/beige



2P0233
 black/negro

REM

— Àlex & Manel Lluscà 

● **29684** matt nickel/níquel mate

● **29685** bronze/bronce

E27 MAX 15W LED ✕ [17463/SMART 17498]

Body Metal



P.171
WALL



Shade not included. See options on page 62I
Pantalla no incluida. Ver opciones en página 62I



2P0121
white/blanco



2P0122
beige/beige



2P0123
black/negro




29687+2P0132

- **29686** matt nickel/níquel mate
- **29687** bronze/bronce

E27 MAX 15W LED [17463/SMART 17498]

Body Metal



Shade not included. See options on page 62!
 Pantalla no incluida. Ver opciones en página 62!




2P0131
white/blanco

2P0132
beige/beige

2P0133
black/negro



STAND-UP


— Estudi Ribaudí 



- 57210 alum.+white/alum.+blanco
- 57211 black+white/negro+blanco
- 57212 alum.+black/alum.+negro
- 57213 black+black/negro+negro
- 57214 alum.+grey/alum.+gris
- 57215 black+grey/negro+gris

E27 MAX 15W LED ⊗ [17463/SMART 17498]

Body Aluminium/Aluminio
Shade Textile/Téxtil



57210


57211

57212

57213

57214

57215



SWITCH



ADJUSTABLE SHADE



ARTIS

— Àlex & Manel Llusca





● 68489 bronze/bronce

E27 MAX 15W LED ☒ [17463/SMART 17498]

Body Metal

Shade Textile/Téxtil




ADJUSTABLE

● 68488 bronze/bronce

E27 MAX 15W LED ☒ [17463/SMART 17498]

Body Metal

Shade Textile/Téxtil





P.168
WALL





VESPER


— Nahtrang 



-  **29978** white+beige/blanco+beige
-  **29979** brown+beige/marrón+beige

2 E27 MAX 15W LED  [17462]

Body Metal

Shade Textile/Téxtil




-  **29984** white+beige/blanco+beige
-  **29985** brown+beige/marrón+beige

2 E27 MAX 15W LED  [17463/SMART 17498]

Body Metal

Shade Textile/Téxtil


Top Diff Textile/Téxtil



P.146
SUSPENDED




P.181
WALL





LINDA


— Estudi Ribaudí 

● 29312 black+beige/negro+beige

E27 MAX 15W LED ⊗ [17464]

Body Steel/Acero

Shade Textile/Téxtil




○ 29307 white+beige/blanco+beige

● 29311 black+beige/negro+beige

E27 MAX 15W LED ⊗ [17464]

Body Steel/Acero

Shade Textile/Téxtil



P.144
SUSPENDED



P.199
WALL







LUPE

— Jordi Busquets 

- 29998 chrome+beige/cromo+beige
- 20054+20037 NEW black+beige/negro+beige

E27 T1-X 15W LED  [17463/SMART 17498]

Body Metal
Shade Textile/Téxtil




ADJUSTABLE SHADE



- 29997 chrome+beige/cromo+beige

E27 MAX 15W LED  [17462]

Body Metal
Shade Textile/Téxtil



P.174
WALL



TANGO

— Estudi Ribaudí




ADJUSTABLE
SHADE



● **DT00066G** grey/gris

E27 MAX 15W LED ⊗ [17463/SMART 17498]

Body Metal
Shade Textile/Téxtil
Top Diff Metal




● **DT00065G** grey/gris

● **DT00065N** grey+black/gris+negro

E27 MAX 15W LED ⊗ [17463/SMART 17498]

Body Metal
Shade Textile/Téxtil
Top Diff Metal



P.143
SUSPENDED




P.180
WALL





TREE

— Estudi Ribaudí 




● 29868 black/negro

● 29869 white/blanco

E27 MAX 15W LED  [17464]

Body Metal
Shade Textile/Téxtil




● 29866 black/negro

● 29867 white/blanco

E27 MAX 15W LED  [17464]

Body Metal
Shade Textile/Téxtil



P.144
SUSPENDED





SWEET

— Estudi Ribaudí 




● 29938 nickel+white/níquel+blanco

○ 29958 white/blanco

● 29959 black/negro

E27 MAX 15W LED  [17464]

Body Metal
Shade Textile/Téxtil




● 29937 nickel+white/níquel+blanco

○ 29954 white/blanco

● 29955 black/negro

E27 MAX 15W LED  [17463/SMART 17498]

Body Metal
Shade Textile/Téxtil
Top Diff Textile/Téxtil



P.181
WALL





BERNI

— Nahtrng 


● 29335 white/blanco

● 29336 black/negro

E27 MAX 15W LED  [17464]

Body Metal

Shade Textile/Téxtil



● 29332 white/blanco


● 29333 black/negro

E27 MAX 15W LED  [17464]

Body Metal

Shade Textile/Téxtil

Top Diff Metal



P.180
WALL






● 20025 nickel+white/níquel+blanco

● 20026 nickel+black/níquel+negro

E27 MAX 15W LED ✕ [17464]

Body Metal

Shade Textile/Téxtil



VOLTA

— Estudi Ribaudí


● 20029 nickel+white/níquel+blanco

● 20030 nickel+black/níquel+negro

E27 MAX 15W LED ✕ [17464]


Body Metal

Shade Textile/Téxtil



P.179
WALL





HOTEL

— Àlex & Manel Lluscà 



- 29943 chrome+white/cromo+blanco
- 29948 chrome+black/cromo+negro

E27 MAX 15W LED ⊗ [17464]

Body Metal
Shade Textile/Téxtil



- 29942 chrome+white/cromo+blanco
- 29947 chrome+black/cromo+negro

E27 MAX 15W LED ⊗ [17463/SMART 17498]



Body Metal
Shade Textile/Téxtil
Top Diff Textile/Téxtil



P.145
SUSPENDED



P.178
WALL





MOMA

● **68502** chrome+white/cromo+blanco


● **68503** chrome+black/cromo+negro

E27 MAX 15W LED ✕ [17463/SMART 17498]

Body Metal

Shade Textile/Téxtil

Bottom Diff Opal PVC/PVC Opal



MOMA

● **68500** chrome+white/cromo+blanco


● **68501** chrome+black/cromo+negro

E27 MAX 15W LED ✕ [17462]

Body Metal

Shade Textile/Téxtil

Bottom Diff Opal PVC/PVC Opal



P.183
WALL




THANA

● 68531 nickel+white/níquel+blanco

E27 MAX 15W LED ✕ [17463/SMART 17498]]

Body Metal

Shade Textile/Téxtil




THANA

● 68530 nickel+white/níquel+blanco

E27 MAX 15W LED ✕ [17463/SMART 17498]]

Body Metal

Shade Textile/Téxtil



P.147
SUSPENDED

P.183
WALL




MITIC

● 68418 nickel+beige/níquel+beige

E27 MAX 15W LED ✕ [17463/SMART 17498]]

Body Metal

Shade Textile/Téxtil




MITIC

● 68417 nickel+beige/níquel+beige


E14 MAX 8W LED ✕ [17461]

Body Metal

Shade Textile/Téxtil



P.184
WALL






BLACK

● **29764** black/negro

E27 MAX 15W LED ✕ [17464]

Body Metal

Shade Textile/Téxtil



PAPUA


○ **68462** white/blanco

● **68463** black/negro

E27 MAX 15W LED ✕ [17464]

Body Metal

Shade Textile/Téxtil






SABA

● **68546** nickel+black/níquel+negro

E27 MAX 15W LED ✕ [17463/SMART 17498]

Body Metal

Shade (double) Textile/Téxtil




SABA

● **68547** nickel+black/níquel+negro

E27 MAX 15W LED ✕ [17464]

Body Metal

Shade (double) Textile/Téxtil




SABA

● **68545** nickel+black/níquel+negro

E27 MAX 15W LED ✕ [17464]

Body Metal

Shade (double) Textile/Téxtil



P.147
SUSPENDED



P.184
WALL



SUSPENDED

SUSPENSIÓN

● 29691 gold/oro


● 29696 NEW matt black/negro mate

LED 2 x 6W 2700K 600lm CRI>80 Driver ✓

Body Metal

Diff Opal glass/Cristal Opal

100- 50/ 240V 60HZ 1.5 MT




P.61
TABLE&FLOOR



P.151
WALL



LE VITA

— Nahtrng 



● 29694 gold/oro


● 29699 **NEW** matt black/negro mate

LED 6W 2700K 570lm CRI>80 Driver ✓

Body Metal

Diff Opal glass/Cristal Opal

 100- 50/
240V 60HZ   1.5 MT



WHIZZ

— Christoph F. Wagner



3 Days of Design, Copenhagen




● 20160 black+gold/negro+oro

● 20161 gold+black/oro+negro


E27 MAX 15W LED ⊗ [● 17426 ● 17496]

Body Metal



P.69
TABLE&FLOOR

P.153
WALL



20162



20163




20166

● 20162+20166 black+gold/negro+oro

● 20163+20166 gold+black/oro+negro

E27 MAX 15W LED ⊗ [● 17426 ● 17496]

Body Metal



20162+20166






NEW KOMBO — *Naturalives*



- **68591** grey+black/gris+negro
- **68592** beige+black/beige+negro

E27 MAX 15W LED ⊗ [17463/SMART 17498]


Body Metal



- **68593** grey+black/gris+negro
- **68594** beige+black/beige+negro

E27 MAX 15W LED ⊗ [17463/SMART 17498]



Body Metal



- **68595** grey+black/gris+negro
- **68596** beige+black/beige+negro

E27 MAX 15W LED ⊗ [17463/SMART 17498]

Body Metal






● 64500 off white/blanco roto

E27 MAX 15W LED ✕ [17463/SMART 17498]

Body Metal

Diff Opal Glass/Cristal Opal



NEW NAOS
— Àlex & Manel Llusçà




● 64501 off white/blanco roto

E27 MAX 15W LED ✕ [17463/SMART 17498]


Body Metal

Diff Opal Glass/Cristal Opal



2 RINGS INCL.

DOLME

— Xjer Studio 



● 64098 black/negro


● 64099 white/blanco

LED SMD 24W 3000K 1260lm CRI>80
Driver ✓

Body Metal

Diff Polycarbonate/Polycarbonato

⊕ 220- 50/ 240V 60HZ ⊙ 1.6 MT



P.230
CEILING



64183+64187



COCOTTE — Jordi Llopis



- 64182 matt white/blanco mate
- 64183 shiny black/negro brillante

LED SMD 42W 3000K 1700lm CRI>80
Driver ✓


Body Metal+Aluminium/Metal+Aluminio
Diff Opal PMMA/PMMA Opal

 100- 50/
240V 60HZ

- 64250 matt white/blanco mate
- 64251 shiny black/negro brillante

LED SMD 30W 3000K 1300lm CRI>80
Driver ✓

Body Metal+Aluminium/Metal+Aluminio
Diff Opal PMMA/PMMA Opal




 100- 50/
240V 60HZ

Ø550 SUSPENDED KIT

- 64186 white/blanco
- 64187 black/negro

Ø430 SUSPENDED KIT



- 64184 white/blanco
- 64185 black/negro







- 24500 white/blanco
- 24501 black+gold/negro+oro
- LED 20W 3000K 1150lm CRI>80 Driver ✓

Body Metal
Diff Opal Glass/Cristal Opal



- 24504 white/blanco
- 24505 black+gold/negro+oro
- LED 2 x 20W 3000K 1150lm CRI>80 Driver ✓


Body Metal
Diff Opal Glass/Cristal Opal



SLIM

— Àlex & Manel Llusçà 

P.154
WALL




ARTICULATED



PENDANT &
WALL



PLANET

— Xjer Studio 




○ 65046 white/blanco

● 65047 copper/cobre

LED SMD 12W 3000K 780lm CRI>80 Driver ✓

Body Metal+Aluminium/Metal+Aluminio
Diff PMMA

⏚ 100- 50/ 60HZ Ⓢ 1.5 MT



SIDE

— Àlex & Manel Llusçà 

○ 62136 white/blanco

○ 62137 white+níckel/blanco+níquel

● 62138 black+gold/negro+oro

● 62139 black+copper/negro+cobre

G9 MAX 6W LED ⓧ [I7443]

Body Metal

Diff Opal Glass/Cristal Opal

⏚ Ⓢ 1.5 MT



P.231
CEILING






ETNA — Pepe Lladet 

- DV00035 wood/madera
- DV00032 black wood/madera negra

GU 10 MAX 8W LED  [17330]

Body Metal+Wood+ Pyrex blown glass/
Metal+Madera+ Cristal soplado Pyrex





ETNA — Pepe Lladet 

- DV00037 wood/madera
- DV00034 black wood/madera negra

GU 10 MAX 8W LED  [17330]

Body Metal+Wood+ Pyrex blown glass/
Metal+Madera+ Cristal soplado Pyrex




ETER — Conillas 

- 29816 transparent/transparente
- DV00022 shiny black/negro brillante
- DV00023 matt black/negro mate
- DV00024 shiny white/blanco brillante
- DV00025 matt white/blanco mate

QR III MAX 20W LED  [97684227-97684427]

Body Pyrex blown glass/Cristal soplado Pyrex



PYREX BLOWN
GLASS



FLASH


— Estudi Ribaudf



- 20201 white/blanco
- 20205 black/negro

LED SMD 10W 3000K 500lm CRI>80 Driver ✓


Body Die Cast Aluminium/Aluminio inyectado
Diff Polyethylene/Polietileno



- 20202 white/blanco
- 20206 black/negro

LED 2 x SMD 10W 3000K 500lm CRI>80
Driver ✓



Body Die Cast Aluminium/Aluminio inyectado
Diff Polyethylene/Polietileno





- 20203 white/blanco
- 20207 black/negro

LED 4 x SMD 10W 3000K 500lm CRI>80
Driver ✓

Body Die Cast Aluminium/Aluminio inyectado
Diff Polyethylene/Polietileno




P.194
WALL






- 64170 white/blanco
- 64172 black+gold/negro+oro
- LED SMD 6W 3000K 450lm CRI>80 Driver ✓
- Body Aluminium/Aluminio

□ 100- 50/ 240V 60HZ Ⓢ 1.5 MT



PLUMA

— Nahrang 



CONIK



— Àlex & Manel Llusçà 



- 64221 white/blanco
- LED SMD 32W 3000K 3200lm CRI>80 Driver ✓
- Body Aluminium/Aluminio
- Diff PMMA

□ 100- 50/ 240V 60HZ Ⓢ 1.5 MT

P.203 WALL






- 20016 beige/beige
- 20046 copper/cobre
- 20050 black+copper/negro+cobre

E 14 MAX 8W LED [17461]

Body Metal



RETRO

— Àlex & Manel Llusca




20048 20051

- 20047 copper/cobre
- 20048 black+copper/negro+cobre
- 20051 black+gold/negro+oro

12 E 14 MAX 8W LED [17461]

Body Metal



P.68
TABLE&FLOOR

P.198
WALL





CRÁTER


● 68461 black+gold/negro+oro

3 E27 MAX 15W LED ✕ [17463/SMART 17498]

Body Aluminium/Aluminio



1.5 MT



MAGMA

● 28398 white+silver/blanco+plata

● 28399 white+gold/blanco+oro


● 29468 black+gold/negro+oro

3 E27 MAX 15W LED ✕ [17464]

Body Fiber Glass/Fibra de Vidrio



FIBER GLASS
FIBRA VIDRIO 2 MT



Project Elena Castells Poch



ART

● **64137** old gold/oro envejecido

● **65134** black/negro

E27 MAX 15W LED ✕ [17425]


Body Metal



1.5 MT **64137**



2 MT **65134**



LIZ

● **65080** old gold/oro envejecido


E27 MAX 15W LED ✕ [17428]

Body Metal

Diff Glass/Cristal



1.3 MT



CLARA

● **64128** black/negro


E27 MAX 15W LED ✕ [17428]

Body Metal

Diff Glass/Cristal



2 MT



MARLIN


● **64133** gold+ black/oro+negro

E27 MAX 15W LED ✕ [17428]

Body Metal



1.5 MT



P.200
WALL



HALITA

● **65071** old gold/oro envejecido


E27 MAX 15W LED ✕ [17428]

Body Metal

Diff Glass/Cristal



1.5 MT



PLAT

● **68145** black/negro

○ **68146** white/blanco

E27 MAX 15W LED ✕ [17271/17429]

Body Metal



1.5 MT






ROSE

● 65082 black/negro

E27 MAX 15W LED ✕ [17429]

Body Metal

Diff Glass/Cristal




ROSE

● 65081 black/negro

4 E27 MAX 15W LED ✕ [17429]

Body Metal

Diff Glass/Cristal






LOU

- 62800 black/negro
- 62801 green/verde

E27 MAX 15W LED ✕ [17463/SMART 17498]

Body Metal




LANG

- 62804 black/negro
- 62805 green/verde

E27 MAX 15W LED ✕ [17426]

Body Metal




MOU

- 62806 black/negro

E27 MAX 15W LED ✕ [17463/SMART 17498]

Body Metal




CLAIRE

- 62802 black/negro
- 62803 green/verde

E27 MAX 15W LED ✕ [17426]

Body Metal



Project **Upper Interiorismo**



STAN NEW

○ 43754 white/blanco

● 43755 black/negro

GU10 MAX 8W LED [17324]

Body Aluminium/Aluminio



*Accessories page 220 / Accesorios en página 220



P.237
CEILING



P.250
RECESSED



P.221
SPOT



P.264
TRACK



P.202
WALL




DANKA

● 64222 nickel+black/níquel+negro

● 64223 gold+black/oro+negro


LED COB 6W 3000K 530lm CRI>80 Driver ✓

Body Aluminium/Aluminio



Thanks to **Salto Proyectos Arquitectura** Photo **Architectural Matter**






COSMOS

● 64224 brass/latón

LED 5W 3000K 360lm CRI>80 Driver ✓

Body Aluminium+Brass/Aluminio+Latón
Diff PMMA



ø60/2.3"

ø220/8.6"




PAM

● 64162 black+gold/negro+oro

LED SMD 24W 3000K 1875lm CRI>80
Driver ✓

Body Aluminium/Aluminio
Diff PMMA



ø110/4.3"

305/12"
ø250/9.8"




PAM

○ 64159 white/blanco

● 64160 black+gold/negro+oro

LED SMD 11W 3000K 900lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff PMMA



ø110/4.3"

215/8.5"
ø165/6.5"







ORA

- 29894 white/blanco
- 29895 black/negro

LED SMD 4W 3000K 350lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff PMMA



P.202
WALL





LISE

- 29886 white/blanco
- 29887 black/negro

LED COB 6W 2700K 370lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Optical glass/Cristal óptico



P.202
WALL




SABI NEW

- 64320 white/blanco
- 64321 black/negro

LED SMD 3W 2700K 280lm CRI>80 Driver ✓

Body Aluminium+Steel/Aluminio+Acero
Diff Optical glass/Cristal óptico





FADA

- 66227 blue/azul
- 66228 pink/rosa

LED COB 5W 3000K 440lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Shade Leather/Piel





HELGA

- 66229 brown/marrón
- 66230 black/negro
- 66231 blue/azul
- 66232 pink/rosa

LED COB 5W 3000K 440lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Shade Leather/Piel





FAUNA

- 66233 brown/marrón
- 66234 black/negro
- 66235 blue/azul
- 66236 pink/rosa

LED COB 5W 3000K 440lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Shade Leather/Piel



PLEC

— Àlex & Manel Llusçà 





INDOOR SUSPENDED



● **66214** old brown/marrón envejecido
 ● **66215** off white/blanco roto
LED 2 x SMD I5W 2700K I 200lm CRI>80
 Driver ✓


Body Steel/Acero
 Diff PVC


IP44  220- 50/
 240V 60HZ



● **66212** old brown/marrón envejecido
 ● **66213** off white/blanco roto
LED SMD I5W 2700K I 200lm CRI>80
 Driver ✓



Body Steel/Acero
 Diff PVC

IP44  220- 50/
 240V 60HZ



● **66210** old brown/marrón envejecido
 ● **66211** off white/blanco roto
LED SMD I5W 2700K I 200lm CRI>80
 Driver ✓

Body Steel/Acero
 Diff PVC


IP44  220- 50/
 240V 60HZ  1.5 MT



P.199
 WALL






WINCH — Àlex & Manel Lluscà 

● **66204** brown/marrón

E27 MAX 15W LED ☒ [17463/SMART 17498]

Body Metal
Diff Glass/Cristal




WINCH — Àlex & Manel Lluscà 

● **66205** brown/marrón

E27 MAX 15W LED ☒ [17463/SMART 17498]

Body Metal
Diff Glass/Cristal



P.199
WALL




LIANA

● **68569** brown/marrón

E27 MAX 15W LED ☒ [17464]

Body Metal+Rattan




BRUME — Àlex & Manel Lluscà 

● **40078** old metal/metal envejecido

LED SMD 3W 2700K 200lm CRI>80 Driver ✓

Body Metal
Diff Glass/Cristal



P.209
WALL






NUDOS

● **68139** dark brown/marrón oscuro

E27 MAX 15W LED ✕ [17462]

Body Metal
Diff Bubble Glass/Cristal Burbuja



P.200
WALL




MARINA

● **60004** black/negro

E27 MAX 15W LED ✕ [17428]

Body Metal
Diff Glass



P.199
WALL




NIDO

● **68153** brown/marrón

E27 MAX 15W LED ✕ [17464]

Body Cane/Caña




CHARLOTTE

● **68562** dark grey/gris oscuro

● **68563** white/blanco

E27 MAX 15W LED ✕ [17464]

Body Steel/Acero
Diff Opal Polycarbonate/Polycarbonato Opal




MIA

● **64175** white/blanco

LED SMD LED 8W 3000K 600lm CRI>80
Driver ✓

Body Metal
Diff Opal Glass/Cristal Opal




MARGOT

● **68561** black/negro

● **68564** white/blanco

E27 MAX 15W LED ✕ [17464]

Body Aluminium+Wood/Aluminio+Madera





- 28375 white/blanco
- 28376 dark grey/gris oscuro


Diff Opal Glass/Cristal Opal

- 28209 white/blanco
- 28210 dark grey/gris oscuro

Diff Polycarbonate/Policarbonato

E27 MAX 15W LED ✕ [17463/SMART 17498]

Body Metal+Wood/Metal+Madera



P.43
TABLE




Restaurant & Bar
Product Design Awards
Winner



GERMAN
DESIGN
AWARD
SPECIAL
2018

MINE

— Nahrang 

CUSTOMIZE YOUR MINE

N° OF LIGHTS/N° DE LUCES
MTS OF CABLE/MTS DE CABLE
N° OF HOOKS/N° DE GANCHOS

SEND YOUR DEMAND ON/ENVÍANOS TU PETICIÓN A

customize@faro.es



- 28375-1L white/blanco
- 28376-1L dark grey/gris oscuro

Diff Opal Glass/Cristal Opal

- 28209-1L white/blanco
- 28210-1L dark grey/gris oscuro

Diff Polycarbonate/Polycarbonato

2 E27 MAX 15W LED  [17463/SMART 17498]



- 28375-2L white/blanco
- 28376-2L dark grey/gris oscuro

Diff Opal Glass/Cristal Opal

- 28209-2L white/blanco
- 28210-2L dark grey/gris oscuro

Diff Polycarbonate/Polycarbonato

4 E27 MAX 15W LED  [17463/SMART 17498]




- 28375-3L white/blanco
- 28376-3L dark grey/gris oscuro

Diff Opal Glass/Cristal Opal

- 28209-3L white/blanco
- 28210-3L dark grey/gris oscuro

Diff Polycarbonate/Polycarbonato

6 E27 MAX 15W LED  [17463/SMART 17498]




- 28375-4L white/blanco
- 28376-4L dark grey/gris oscuro

Diff Opal Glass/Cristal Opal

- 28209-4L white/blanco
- 28210-4L dark grey/gris oscuro

Diff Polycarbonate/Polycarbonato

8 E27 MAX 15W LED  [17463/SMART 17498]



- 28375-5L white/blanco
- 28376-5L dark grey/gris oscuro

Diff Opal Glass/Cristal Opal

- 28209-5L white/blanco
- 28210-5L dark grey/gris oscuro

Diff Polycarbonate/Polycarbonato

10 E27 MAX 15W LED  [17463/SMART 17498]



HOOK ACCESSORY

- 28373 white/blanco
- 28374 grey/gris



STOOD


— Lucid 

● 29849 black+wood/negro+madera

5 E27 MAX 15W LED ⊗ [17464]

Body Metal

Shade Cherry Tree Wood/Madera Cerezo




CHERRY TREE WOOD

● 29848 black+wood/negro+madera

E27 MAX 15W LED ⊗ [17464]

Body Metal

Shade Cherry Tree Wood/Madera Cerezo



P.62
TABLE&FLOOR



P.160
WALL



LOOP

— Estudi Ribaudí





● **29567** black+wood/negro+madera

LED SMD 3 x 6W 2700K 500lm CRI>80
Driver ✓

Body Metal

Shade Cherry Tree Wood/Madera Cerezo




P.63
TABLE&FLOOR

P.161
WALL



CHERRY TREE
WOOD

PAULINE

— Nahtrng 


● 20100 wood/wood

LED SMD 24W 2700K 2000lm CRI>80
Driver ✓

Body Metal+Wood/Metal+Madera

Diff Polycarbonate/Polycarbonato

  L  220-240V  50/60HZ  1.5 MT





PHILL

— Nahträng 




● **20099** black+wood/negro+madera

LED SMD 24W 3000K 1700lm CRI>80
Driver ✓

Body Metal+Wood/Metal+Madera
Diff Polycarbonate/Polycarbonato

   200- 50/
240V 60HZ  1,2 MT




● **20098** black+wood/negro+madera

LED SMD 12W 3000K 750lm CRI>80
Driver ✓


Body Metal+Wood/Metal+Madera
Diff Polycarbonate/Polycarbonato

   200- 50/
240V 60HZ  2 MT





NEW MAMBO

— Faro Lab 



6-3141+P0720




● 64314 black/negro

E27 MAX 15W LED ✕ [17463/SMART 17498]

Body Metal



Ø80/3.1"



64315+2P0730




● 64315 black/negro

E27 MAX 15W LED ✕ [17463/SMART 17498]

Body Metal



Ø80/3.1"



P.74
TABLE&FLOOR




Shade not included. See options on page 62!
Pantalla no incluida. Ver opciones en página 62!

P.166
WALL



HUE-IN

— Nahtrang 



20124/20116



20125/20117



20126/20118




20127/20119



20128/20120



20129/20121



20130/20122



20131/20123


-  **20124** white ivory/blanco marfil
-  **20125** white/blanco
-  **20126** terracotta/terracota
-  **20127** black/negro
-  **20128** yellow/amarillo
-  **20129** burgundy/granate
-  **20130** olive green/verde oliva
-  **20131** brown/marrón

4 E27 MAX 15W LED  [17464]

Body Metal

Shade Beige Ribbon Shade/Tela encintada

Diff Papyrus/Papiro






- 2016 white ivory/blanco marfil
- 2017 white/blanco
- 2018 terracotta/terracota
- 2019 black/negro
- 2020 yellow/amarillo
- 2021 burgundy/granate
- 2022 olive green/verde oliva
- 2023 brown/marrón

3 E27 MAX 15W LED ⊗ [17464]


Body Metal


Shade Beige Ribbon Shade/Tela encintada

Diff Papyrus/Papiro



NEW FONOVIA

— Faro Lab 





● **20110** dark grey+grey/gris oscuro+gris

LED SMD 25W **3000K** 2500lm CRI>80 Driver ✓



Body Metal

Shade Recycled PET+Textile Fiber/
PET Reciclado+Fibra T xtil

Diff Opal Glass/Cristal Opal

 100- 50/
240V 60HZ  $\alpha = 0.4$
2MT

ⓘ [Modular option available on page 462/Ver opci n modular en p gina 462](#)



**SOUND
ABSORBING**
 $\alpha = 0.4$



RECYCLED PET





MUTE — Nahrang

● **20101** dark grey+grey/gris oscuro+gris

● **20102** dark grey+brown/gris oscuro+marrón

LED SMD 24W 3000K 2500lm CRI>80 Driver ✓

● **20103** dark grey+grey/gris oscuro+gris

● **20104** dark grey+brown/gris oscuro+marrón



LED SMD 24W 4000K 2650lm CRI>80 Driver ✓


Body Metal

Shade Recycled PET+Textile Fiber/

PET Reciclado+Fibra Téxtil

Diff Opal Glass/Cristal Opal

 100- 50/ 240V 60HZ  α =0.4



● **20101DA** dark grey+grey/gris oscuro+gris

● **20102DA** dark grey+brown/gris oscuro+marrón

LED SMD 24W 3000K 2500lm CRI>80 Driver ✓

● **20103DA** dark grey+grey/gris oscuro+gris

● **20104DA** dark grey+brown/gris oscuro+marrón




LED SMD 24W 4000K 2500lm CRI>80 Driver ✓


Body Metal

Shade Recycled PET+Textile Fiber/

PET Reciclado+Fibra Téxtil

Diff Opal Glass/Cristal Opal


  100- 50/ 240V 60HZ  α =0.4



SOUND
ABSORBING
α =0.4



PENDANT &
CEILING



RECYCLED PET



20308+20319



20309+20320



NEW SAVOY — Isaac Piñeiro




- 20308+20319 white+beige/blanco+beige
- 20308+20320 white+black/blanco+negro
- 20308+20321 white+green/blanco+verde
- 20309+20319 black+beige/negro+beige
- 20309+20320 black+black/negro+negro
- 20309+20321 black+green/negro+verde

E27 MAX 15W LED [17464]

Body Metal
Shade Textile/Téxtil
Diff Metal



0.8 MT



P.80
TABLE&FLOOR

P.165
WALL



TANGO

— Estudi Ribaudí



● **DT00062G** grey/gris


E27 MAX 15W LED ✕ [17463/SMART 17498]

Body Metal

Shade Textile/Téxtil



1.5 MT




P.92
TABLE&FLOOR

P.180
WALL



LINDA


— Estudi Ribaudí 



- 29309 white/blanco
- 29313 black+white/negro+blanco

E27 MAX 15W LED ⊗ [17464]


Body Steel/Acero
Shade Textile/Téxtil



- 29864 black/negro
- 29865 white/blanco

E27 MAX 15W LED ⊗ [17463/SMART 17498]


Body Metal
Shade Textile/Téxtil



P.93
TABLE&FLOOR



TREE

— Estudi Ribaudí 



HOTEL

— Àlex & Manel Llusçà




- 29944 chrome+white/cromo+blanco
- 29949 chrome+black/cromo+negro

3 E27 MAX 15W LED ⊗ [17462]

Body Metal

Shade Textile/Téxtil

Bottom Diff Textile/Téxtil



P.97
TABLE&FLOOR

P.178
WALL



FUSTA

— Àlex & Manel Llusçà




- 28393 black/negro
- 28394 white+wood/blanco+madera


E27 MAX 15W LED ⊗ [17464]

Body Metal+Wood/Metal+Madera

Shade Textile/Téxtil



VESPER

— Nahtrng 



● 29986 white+beige/blanco+beige


● 29987 brown+beige/marrón+beige

2 E27 MAX 15W LED ⊗ [I7463/SMART I7498]

Body Metal

Shade Textile/Téxtil

Bottom Diff PVC



● 29988 white+beige/blanco+beige


● 29989 brown+beige/marrón+beige

3 E27 MAX 15W LED ⊗ [I7463/SMART I7498]

Body Metal

Shade Textile/Téxtil

Bottom Diff PVC



P.89
TABLE&FLOOR

P.181
WALL





THANA

● **68533** nickel+white/níquel+blanco

3 E27 MAX 15W LED ✕ [17463/SMART 17498]


Body Metal
Shade Textile/Téxtil



P.99
TABLE&FLOOR



P.183
WALL



SABA

● **68548** nickel+black/níquel+negro

E27 MAX 15W LED ✕ [17464]

Body Metal
Shade (double) Textile/Téxtil





1.2 MT

P.101
TABLE&FLOOR



P.184
WALL



SABA

● **68549** nickel+black/níquel+negro

3 E27 MAX 15W LED ✕ [17464]

Body Metal
Shade (double) Textile/Téxtil





1.2 MT

P.101
TABLE&FLOOR



P.184
WALL



AINA

○ **64174** white/blanco


LED SMD 40W 2700K 3000lm CRI>80
Driver ✓

Body Opal Polycarbonate/Polícarbonato Opal
Shade Textile/Téxtil

IP44



220- 50/ 240V 60HZ 1.3 MT



SEVEN

○ **68283** white/blanco


2 E27 MAX 15W LED ✕ [17463/SMART 17498]

Body Metal+PVC
Shade Textile/Téxtil



1 MT

P.237
CEILING



SEVEN

○ **68284** white/blanco


3 E27 MAX 15W LED ✕ [17463/SMART 17498]

Body Metal+PVC
Shade Textile/Téxtil



1 MT

P.237
CEILING



SURFACE

SUPERFICIE



MOY

— Nahtrang 



● 40090 gold/oro



● 40091 chrome/cromo


● 40092 bronze/bronze

LED 4W 3000K 220 lm CRI>80 Driver ✓


Body Metal

Diff Glass/Cristal

IP44  100- 50/
240V 60HZ 



NEW JOY

— Nahtrang 



● 64027 black/negro


○ 64028 white/blanco

LED 3W 3000K 360lm CRI>80 Driver ✓


Body Steel/Acero

Diff Glass/Cristal

 100- 50/
240V 60HZ 



LE VITA

— Nahtrng 



● 29690 gold/oro


● 29695 NEW matt black/negro mate

LED 6W 2700K 570lm CRI>80 Driver ✓

Body Metal

Diff Opal glass/Cristal Opal

 100- 50/
240V 60HZ 



P.61
TABLE&FLOOR



P.105
SUSPENDED




● 20167 black+gold/negro+oro


● 20168 gold+black/oro+negro

E27 MAX 15W LED ⊗ [17426/17496]

Body Metal



P.69
TABLE&FLOOR



P.106
SUSPENDED



ADJUSTABLE

WHIZZ

— Christoph F. Wagner 



20162



20163





20165

● 20162+20165 black+gold/negro+oro

● 20163+20165 gold+black/oro+negro

E27 MAX 15W LED  [17426/17496]

Body Metal




ADJUSTABLE
SHADE




SLIM



— Àlex & Manel Llusçà 



2 INSTALLATION MODES

- 24502 white/blanco
- 24503 black+gold/negro+oro
- LED** 20W 3000K 1150lm CRI>80 Driver 

Body Metal
Diff Opal Glass/Cristal Opal



P.112
SUSPENDED



HAN

— Goula/Figuera




○ 01000 white/blanco



● 01001 black/negro

LED SMD 6W 2700K 500lm CRI>80 Driver ✓

Body Metal

Diff Opal PMMA/PMMA Opal

⊕ 100- 50/
240V 60HZ 



HANGER

Thanks to MIKMAX



20031 + 20035



NEW GUADALUPE


— Faro Lab 



- 20031 + 20035 black+beige/negro+beige
- 20031 + 20036 black+green/negro+green

E27 MAX 15W LED ⊗ [17462]

Body Metal
Shade Metal






- 20032 + 20035 black+beige/negro+beige
- 20032 + 20036 black+green/negro+green

E27 MAX 15W LED ⊗ [17462]

LED HIGH POWER 1W 3000K I00lm CRI>80
Driver ✓

Body Metal
Shade Metal



P.57
TABLE&FLOOR




NEW GUEST

— Andreu Carulla 

● 01045 black/negro

E27 MAX 15W LED  [17426]

Body Aluminium/Aluminio



CORK INCLUDED

P.58
FLOOR



PURE

— Nahtrang 





● 24527 white/blanco

● 24528 black/negro

LED SMD 6W 3000K 500lm CRI>80 Driver


Body Metal

Diff Transparent PMMA/PMMA Transparente






RIGHT READER

 **01009** white+wood/blanco+madera





Diff Opal Glass/Cristal Opal

 **01027** white+wood/blanco+madera


Diff Polycarbonate/Polycarbonato

LED SMD 7W 3000K 500lm CRI>80 Driver 

Body Metal

  100- 50/ 240V 60HZ   SWITCH

 USB charger  Wireless charger



LEFT READER

 **01014** white+wood/blanco+madera





Diff Opal Glass/Cristal Opal

 **01026** white+wood/blanco+madera


Diff Polycarbonate/Polycarbonato

LED SMD 7W 3000K 500lm CRI>80 Driver 

Body Metal

  100- 50/ 240V 60HZ   SWITCH

 USB charger  Wireless charger



P.42
TABLE



WIRELESS
CHARGER



USB
CHARGER





TOUCH
SWITCH





MOOD — Nahtreg




● **20061** black+wood/negro+madera
LED 2 x 3W 3000K 67lm CRI>80 Driver ✓
 Body Metal+Paper wood/Metal+Papel madera



● **20062** black+wood/negro+madera
LED 2 x 3W 3000K 67lm
 Reader **LED** 2W 3000K 105lm CRI>80
 Driver ✓
 Body Metal+Paper wood/Metal+Papel madera





● **20060** black+wood/negro+madera
LED 2W 3000K 105lm CRI>80 Driver ✓
 Body Metal+Paper wood/Metal+Papel madera





STOOD

— Lucid 




● **29844** black+wood/negro+madera

E27 MAX 15W LED ⊗ [17462]

Body Metal

Shade Cherry Tree Wood/Madera Cerezo



CHERRY TREE
WOOD



P.130
SUSPENDED



P.62
TABLE&FLOOR




● **29845** black+wood/negro+madera

E27 MAX 15W LED ⊗ [17462]

Body Metal

Shade Cherry Tree Wood/Madera Cerezo



LOOP

— Estudi Ribaudí




● 29566 black+wood/negro+madera

LED SMD 6W 2700K 500lm CRI>80 Driver ✓

Body Metal

Shade Cherry Tree Wood/Madera Cerezo



CHERRY TREE WOOD



TOUCH SWITCH

P.131
SUSPENDED



P.63
TABLE&FLOOR





● 29565 black+wood/negro+madera

LED SMD 6W 2700K 500lm CRI>80 Driver ✓


Body Metal

Shade Cherry Tree Wood/Madera Cerezo





- 57303 white/blanco
- 57304 black/negro
- 57305 yellow/amarillo
- 57310 grey/gris
- LED COB 6W 2700K 4800K 410lm CRI>80 Driver
- Body Aluminium/Aluminio
- Diff PMMA
- CIM
- 100-240V 50/60HZ I,9 MT
- 180° 90°



INVITING


— Bohman&Folienius 




reddot award 2019 winner



- 57300 white/blanco
- 57301 black/negro
- 57302 yellow/amarillo
- 57309 grey/gris
- LED COB 6W 2700K 4800K 410lm CRI>80
- Driver ✓
- Body Aluminium/Aluminio
- Diff PMMA



P.51
TABLE



DIMMABLE
INTENSITY



DIMMABLE
KELVIN

NEW MONTREAL

— Nahtrang 




24-031: 3" x 3"



- 24030 white/blanco
- 24031 chrome/cromo

E27 MAX 15W LED ⊗ [17463/SMART 17498]

Body Metal
Shade Textile/Téxtil



24-032: 3" x 11.5"




- 24032 white/blanco
- 24033 chrome/cromo

E27 MAX 15W LED ⊗ [17463/SMART 17498]

LED SMD 3W 2700K 150lm CRI>80 Driver ✓

Body Metal
Shade Textile/Téxtil



Shade not included. See options on page 621
Pantalla no incluida. Ver opciones en página 621



2P011
white/blanco



2P012
beige/beige



2P013
black/negro

P.78
TABLE&FLOOR



20303+20311

NEW SAVOY
— Isaac Piñeiro




20302+20310



- 20302+20310 white+white/blanco+blanco
- 20302+20311 white+black/blanco+negro
- 20302+20312 white+green/blanco+verde
- 20303+20310 black+white/negro+blanco
- 20303+20311 black+black/negro+negro
- 20303+20312 black+green/negro+verde

E27 MAX 15W LED [17463/SMART 17498]
LED SMD 3W 3000K 160lm CRI>80 Driver ✓

Body Metal
Shade Textile/Téxtil
Diff Metal





20300+20310



- 20300+20310 white+white/blanco+blanco
- 20300+20311 white+black/blanco+negro
- 20300+20312 white+green/blanco+verde
- 20301+20310 black+white/negro+blanco
- 20301+20311 black+black/negro+negro
- 20301+20312 black+green/negro+verde

E27 MAX 15W LED [17463/SMART 17498]

Body Metal
Shade Textile/Téxtil
Diff Metal



P.142
SUSPENDED



P.80
TABLE&FLOOR



64309+2P0617



64309+2P0710



64309+2P0112



NEW MAMBO

— Faro Lab

P.74
TABLE&FLOOR

P.135
SUSPENDED



● 64308 white/blanco

● 64309 black/negro

E27 MAX 15W LED [17426]

LED SMD 3W 3000K 280lm CRI>80 Driver ✓


Body Metal



DOUBLE SWITCH 100-240V 50/60HZ



Shade not included. See options on page 621 / Pantalla no incluida. Ver opciones en página 621



2P0111
white/blanco



2P0112
beige/beige



2P0113
black/negro



2P0615
beige/beige



2P0616
yellow/amarillo



2P0617
green/verde



2P0710
rattan




NEW FOLD
— Nutcreatives



- 64304 white/blanco
- 64305 black/negro

E27 MAX 15W LED [17463/SMART 17498]
LED SMD 3W 3000K 200lm CRI>80 Driver


Body Metal
Shade Textile/Téxtil
Diff Metal



- 64302 white/blanco
- 64303 black/negro

E27 MAX 15W LED [17463/SMART 17498]

Body Metal
Shade Textile/Téxtil
Diff Metal



68493+2P0112

ARTIS

— Àlex & Manel Llusçà



Shade not included. See options on page 62!
Pantalla no incluida. Ver opciones en página 62!



2P0111
white/blanco



2P0112
beige/beige



2P0113
black/negro

68490+2P0111



- **68490** bronze/bronce
- **68491** chrome/cromo

E27 MAX 15W LED ⊗ [17463/SMART 17498]

Body Metal



68493+2P0112




- **68492** bronze/bronce
- **68493** chrome/cromo

E27 MAX 15W LED ⊗ [17463/SMART 17498]

LED 1W 3000K | 40lm CRI>80 Driver ✓

Body Metal



68495+2P0113






- **68494** bronze/bronce
- **68495** chrome/cromo

E27 MAX 15W LED ⊗ [17463/SMART 17498]

Body Metal



P.88
TABLE&FLOOR



24007+2P0211



ETERNA

— Lucid 

Shade not included. See options on page 62!
Pantalla no incluida. Ver opciones en página 62!



2P0211
white/blanco



2P0212
beige/beige



2P0213
black/negro

24007+2P0213



24007 chrome/cromo

E27 MAX 15W LED [17463/SMART 17498]
LED HIGH POWER 1W 2700K 90lm CRI>80
Driver ✓

Body Metal



24006+2P0211



24006 chrome/cromo

E27 MAX 15W LED [17463/SMART 17498]
LED HIGH POWER 1W 2700K 90 lm CRI>80
Driver ✓

Body Metal






24005+2P0211



24005 chrome/cromo

E27 MAX 15W LED [17463/SMART 17498]

Body Metal



P.82
TABLE&FLOOR



20170+2P0113

FRAME

— Nahrang



20173+2P0112



20170+2P0411




20173+2P0113



- 20170 matt nickel/níquel mate
- 20171 old gold/oro viejo

E27 MAX 15W LED ⊗ [17463/SMART 17498]

Body Aluminium/Aluminio






- 20172 matt nickel/níquel mate
- 20173 old gold/oro viejo

E27 MAX 15W LED ⊗ [17463/SMART 17498]

LED SMD 3W 3000K 100lm CRI>80 Driver ✓

Body Aluminium/Aluminio



Shade not included. See options on page 621
Pantalla no incluida. Ver opciones en página 621



2P0111
white/blanco



2P0112
beige/beige



2P0113
black/negro



2P0411
white/blanco



2P0412
beige/beige



2P0413
black/negro

29683+2P0312



REM

— Àlex & Manel Llusca 

29681+2P0313



29681+2P0311



Shade not included. See options on page 621
Pantalla no incluída. Ver opciones en página 621



2P0311
white/blanco



2P0312
beige/beige



2P0313
black/negro

- **29680** matt nickel/níquel mate
- **29681** gold/oro

E27 MAX 15W LED [17463/SMART 17498]


Body Metal





- **29682** matt nickel/níquel mate
- **29683** gold/oro

E27 MAX 15W LED [17463/SMART 17498]
LED HIGH POWER 4W 3000K 120lm CRI>80
Driver ✓

Body Metal



P.84
TABLE&FLOOR





COTTON


● **66403** beige/beige

● **66404** black/negro

E27 MAX 15W LED ✕ [17463/SMART 17498]

Body Metal

Shade Textile/Téxtil



COTTON


● **66405** beige/beige

● **66406** black/negro

2 E27 MAX 15W LED ✕ [17463/SMART 17498]

Body Metal

Shade Textile/Téxtil



COTTON


● **66407** beige/beige

● **66408** black/negro

E27 MAX 15W LED ✕ [17463/SMART 17498]

Body Metal

Shade Textile/Téxtil



COTTON


● **66409** beige/beige

● **66410** black/negro

2 E27 MAX 15W LED ✕ [17463/SMART 17498]

Body Metal

Shade Textile/Téxtil





COTTON

- 66411 beige/beige
- 66412 black/negro

E27 MAX 15W LED ✕ [17463/SMART 17498]

Body Metal
Shade Textile/Téxtil



COTTON

- 66413 beige/beige
- 66414 black/negro

2 E27 MAX 15W LED ✕ [17463/SMART 17498]

Body Metal
Shade Textile/Téxtil






COTTON

- 66415 beige/beige
- 66416 black/negro

2 E27 MAX 15W LED ✕ [17463/SMART 17498]


Body Metal
Shade Textile/Téxtil



● DT00073 wood+grey/madera+gris

E27 MAX 15W LED ✕ [17485]

Body Metal+Wood/Metal+Madera
Shade Paper/Papel



HANOI — Pepe Llaudet



LUPE

— Jordi Busquets



Thanks to MIKMAX



29995 chrome+beige/cromo+beige

20031 + 20037 **NEW** black+beige/negro+beige


E27 MAX 15W LED ⊗ [17463/SMART 17498]

Body Metal

Shade Textile/Téxtil



SWITCH



29996 chrome+beige/cromo+beige

20032 + 20037 **NEW** black+beige/negro+beige

E27 MAX 15W LED ⊗ [17463/SMART 17498]

LED HIGH POWER 1W 3000K 100lm CRI>80

Driver ✓

Body Metal

Shade Textile/Téxtil




100-
240V



50/
60HZ

DOUBLE
SWITCH



P.91
TABLE&FLOOR






64400 dark grey+wood/gris oscuro+madera

E27 MAX 15W LED [I7463/SMART I7498]

Body Steel+Bamboo/Acero+Bambú



Shade not included. See options on page 621
Pantalla no incluida. Ver opciones en página 621



2P0211
white/blanco




2P0212
beige/beige



2P0213
black/negro



BLOME — Estudi Ribaudí 

○ 62099 white/blanco


● 62100 black/negro


LED SMD 3W 3000K 150lm CRI>90 Driver ✓

Body Metal+Silicone/Metal+Silicona

Shade Textile/Téxtil

Diff Opal Glass/Cristal Opal



ACADEMY — Nahrang 

● 28200 chrome/cromo


○ 28201 white/blanco

● 28206 black/negro

LED SMD 4W 3000K 350lm CRI>80 Driver ✓

Body Metal+Aluminium/Metal+Aluminium

Diff Opal PMMA/PMMA Opal



P.71
TABLE&FLOOR





SABANA — Pepe Llaudet

● **29993** nickel+beige/níquel+beige

E27 MAX 15W LED [17462]

Body Metal

Shade Textile/Téxtil



SABANA — Pepe Llaudet

● **29991** nickel+beige/níquel+beige

E27 MAX 15W LED [17462]

LED HIGH POWER 1W 4000K CRI>80
Driver ✓

Body Metal

Shade Textile/Téxtil



SABANA — Pepe Llaudet





● **29992** nickel+beige/níquel+beige

E27 MAX 15W LED [17462]

LED HIGH POWER 1W 4000K CRI>80
Driver ✓

Body Metal

Shade Textile/Téxtil



DESLIZ — Estudi Ribaudí

● **28480** matt nickel/níquel mate


○ **28481** white/blanco

LED SMD 11W 2700K 800lm CRI>80
Driver ✓

Body Metal

Diff PMMA Opal/Opal PMMA

Shade Textile/Téxtil





Thanks to **Minúscula**



HOTEL — Àlex & Manel Llusçà



● **29940** chrome+white/cromo+blanco

● **29945** chrome+black/cromo+negro

E27 MAX 15W LED [17463/SMART 17498]

Body Metal

Shade Textile/Téxtil





SWITCH



P.145
SUSPENDED



P.97
TABLE&FLOOR



HOTEL — Àlex & Manel Llusçà



● **29941** chrome+white/cromo+blanco

● **29946** chrome+black/cromo+negro

E27 MAX 15W LED [17463/SMART 17498]

LED HIGH POWER 1W 3500K CRI>80

Driver ✓

Body Metal



Shade Textile/Téxtil



100- 50/
240V 60HZ



DOUBLE
SWITCH





VOLTA — Estudi Ribaudí 


● **20021** nickel+white/níquel+blanco


● **20022** nickel+black/níquel+negro

E27 MAX 15W LED ⊗ [17463/SMART 17498]

Body Metal

Shade Textile/Téxtil



VOLTA — Estudi Ribaudí 

● **20023** nickel+white/níquel+blanco


● **20024** nickel+black/níquel+negro

E27 MAX 15W LED ⊗ [17463/SMART 17498]

LED HIGH POWER 3W 3000K 200lm CRI>80
Driver ✓

Body Metal

Shade Textile/Téxtil



ROOM — Àlex & Manel Llusca 



● **29974** nickel+white/níquel+blanco

● **29975** nickel+black/níquel+negro



E27 MAX 15W LED ⊗ [17463/SMART 17498]

Body Metal

Shade Textile/Téxtil



P.96
TABLE&FLOOR



ROOM — Àlex & Manel Llusca 

● **29976** nickel+white/níquel+blanco


● **29977** nickel+black/níquel+negro

1x E27 MAX 15W LED ⊗ [17463/SMART 17498]

LED HIGH POWER 3W 3000K 200lm CRI>80
Driver ✓

Body Metal

Shade Textile/Téxtil








BERNI — Nahtrang

- 29329 white/blanco
- 29330 black/negro
- 29331 matt nickel/níquel mate

E27 MAX 15W LED [17463/SMART 17498]
LED HIGH POWER 3W 3000K 200lm CRI>80
 Driver ✓

Body Metal
 Shade Textile/Téxtil
 Top Diff Metal



P.95
TABLE&FLOOR




BERNI — Nahtrang

- 29326 white/blanco
- 29327 black/negro
- 29328 matt nickel/níquel mate

E27 MAX 15W LED [17463/SMART 17498]

Body Metal
 Shade Textile/Téxtil
 Top Diff Metal





TANGO — Estudi Ribaudí

- DT00063G grey/gris

E14 MAX 8W LED [17461]

Body Metal
 Shade Textile/Téxtil
 Top Diff Metal




P.143
SUSPENDED



P.92
TABLE&FLOOR





VESPER — Nahrang 

● 29982 white+beige/blanco+beige

● 29983 brown+beige/marrón+beige


E14 MAX 8W LED  [17461]

LED HIGH POWER 1W 3000K 120lm CRI>80

Driver 

Body Metal

Shade Textile/Téxtil




Thanks to **Natalia Zubizarreta**

P.146
SUSPENDED



P.89
TABLE&FLOOR



VESPER — Nahrang 


● 29980 white+beige/blanco+beige

● 29981 brown+beige/marrón+beige

E14 MAX 8W LED  [17461]

Body Metal

Shade Textile/Téxtil



SWEET — Estudi Ribaudí 

● 29936 nickel+white/níquel+blanco

○ 29952 white/blanco


● 29953 black/negro

E27 MAX 15W LED  [17463/SMART 17498]

Body Steel/Acero

Shade Textile/Téxtil

Top Diff Textile/Téxtil



SWEET — Estudi Ribaudí 

● 29935 nickel+white/níquel+blanco

○ 29950 white/blanco

● 29951 black/negro


E27 MAX 15W LED  [17463/SMART 17498]

LED HIGH POWER 1W 3000K 200lm CRI>80

Driver 

Body Steel/Acero

Shade Textile/Téxtil



P.94
TABLE&FLOOR






HANDY — Jordi Blasi

○ 28413 white/blanco

E27 MAX 15W LED ✕ [17463/SMART 17498]

Body Steel/Acero
Shade Textile/Téxtil





HANDY — Jordi Blasi

○ 28415 white/blanco

E27 MAX 15W LED ✕ [17463/SMART 17498]

LED HIGH POWER 3W 3000K 140lm CRI>80
Driver ✓

Body Steel/Acero
Shade Textile/Téxtil





HANDY — Jordi Blasi

○ 28414 white/blanco

E27 MAX 15W LED ✕ [17463/SMART 17498]

LED HIGH POWER 3W 3000K 140lm CRI>80
Driver ✓

Body Steel/Acero
Shade Textile/Téxtil






HANNA

● 64301 nickel+beige/níquel+beige

E27 MAX 15W LED ✕ [17463/SMART 17498]

Body Metal
Shade Textile/Téxtil




HANNA

● 64300 nickel+beige/níquel+beige

E27 MAX 15W LED ✕ [17463/SMART 17498]

LED HIGH POWER 3W 3000K 250lm CRI>80
Driver ✓

Body Metal
Shade Textile/Téxtil




THANA

● 68532 nickel+white/níquel+blanco

E14 MAX 8W LED ✕ [17461]

Body Metal
Shade Textile/Téxtil



P.147
SUSPENDED



P.99
TABLE&FLOOR



MOMA


● 68506 chrome+white/cromo+blanco

● 68507 chrome+black/cromo+negro

E27 MAX 15W LED ✕ [17462]

LED HIGH POWER 1W 6000K 80lm
Driver ✓

Body Metal
Shade Textile/Téxtil




MOMA

● 68504 chrome+white/cromo+blanco

● 68505 chrome+black/cromo+negro

E27 MAX 15W LED ✕ [17462]

Body Metal
Shade Textile/Téxtil



TIRA NEW

○ 64322 white/blanco

● 64323 black/negro


E27 MAX 15W LED ✕ [17463/SMART 17498]

LED HIGH POWER 3W 3000K 280lm
Driver ✓

Body Metal
Shade Textile/Téxtil



P.98
TABLE&FLOOR





SAHARA




62705 chrome+linen/cromo+lino

62706 chrome+white/cromo+blanco

E27 MAX 15W LED ✕ [17463/SMART 17498]

Body Metal

Shade Textile/Téxtil






ESSENTIAL

29340 nickel+white/níquel+blanco

E27 MAX 15W LED ✕ [17463/SMART 17498]

Body Metal

Shade Textile/Téxtil



ESSENTIAL

29341 nickel+white/níquel+blanco



E27 MAX 15W LED ✕ [17463/SMART 17498]

LED HIGH POWER 3W 2700K 200lm CRI>80

Driver ✓

Body Metal

Shade Textile/Téxtil





SABA

68544 nickel+black/níquel+negro

E27 MAX 15W LED ✕ [17463/SMART 17498]

Body Metal

Shade (double) Textile/Téxtil




MITIC

68420 nickel+brown/níquel+marrón

E14 MAX 8W LED ✕ [17461]

Body Metal

Shade Textile/Téxtil





RODA

62988 nickel+white/níquel+blanco


E27 MAX 15W LED ✕ [17463/SMART 17498]

Body Metal


Shade Textile/Téxtil



P.147
SUSPENDED



P.101
TABLE&FLOOR



P.99
TABLE&FLOOR





MIX — Àlex & Manel Lluscà

- 29964 white/blanco
- 29965 black/negro

E27 MAX 15W LED ✕ [17462]

Body Metal



MIX — Àlex & Manel Lluscà

- 29962 white/blanco

E27 MAX 15W LED ✕ [17462]

LED HIGH POWER 3W CRI>80 Driver ✓

Body Metal



ROB



- 68496 bronze/bronce
- 68498 matt nickel/niquel mate

E27 MAX 15W LED ✕ [17463/SMART 17498]



LED HIGH POWER 3W 3000K I60lm CRI>80 Driver ✓

Body Metal

Shade Polycarbonate/Polycarbonato



P.48
TABLE&FLOOR



P.193
READER





AUREA — Estudi Ribaudí

- 62115 white/blanco

LED SMD 6W 2700K 300lm CRI>80 Driver ✓

Body Steel+Aluminium/Acero+Aluminio
Diff Polycarbonate/Polycarbonato





PIXIE

— Nahtrang 





○ 24015 white/blanco

● 24016 black/negro

LED HIGH POWER 2W 2700K 90lm CRI>80
Driver ✓

Body Metal




FLIN NEW

○ 64318 white/blanco

● 64319 black/negro

LED HIGH POWER 3W 3000K 280lm CRI>80
Driver ✓

Body Aluminium+Steel/Aluminio+Acero



LOKE


● 40994 chrome/cromo

○ 41019 white/blanco

● 41020 black/negro

LED HIGH POWER 3W 3000K 150lm CRI>80
Driver ✓

Body Aluminium+Silicone/Aluminio+Silicona





LOKE

● 40996 chrome/cromo

LED HIGH POWER 3W 3000K 150lm CRI>80
Driver ✓

Body Aluminium/Aluminio





STUDIO


— Nahtrang 



WALL LAMP ACCESSORY




● 51129 black/negro
Body Metal



- 51133 black+creme/negro+crema
- 51134 chrome/cromo
- 51135 white/blanco
- 51136 grey/gris

E14 MAX 15W LED  [17461]

Body Metal





JULIET

● **41025N** chrome/cromo

LED HIGH POWER 3W 3000K 150lm CRI>80 Driver ✓

Body Aluminium+Metal/Aluminio+Metal



• USB charger



BEL

● **41028** chrome/cromo

○ **41029** white/blanco

● **41030** black/negro

LED HIGH POWER 3W 3000K 150lm CRI>80 Driver ✓

Body Aluminium+Silicone/Aluminio+Silicona






BOKEN

○ **41031** white/blanco

● **41032** black/negro

LED HIGH POWER 3W 3000K 150lm CRI>80 Driver ✓

Body Aluminium+Silicone/Aluminio+Silicona



LESER

● **41026** matt nickel/níquel mate

LED 5W 3000K 300lm CRI>80 Driver ✓

Body Aluminium+Silicone/Aluminio+Silicona



SAMI

○ **41023** white/blanco

LED HIGH POWER 3W 2700K 120lm CRI>80 Driver ✓

Body Aluminium+Silicone/Aluminio+Silicona




LENA

○ **52059** white/blanco




● **52061** black/negro

LED SMD 3W 4000K 300lm CRI>80 Driver ✓

Body Aluminium+Metal+Silicone/Aluminio+Metal+Silicona




Electronic Adapteur II V 300mA ✓



P.53
TABLE&FLOOR






KALE

● 62703 black/negro

LED HIGH POWER 3W 3000K I80lm CRI>80 Driver ✓

Body Aluminium+Silicone/Aluminio+Silicona





LEAD

● 62704 bronze/bronce

LED 3W 3000K I80lm CRI>80 Driver ✓

Body Metal+Leather/Metal+Piel



Thanks to MIKMAX

LE PETIT



— Àlex & Manel Llusca



- 62161 white/blanco
- 62162 black/negro
- 62163 NEW satin gold/oro satinado
- 62164 NEW bronze/bronce

LED SMD 4W 3000K | 30lm CRI>80 Driver ✓

Body Metal



SMILE

— Jordi Busquets




● 62130 white/blanco

● 62131 black/negro

E27 MAX 15W LED ✕ [17463/SMART 17498]

Body Metal



Thanks to MIKMAX



NEW PRESS


— Jordi Blasi 



- 62350 white/blanco
- 62351 black/negro
- 62352 red/rojo
- 62353 yellow/amarillo

LED SMD 3W 3000K 180lm CRI>80 Driver ✓

Body Metal



PRESS LAMP



SUAAU — Nahtrang 

○ 62122 white/blanco


● 62123 silver/plata

LED HIGH POWER 3W 3000K | 40lm CRI>80 Driver ✓

Body Steel/Acero



35° 90° USB charger



USB CHARGER



SUAAU — Nahtrang 

● 62118 black/negro

○ 62120 white/blanco


● 62121 silver/plata


LED HIGH POWER 3W 3000K | 40lm CRI>80 Driver ✓

Body Steel/Acero



35° 90°



SUAAU **NEW** — Nahtrang 

● 62116 black/negro


○ 62117 white/blanco

LED HIGH POWER 3W 3000K | 40lm CRI>80 Driver ✓

Body Steel/Acero



USB charger



USB CHARGER



SUAAU — Nahtrang 

○ 62124 white/blanco


● 62125 silver/plata

LED HIGH POWER 3W 3000K | 40lm CRI>80 Driver ✓


Body Steel/Acero



35° 90° USB charger



USB CHARGER






SUAU — Nahtrang

- 62126 matt nickel/níquel mate
- 62128 black/negro
- 62129 white/blanco
- 62114 satin gold/oro satinado

LED HIGH POWER 3W 3000K | 140lm CRI>80
Driver ✓

Body Steel/Acero

RECESSED 100-240V 50/60HZ SWITCH 350° 90° 255X80




ROB

- 68497 bronze/bronce
- 68499 matt nickel/níquel mate

LED HIGH POWER 3W 3000K | 160lm CRI>80
Driver ✓

Body Metal

220-240V 50/60HZ SWITCH 350° 90°




BOC

- 62707 white/blanco
- 62708 black/negro
- 62709 matt nickel/níquel mate
- 62710 chrome/cromo
- 62711 bronze/bronce


LED HIGH POWER 3W 3000K | 130lm CRI>80
Driver ✓

Body Aluminium/Aluminio

100-240V 50/60HZ SWITCH 350° 90°



P.185
READER






● 20200 white/blanco

● 20204 black/negro

LED SMD 10W 3000K 500lm CRI>80
Driver ✓

Body Die Cast Aluminium/Aluminio inyectado
Diff Polyethylene/Polietileno

220- 50/ 1 SWITCH 350° 90°
240V 60HZ



P.115
SUSPENDED




FLASH

— Estudi Ribaudí



SWING

— Àlex & Manel Llusca





● 62112 chrome/cromo

○ 62113 white/blanco

LED 2 COB 6W 3000K 160lm CRI>80 Driver ✓

Body Metal

100- 50/ 1 SWITCH 350° 90°
240V 60HZ



Thanks to MIKMAX

NEW NOON


— Alegre Design 



○ 62355 white/blanco

E27 MAX 15W LED ⊗ [17463/SMART 17498]

Body Steel/Acero



NIT



— Goula/Figuera 

○ 01005 white/blanco

● 01006 black/negro

E27 MAX 15W LED ⊗ [17429/17464]

Body Metal





Thanks to **Loca Studio** Photo **Pol Viladoms**



TEN — Faro Lab 

- 62150 matt white/blanco mate
- 62151 matt black/negro mate
- 62152 old gold/oro viejo
- 62153 satin gold/oro satinado
- 62154 copper/cobre
- 62155 matt nickel/níquel mate

E27 MAX 15W LED ✕ [17429/17464]

Body Aluminium/Aluminio



SERA

- 62302 white/blanco
- 62303 black/negro

E27 MAX 15W ✕ [17426/17463/SMART 17498]

Body Ceramic/Cerámica



KERA




- 62300 white/blanco
- 62301 black/negro

E27 MAX 15W ✕ [17426/17463/SMART 17498]

Body Ceramic/Cerámica



P.44
TABLE&FLOOR



Thanks to **Salto Proyectos Arquitectura**




ERES

○ **64026** white/blanco

E27 MAX 15W ⊗ [17463/SMART 17498]

Body Metal




HOMS

○ **63167** white/blanco

R7s 78mm MAX 8W LED ⊗ [17488]

Body Metal




OVO — Estudi Ribaudí

● **62108** white/blanco

R7s 118mm MAX 15W LED ⊗ [17497]

Body Metal




OVO — Estudi Ribaudí

● **62105** white/blanco

R7s 78mm MAX 8W LED ⊗ [17499]

Body Metal





RETRO — Àlex & Manel Llusçà 

- 20000** ● beige/beige
- 20045** ● copper/cobre
- 20049** ● black+copper/negro+cobre

E 14 MAX 8W LED ⓧ [17461]


Body Metal



P.117
SUSPENDED



P.68
TABLE&FLOOR



Thanks to Adeline Pithois Guillou Photo Aguilou Photography




SAC — Àlex & Manel Llusçà 

- **66191** brown+beige/marrón+beige

2 E 14 MAX 8W LED ⓧ [17461]

Body Metal

Shade Textile/Tèxtil





LINDA — Estudi Ribaudí



- 29306 white/blanco
- 29310 black+white/negro+blanco

2 E27 MAX 15W LED ✕ [17463/SMART 17498]


Body Steel/Acero
Diff Textile/Téxtil



P.144
SUSPENDED



P.90
TABLE&FLOOR




PLEC — Àlex & Manel Lluscà




- 66208 old brown/marrón envejecido
 - 66209 off white/blanco roto
- LED SMD 15W 3000K 1200lm CRI>80
Driver ✓

Body Steel/Acero
Diff PVC



P.125
SUSPENDED



WINCH — Àlex & Manel Lluscà




- 66200 brown/marrón
- E27 MAX 15W LED ✕ [17463/SMART 17498]

Body Metal
Diff Glass/Cristal



P.126
SUSPENDED



LOA

- 62809 black/negro

E27 MAX 15W LED ✕ [17463/SMART 17498]

Body Metal



HUDSON

- 62810 black/negro

E27 MAX 15W LED ✕ [17463/SMART 17498]

Body Metal
Diff Glass/Cristal






MARINA

- 60005 black/negro

E27 MAX 15W LED ✕ [17428]

Body Metal
Diff Glass/Cristal



P.127
SUSPENDED





NUDOS

● **68138** dark brown/marrón oscuro

E27 MAX 15W LED [17462]

Body Metal+Wood/Metal+Madera
Diff Bubble Glass/Cristal Burbuja



MARLIN

● **65133** old gold+black/oro viejo+negro

E27 MAX 15W LED [17429]

Body Metal




CELIA


● **40070** black/negro

E14 MAX 8W LED [17461]


Body Metal+Steel/Metal+Acero



P.127
SUSPENDED



P.119
SUSPENDED



PEPPER

● **64168** beige/beige

● **64169** black/negro

E27 MAX 15W LED [17462]

Body Metal



RAS

● **62807** black/negro

E27 MAX 15W LED [17463/SMART 17498]

Body Metal







PETRA

● **40062** chrome/cromo

E14 MAX 8W LED [17461]

Body Metal






LIST

● **60000** black/negro

E27 MAX 15W LED ✕ [17463/SMART 17498]

Body Metal



BOARD

● **01040** black/negro

LED SMD 7W 2700K | 1280lm CRI>80 Driver ✓

Body Board/Pizarra
Diff PMMA






BOARD

● **01041** black/negro

LED SMD 12W 2700K | 1900lm CRI>80 Driver ✓

Body Board/Pizarra
Diff PMMA






LISE

- 29888 white/blanco
- 29889 black/negro

LED 2COB 6W 2700K 740lm CRI>80 Driver ✓

Body Aluminium/Aluminio



ORA

- 29890 white/blanco
- 29891 black/negro

LED SMD 4W 3000K 350lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff PMMA



STAN NEW


- 43748 white/blanco
- 43749 black/negro

GU 10 MAX 8W LED ⊗ [17324]


Body Aluminium/Aluminio




*Accessories page 220 / Accesorios en página 220



P.124
SUSPENDED



P.124
SUSPENDED



STAN NEW

- 43750 white/blanco
- 43751 black/negro

2 GU 10 MAX 8W LED ⊗ [17324]

Body Aluminium/Aluminio



*Accessories page 220 / Accesorios en página 220

P.237
CEILING



P.250
RECESSED




P.221
SPOT



P.122
SUSPENDED



P.264
TRACK






CONIK — Àlex & Manel Llusca





● **64219** white/blanco

LED SMD 8W 3000K 800lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff PMMA



P.116
SUSPENDED



KAMEN

● **63311** beige/beige

● **63312** grey/gris

G9 MAX 6W LED [17466]

Body Concrete/Cemento




NASH

○ **62819** white/blanco

LED SMD 8W 3000K 450lm CRI>80 Driver ✓

Body Aluminium/Aluminio







NASH

○ **62820** white/blanco

LED SMD 16W 3000K 990lm CRI>80 Driver ✓

Body Aluminium/Aluminio






CHERAS

○ 63173 white/blanco

R7s JP78mm MAX 8W LED [17488]

Body Plaster/Yeso




CHERAS

○ 63174 white/blanco

G9 MAX 6W LED [17466]

Body Plaster/Yeso




CHERAS

○ 63175 white/blanco

R7s JP78mm MAX 8W LED [17488]

Body Plaster/Yeso




EACO

○ 63176 white/blanco

G9 MAX 6W LED [17466]

Body Plaster/Yeso




EACO

○ 63177 white/blanco

2 G9 MAX 6W LED [17466]

Body Plaster/Yeso




EACO

○ 63178 white/blanco

R7s JP78mm MAX 8W LED [17488]

Body Plaster/Yeso






OLAF

○ 63278 white/blanco

2 E14 MAX 8W LED [17461]

Body Plaster/Yeso

Diff Glass/Cristal





ELSA

○ 63279 white/blanco

LED SMD 8W 3000K 300lm CRI>80 Driver ✓

Body Plaster/Yeso

Diff Translucent PMMA/PMMA Translúcido




OSLO

○ 63284 white/blanco

G9 MAX 6W LED [17466]

Body Plaster/Yeso




SNOW

○ 63285 white/blanco

E14 MAX 8W LED [17461]

Body Plaster/Yeso




TERA

○ 63184 white/blanco

LED SMD 6W 2700K 530lm CRI>80 Driver ✓

Body Plaster/Yeso




LUNA

○ 63225 white/blanco

LED SMD 5W 2700K 300lm CRI>80 Driver ✓

Body Plaster/Yeso

Diff Opal PMMA/PMMA Opal






MAGRITTE

● 61080 matt nickel/níquel mate

● 61083 old gold/oro viejo

LED SMD 6W 3000K 380lm CRI>80 Driver ✓

Body Steel/Acero




MAGRITTE

● 61082 matt nickel/níquel mate

● 61085 old gold/oro viejo

LED SMD 12W 3000K 750lm CRI>80 Driver ✓

Body Steel/Acero







MAGRITTE

● 61081 matt nickel/níquel mate

● 61084 old gold/oro viejo

LED SMD 8W 3000K 500lm CRI>80 Driver ✓

Body Steel/Acero






DALLAS

○ 63199 white/blanco

LED COB 5W 3000K 435lm CRI>80 Driver ✓

Body Aluminium/Aluminio





AMBO

● 63186 pol. aluminium/aluminio pulido

E27 MAX 15W LED ✗ [17437]

Body Polished Aluminium/Aluminio Pulido
Diff Glass/Cristal



LIRIA

● 63156 matt nickel/níquel mate

E27 MAX 15W LED ✗ [17463/SMART 17498]

Body Metal
Diff Opal Glass/Cristal Opal



DIULA

● 62986 matt nickel/níquel mate

2 E27 MAX 15W LED ✗ [17463/SMART 17498]

Body Steel/Acero
Diff Glass/Cristal






DIULA

● 62987 matt nickel/níquel mate

E27 MAX 15W LED ✗ [17463/SMART 17498]




Body Steel/Acero
Diff Glass/Cristal







PERLA

— Àlex & Manel Lluscà 

-  **40085** old gold/oro envejecido
-  **40086** chrome/cromo
-  **40087** bronze/bronce

G9 MAX 6W LED  [17443]

Body Metal
Diff Opal Glass+Transparent Glass/
Cristal Opal+Cristal Transparente

IP44  100- 50/
240V 60HZ 



NEW BIANCA



— Àlex & Manel Llusçà 




● 63510 chrome/cromo

G9 MAX 6W LED  [17443]

Body Aluminium/Aluminio
Diff Opal Glass/Cristal Opal

IP44  100- 50/
240V 60HZ 



Thanks to **Upper Interiorismo**

BRUME



— Àlex & Manel Llusçà 




● 40076 old metal/metal envejecido

LED 3W 2700K 200lm CRI>80 Driver 

Body Metal
Diff Glass/Cristal

IP44  100- 50/
240V 60HZ 



P.126
CEILING






DOKA

63323 chrome/cromo

2 E14 MAX 8W LED [17460]

Body Steel/Acero

Diff Opal Glass/Cristal Opal




DOKA

63322 chrome/cromo

E14 MAX 8W LED [17460]

Body Steel/Acero

Diff Opal Glass/Cristal Opal




LAOS

63320 chrome/cromo

E14 MAX 8W LED [17460]

Body Aluminium/Aluminio

Diff Opal Glass/Cristal Opal




LAOS

63321 chrome/cromo

2 E14 MAX 8W LED [17460]

Body Aluminium/Aluminio

Diff Opal Glass/Cristal Opal








GALA

- 63504 chrome/cromo
- 63505 satin gold/oro satinado

G9 MAX 6W LED [17495]

Body Metal
Diff Opal Glass/Cristal Opal

IP44  100- 50/
240V 60HZ 






LAGO

- 63503 chrome/cromo

G9 MAX 6W LED [17495]

Body Metal
Diff Opal Glass/Cristal Opal

IP44  100- 50/
240V 60HZ 







TERMA

● 63148 chrome/cromo

LED SMD 7W 4000K 500lm CRI>80 Driver ✓

Body Steel+Aluminium/Acero+Aluminio
Diff Translucent PMMA/PMMA Translúcido




SIRET

● 64177 chrome/cromo

LED SMD 8W 3000K 600lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal




RELAX

● 63038 chrome/cromo

2 G9 MAX 6W LED × [17466]

Body Metal
Diff Glass/Cristal




RELAX

● 63043 chrome/cromo

2 G9 MAX 6W LED × [17466]

Body Metal
Diff Glass/Cristal





LASS

○ 63008 mirror/espejo

4 G9 MAX 6W LED ⊗ [17466]

Body Metal+Mirror/Metal+Espejo
Diff Opal Glass/Cristal Opal





LASS

○ 63009 mirror/espejo

5 G9 MAX 6W LED ⊗ [17466]

Body Metal+Mirror/Metal+Espejo
Diff Opal Glass/Cristal Opal






VOLGA

● **63508** chrome/cromo

LED SMD 12W 3000K 850lm CRI>80
Driver ✓

Body Aluminium/Aluminio
Diff PMMA

IP44  100- 50/
240V 60HZ 






VOLGA

● **63509** chrome/cromo

LED SMD 18W 3000K 1300lm CRI>80
Driver ✓

Body Aluminium/Aluminio
Diff PMMA

IP44  100- 50/
240V 60HZ 





VOLGA

● **63507** chrome/cromo

LED SMD 5W 3000K 350lm CRI>80
Driver ✓

Body Aluminium/Aluminio
Diff PMMA


IP44  100- 50/
240V 60HZ 






DANUBIO

● **63600** chrome/cromo
LED SMD 9W **2700K** 600Lm CRI>80
 Driver ✓
 Body Metal
 Diff Opal Glass/Cristal Opal







DANUBIO

● **63601** chrome/cromo
LED SMD 12W **2700K** 800Lm CRI>80
 Driver ✓
 Body Metal
 Diff Opal Glass/Cristal Opal



DANUBIO

● **63602** chrome/cromo
LED SMD 18W **2700K** 1080Lm CRI>80
 Driver ✓
 Body Metal
 Diff Opal Glass/Cristal Opal






LINE

● **65139** aluminium/aluminio

LED SMD I0W 3000K I 300lm CRI90
Driver ✓

Body Aluminium/Aluminio
Diff Opal Polycarbonate/Polycarbonato Opal




NILO

● **63318** chrome/cromo

LED SMD I2W 3000K 950 lm CRI>80
Driver ✓

Body Aluminium/Aluminio
Diff PMMA








NILO

● **63319** chrome/cromo

LED SMD I8W 3000K I 400lm CRI>80
Driver ✓

Body Aluminium/Aluminio
Diff PMMA





EDGE



● **63501** chrome/cromo


LED SMD 12W 4000K 870lm CRI>80

Driver ✓

Body Aluminium/Aluminio

Diff Opal PMMA/PMMA Opal

IP44  100- 50/
240V 60HZ 





EDGE

● **63500** chrome/cromo

LED SMD 8W 4000K 500lm CRI>80 Driver ✓

Body Aluminium/Aluminio

Diff Opal PMMA/PMMA Opal

IP44  100- 50/
240V 60HZ 



EDGE



● **63502** chrome/cromo


LED SMD 18W 4000K 1300lm CRI>80

Driver ✓

Body Aluminium/Aluminio

Diff Opal PMMA/PMMA Opal

IP44  100- 50/
240V 60HZ 





INDO


● **63146** chrome/cromo

LED SMD 9W 4000K 600lm CRI>80 Driver ✓

Body Aluminium/Aluminio

Diff Polycarbonate/Polycarbonato

IP44  100- 50/
240V 60HZ 



SPOTLIGHTS

FOCOS



STAN



○ 43726 white/blanco

● 43727 black/negro

LED 12W 2700K 1200lm CRI>90 Driver ✓

Body Aluminium/Aluminio

Diff Transparent Polycarbonate/Polycarbonato
Transparente




STAN

○ 43722 white/blanco

● 43723 black/negro

GU 10 MAX 8W LED [17324]

Body Aluminium/Aluminio



RING
ACCESSORY

○ 43728

● 43729



DIFF HONEY COMB
ACCESSORY

43730




LINEAR SPREAD
LENS ACCESSORY

43732



SPREAD LENS
ACCESSORY

43731





STAN NEW

- 43740 white/blanco
- 43741 black/negro

GU 10 MAX 8W LED [17324]

Body Aluminium/Aluminio



*Accessories page 220 / Accesorios en página 220

STAN NEW

- 43742 white/blanco
- 43743 black/negro

2 GU 10 MAX 8W LED [17324]

Body Aluminium/Aluminio



*Accessories page 220 / Accesorios en página 220

STAN NEW




- 43744 white/blanco
- 43745 black/negro

3 GU 10 MAX 8W LED [17324]

Body Aluminium/Aluminio



*Accessories page 220 / Accesorios en página 220



P.237
CEILING



P.250
RECESSED



P.122
SUSPENDED



P.264
TRACK



P.202
WALL





NEW COCO — Faro Lab 






- 40660 white/blanco
 - 40661 black/negro
 - 40662 black+green/negro+verde
 - 40663 black+terracotta/negro+terracota
- GU 10 MAX 8W LED** [○17320 / ●●●17324]
 Body Steel+ABS/Acero+ABS



- 40664 white/blanco
 - 40665 black/negro
- 2 GU 10 MAX 8W LED** [○17320 / ●17324]
 Body Steel+ABS/Acero+ABS




- 40666 white/blanco
 - 40667 black/negro
- 3 GU 10 MAX 8W LED** [○17320 / ●17324]
 Body Steel+ABS/Acero+ABS





ORLEANS

— Nahrang 

P.233
CEILING

P.261
TRACK



- 43520 white/blanco
- 43521 black/negro
- 43522 chrome+black/cromo+negro

GU 10 MAX 8W LED ⊗ [○ 17462 / ● 17324]

Body Metal



- 43523 white/blanco
- 43524 black/negro
- 43525 chrome+black/cromo+negro

2 GU 10 MAX 8W LED ⊗ [○ 17462 / ● 17324]




Body Metal



- 43526 white/blanco
- 43527 black/negro
- 43528 chrome+black/cromo+negro

3 GU 10 MAX 8W LED ⊗ [○ 17462 / ● 17324]

Body Metal





LINK

— Estudi Ribaudí 



P.234
CEILING



P.66
TABLE&FLOOR





P.260
TRACK



● 29873 white/blanco
● 29874 black/negro
● 29897 bronze/bronce
GU 10 MAX 8W LED [● 17316 /○ 17324]
Body Steel/Acero



● 29875 white/blanco
● 29876 black/negro
2 GU 10 MAX 8W LED [● 17316 /○ 17324]
Body Steel/Acero



STONE

— Àlex & Manel Llusçà 



● **43500** grey/gris

GU 10 MAX 8W LED ☒ [17324]

Body Metal+Concrete/
Metal+Cemento



● **43501** grey/gris

2 GU 10 MAX 8W LED ☒ [17324]




Body Metal+Concrete/
Metal+Cemento



● **43502** grey/gris

3 GU 10 MAX 8W LED ☒ [17324]

Body Metal+Concrete/
Metal+Cemento






- **29025** black+copper/negro+cobre
- **29033** white+copper/blanco+cobre
- **29039** black/negro
- **29040** white/blanco

LED SMD 4.5W 3000K 400lm CRI>80
Driver ✓


Body Metal
Diff ABS



- **29026** black+copper/negro+cobre
- **29034** white+copper/blanco+cobre
- **29041** black/negro
- **29042** white/blanco

LED 2xSMD 4.5W 3000K 400lm CRI>80
Driver ✓






Body Metal
Diff ABS



- **29028** black+copper/negro+cobre
- **29051** black/negro

LED 3xSMD 4.5W 3000K 400lm CRI>80
Driver ✓

Body Metal
Diff ABS



P.67
TABLE&FLOOR





P.263
TRACK



- **29027** black+copper/negro+cobre
- **29035** white+copper/blanco+cobre
- **29043** black/negro
- **29044** white/blanco

LED 3xSMD 4.5W 3000K 400lm CRI>80
Driver ✓

Body Metal
Diff ABS



RING — Àlex & Manel Llusca



- 40553 white/blanco
- 40554 dark grey/gris oscuro
- 40555 matt nickel/niquel mate

2 GU 10 MAX 8W LED [17324]

Body Metal



- 40556 white/blanco
- 40557 dark grey/gris oscuro
- 40558 matt nickel/niquel mate

3 GU 10 MAX 8W LED [17324]




Body Metal



- 40559 white/blanco
- 40560 dark grey/gris oscuro

4 GU 10 MAX 8W LED [17324]


Body Metal



- 40550 white/blanco
- 40551 dark grey/gris oscuro
- 40552 matt nickel/niquel mate

GU 10 MAX 8W LED [17461]

Body Metal



P.262
TRACK



CEILING

TECHO

TENDER

— Nahrang




● 20094 black+wood/negro+madera

● 20095 white+wood/blanco+madera

LED SMD 24W 3000K 1369lm CRI>80
Driver ✓

Body Metal+Wood/Metal+Madera
Diff Opal PMMA/PMMA Opal

□ 100- 50/
240V 60HZ



DOLME

— Xjer Studio



● 64096 black/negro


● 64097 white/blanco

LED SMD 24W 3000K 1260lm CRI>80
Driver ✓

Body Metal
Diff Polycarbonate/Polycarbonato

⊕ 220- 50/
240V 60HZ

P.110
SUSPENDED





SIDE — Àlex & Manel Llusca



- 62132 white/blanco
- 62133 white+nickel/blanco+níquel
- 62134 black+gold/negro+oro
- 62135 black+copper/negro+cobre

G9 MAX 6W LED [17443]

Body Metal
Diff Opal Glass/Cristal Opal



- 62140 white/blanco
- 62141 white+nickel/blanco+níquel
- 62142 black+gold/negro+oro
- 62143 black+copper/negro+cobre

LED SMD I5W 3000K I200lm CRI>80
Driver ✓

Body Metal
Diff Opal Glass/Cristal Opal

220- 50/
240V 60HZ



- 62144 white/blanco
- 62145 white+nickel/blanco+níquel
- 62146 black+gold/negro+oro
- 62147 black+copper/negro+cobre






LED SMD 20W 3000K I600lm CRI>80
Driver ✓

Body Metal
Diff Opal Glass/Cristal Opal

220- 50/
240V 60HZ



P.113
SUSPENDED





COCOTTE

— Jordi Llopis 




○ 64182 matt white/blanco mate

● 64183 shiny black/negro brillante

LED SMD 42W 3000K 1700lm CRI>80
Driver ✓

Body Metal+Aluminium/ Metal+Aluminio
Diff Opal PMMA/PMMA Opal


 100- 50/
240V 60HZ

○ 64250 matt white/blanco mate

● 64251 shiny black/negro brillante

LED SMD 30W 3000K 1300lm CRI>80
Driver ✓



Body Metal+Aluminium/ Metal+Aluminio
Diff Opal PMMA/PMMA Opal

 100- 50/
240V 60HZ

P.111
SUSPENDED



232




ORLEANS


— Nahtrang 



- 43532 white/blanco
 - 43533 black/negro
 - ◐ 43534 chrome+black/cromo+negro
- 2 GU 10 MAX 8W LED** ⊗ [○ 17309 / ● 17324]
- Body Metal



- 43529 white/blanco
 - 43530 black/negro
 - ◐ 43531 chrome+black/cromo+negro
- GU 10 MAX 8W LED** ⊗ [○ 17309 / ● 17324]
- Body Metal




P.223
SPOT

P.261
TRACK






LINK — Estudi Ribaudí 

○ **29877** white/blanco

● **29878** black/negro

GU 10 MAX 8W LED [● 17316 / ○ 17324]


Body Steel/Acero



LINK

— Estudi Ribaudí 




LINK — Estudi Ribaudí 

○ **29879** white/blanco

● **29880** black/negro

4 GU 10 MAX 8W LED [● 17316 / ○ 17324]

Body Steel/Acero



P.224
SPOT



P.66
TABLE&FLOOR



P.260
TRACK





TECTO

- 63270 white/blanco
- 63271 black/negro

GU 10 MAX 8W LED ⊗ [O 17320 / ● 17324]

Body Aluminium/Aluminio



TECTO

- 63272 white/blanco
- 63273 black/negro

2 GU 10 MAX 8W LED ⊗ [O 17320 / ● 17324]

Body Aluminium/Aluminio







TECTO AR III

- 63276 white/blanco
- 63277 black/negro

2 AR III MAX 15W LED ⊗ [97684227]

LED transformer ⊗ [98111020]

Body Aluminium/Aluminio



TECTO AR III

- 63274 white/blanco
- 63275 black/negro

AR III MAX 15W LED ⊗ [97684227]

LED transformer ⊗ [2 x 98111020]

Body Aluminium/Aluminio



SVEN

- 63268 white/blanco

GU 10 MAX 8W LED ⊗ [17316]

Body Plaster/Yeso






SVEN

- 63269 white/blanco

GU 10 MAX 8W LED ⊗ [17316]

Body Plaster/Yeso






SQUAD

● 63216 white+black/blanco+negro

GU10 MAX 8W LED [17316]

Body Aluminium+Steel/Aluminio+Acero





REL

● 64200 white/blanco

● 64201 black/negro

LED COB 25W 2700K 2230lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Glass/Cristal





REL

● 64198 white/blanco

● 64199 black/negro

LED COB 15W 2700K 1340lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Glass/Cristal





HARU

● 64206 white/blanco

● 64207 black/negro

LED SMD 6W 3000K 350lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal Polycarbonate/Polycarbonato Opal





NATSU

● 64204 white/blanco

● 64205 black/negro

LED 30W 3000K 1275lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff PMMA




POTE

● 63124 white/blanco

● 63125 black/negro

E27 MAX 15W LED [17463/SMART 17498]

Body Aluminium/Aluminio





STAN NEW

● 43746 white/blanco


● 43747 black/negro

GU 10 MAX 8W LED [17324]

Body Aluminium/Aluminio



*Accessories page 220 / Accesorios en página 220



P.250
RECESSED



P.221
SPOT



P.122
SUSPENDED



P.264
TRACK



P.202
WALL




JANET

● 65137 white+gold/blanco+oro

E27 MAX 15W LED [17462]

Body Metal



SEVEN



○ 68323 white/blanco

LED SMD 20W CRI>80 Driver

3000K | 1313lm 4000K | 1274lm 6000K | 234lm

Body Textile/Téxtil

Diff Opal Acrylic/Acrílico Opal



P.147
SUSPENDED




SEVEN

○ 68298 white/blanco

2 E27 MAX 15W LED [17463/SMART 17498]

Body Textile/Téxtil

Diff Opal Acrylic/Acrílico Opal




SEVEN

○ 68317 white/blanco

3 E27 MAX 15W LED [17463/SMART 17498]

Body Textile/Téxtil

Diff Opal Acrylic/Acrílico Opal





SOGO

○ 62961 white/blanco



LED SMD 25W 4000K 1800lm CRI>80

Driver ✓

Body Aluminium/Aluminio

Diff Opal Polycarbonate/Polycarbonato Opal

⊕ 220- 50/
240V 60HZ



IRIS

● 63393 grey/gris


LED SMD 15W 3000K 1200lm CRI>80

Driver ✓

Body Polypropylene/Polipropileno

Diff Opal PMMA/PMMA Opal

⊕ 100- 50/
240V 60HZ



IRIS

● 63394 grey/gris


LED SMD 20W 3000K 1600lm CRI>80

Driver ✓

Body Polypropylene/Polipropileno

Diff Opal PMMA/PMMA Opal

⊕ 100- 50/
240V 60HZ



IRIS

● 63395 grey/gris


LED SMD 30W 3000K 2400lm CRI>80

Driver ✓

Body Polypropylene/Polipropileno

Diff Opal PMMA/PMMA Opal

⊕ 100- 50/
240V 60HZ





AMI


○ **63397** white/blanco

● **63398** aluminium/aluminio

LED SMD 15W 2700K 1200lm CRI>80
Driver ✓

Body Aluminium/Aluminio
Diff PVC

⊕ 220- 50/
⊖ 240V 60HZ




MEGA NEW

○ **63410** white/blanco

LED SMD 52W 2700K 0-3600lm CRI>80
Driver ✓

Body Metal
Diff Opal Polycarbonate/Polycarbonato Opal

DIM ⊕ 220- 50/
⊖ 240V 60HZ




BIC

○ **63408** white/blanco

LED SMD 60W 3000K 4000lm CRI>80
Driver ✓

Body Aluminium/Aluminio
Diff Opal Polycarbonate/Polycarbonato Opal

DIM ⊕ 220- 50/
⊖ 240V 60HZ




BIC

○ **63406** white/blanco

LED SMD 100W 3000K 4800lm CRI>80
Driver ✓

Body Aluminium/Aluminio
Diff Opal Polycarbonate/Polycarbonato Opal

DIM ⊕ 220- 50/
⊖ 240V 60HZ






RONDA

○ 63309 white/blanco

LED SMD 15W 4000K 850lm CRI>80
Driver ✓

Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal

⊕ 220- 50/
240V 60HZ




RONDA

○ 63310 white/blanco

LED SMD 20W 4000K 1700lm CRI>80
Driver ✓

Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal

⊕ 220- 50/
240V 60HZ




CLOE

● 63403 chrome/cromo

LED SMD 24W 2700K 2000lm CRI>80
Driver ✓

Body Metal
Diff Opal Glass/Cristal Opal

IP44 □ 100- 50/
240V 60HZ



FORO


○ 63404 white/blanco

● 63405 aluminium/aluminio

LED SMD 24W 3000K 2000lm CRI>80
Driver ✓

Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal

IP44 □ 100- 50/
240V 60HZ




VUK

○ 64188 white/blanco

LED SMD 40W 2700K 3000lm CRI>80
Driver ✓

Body Metal
Diff Opal Polycarbonate/Polycarbonato Opal

IP44 □ 220- 50/
240V 60HZ





KAO

● 63399 chrome/cromo

LED SMD 35W 3000K 2800lm CRI>80
Driver ✓

Body Metal
Diff Opal PMMA/PMMA Opal

IP44 □ 100- 50/
240V 60HZ





YUTAI


○ 63407 white/blanco

LED 15W 3000K 1200lm CRI>80 Driver ✓

Body Metal

Diff Opal Glass/Cristal Opal

MOVEMENT SENSOR IP44 100-240V 50/60HZ MOV



ZON


○ 63291 white/blanco

LED 18W 3000K 1600lm Driver ✓

Body Polycarbonate/Polycarbonato

Diff Opal PMMA/PMMA Opal

DIM IP54 220-240V 50HZ



TOLA

○ 62968 white/blanco

● 62983 aluminium/aluminio

E27 MAX 15W LED ✗ [17462]


○ 62969 white/blanco

2 E27 MAX 15W LED ✗ [17462]

Body Aluminium/Aluminio

Diff Opal PMMA/PMMA Opal

IP44



LOGOS

○ 62965 white/blanco


● 62980 aluminium/aluminio

E27 MAX 15W LED ✗ [17462]

Body Aluminium/Aluminio

Diff Opal PMMA/PMMA Opal

IP44



LOGOS

○ 62966 white/blanco



● 62981 aluminium/aluminio

2 E27 MAX 15W LED ✗ [17462]

Body Aluminium/Aluminio

Diff Opal PMMA/PMMA Opal

IP44



BRUME — Àlex & Manel Llusçà


● 40077 old metal/metal envejecido

LED SMD 3W 2700K 200lm CRI>80 Driver ✓

Body Metal

Diff Glass/Cristal

IP44 100-240V 50/60HZ



P.209 WALL



RECESSED

EMPOTRABLE



TROOP

● **43700** white+black/blanco+negro

LED 2W 3000K 210lm CRI>90 Driver 700mA




Body Aluminium/Aluminio



Drivers

100/240V	1-3 units	NO DIM	98310206E
220/240V	2-4 units	TRIAC	98310210
220/240V	4-16 units	DALI	98310536



TROOP

● **43701** white+black/blanco+negro

LED 3x2W 3000K 630lm CRI>90 Driver 700mA




Body Aluminium/Aluminio



Drivers


100/240V	only 1 unit	NO DIM	98310206E
220/240V	2-3 units	TRIAC	98310220LC
220/240V	2-5 units	DALI	98310536



TROOP

● **43702** white+black/blanco+negro

LED 5x2W 3000K 1050lm CRI>90 Driver 700mA




Body Aluminium/Aluminio



Drivers

100/240V	2 units	NO DIM	98310230
220/240V	1 unit	TRIAC	98310210
220/240V	1-3units	DALI	98310536



TROOP

● **43703** white+black/blanco+negro

LED 10x2W 3000K 2100lm CRI>90 Driver 700mA




Body Aluminium/Aluminio



Drivers

100/240V	only 1 unit	NO DIM	98310233
220/240V	only 1 unit	TRIAC	98310220LC
220/240V	only 1 unit	DALI	98310536



TROOP TRIMLESS

● **43704** black/negro

LED 2W 3000K 210lm CRI>90 Driver 700mA




Body Aluminium/Aluminio



Drivers

100/240V	1-3 units	NO DIM	98310206E
220/240V	2-5 units	TRIAC	98310210
220/240V	4-16 units	DALI	98310536



TROOP TRIMLESS

● **43705** black/negro

LED 3x2W 3000K 630lm CRI>90 Driver 700mA




Body Aluminium/Aluminio



Drivers

110/240V	only 1 unit	NO DIM	98310206E
220/240V	2-3 units	TRIAC	98310220LC
220/240V	1-5units	DALI	98310536





TROOP TRIMLESS

● **43706** black/negro


LED 5x2W 3000K I050lm CRI>90 Driver 700mA ⊗

Body Aluminium/Aluminio



Drivers

100/240V	min 2 units	NO DIM	98310230
220/240V	only 1 unit	TRIAC	98310210
220/240V	1-3 units	DALI	98310536



TROOP TRIMLESS

● **43707** black/negro


LED 10x2W 3000K 2100lm CRI>90 Driver 700mA ⊗

Body Aluminium/Aluminio



Drivers

100/240V	only 1 unit	NO DIM	98310233
220/240V	only 1 unit	TRIAC	98310220LC
220/240V	only 1 unit	DALI	98310536



TROOP WALL WASHER

● **43710** white+black/blanco+negro


LED 5x2W 3000K I250lm CRI>90 Driver 700mA ⊗

Body Aluminium/Aluminio



Drivers

100/240V	min 2 units	NO DIM	98310230
220/240V	only 3 units	TRIAC	98310236C
220/240V	1-3 units	DALI	98310536






HYDE

- 40118 white/blanco
- 40119 black/negro

GU 10 MAX 8W LED ⊗ [○ 17316 ● 17324]
Socket GU 10 ⊗ 43065

Body Metal




HYDE

- 40114 white/blanco
- 40115 black/negro

GU 10 MAX 8W LED ⊗ [○ 17316 ● 17324]
Socket GU 10 ⊗ 43065

Body Metal




HYDE TRIMLESS

- 40110 white/blanco
- 40111 black/negro

GU 10 MAX 8W LED ⊗ [○ 17316 ● 17324]
Socket GU 10 ⊗ 43065

Body Metal




HYDE

- 40120 white/blanco
- 40121 black/negro

GU 10 MAX 8W LED ⊗ [○ 17316 ● 17324]
Socket GU 10 ⊗ 43065

Body Metal




HYDE

- 40116 white/blanco
- 40117 black/negro

GU 10 MAX 8W LED ⊗ [○ 17316 ● 17324]
Socket GU 10 ⊗ 43065

Body Metal




HYDE TRIMLESS

- 40112 white/blanco
- 40113 black/negro

GU 10 MAX 8W LED ⊗ [○ 17316 ● 17324]
Socket GU 10 ⊗ 43065

Body Metal






HYDE

- 40126 white/blanco
- 40127 black/negro

2 GU 10 MAX 8W LED ⊗ [○ 17316 ● 17324]
 Socket 2 x GU 10 ⊗ 43065

Body Metal




HYDE

- 40124 white/blanco
- 40125 black/negro

2 GU 10 MAX 8W LED ⊗ [○ 17316 ● 17324]
 Socket 2 x GU 10 ⊗ 43065

Body Metal




HYDE TRIMLESS

- 40122 white/blanco
- 40123 black/negro

2 GU 10 MAX 8W LED ⊗ [○ 17316 ● 17324]
 Socket 2 x GU 10 ⊗ 43065

Body Metal






NEU TRIMLESS

○ 63286 white/blanco

LED MR 16 8W ⊗ Gear ⊗ 98101050
Socket MR 16 ✓

Body Plaster/Yeso




NORD

○ 63290 white/blanco

LED SMD 18W 3000K 1100lm CRI>80
Driver DC 350mA ⊗ [98310118LC]

Body Plaster/Yeso
Diff Opal PMMA/PMMA Opal



*Visit faro.es to consult how to install it.
Visita faro.es para consultar su instalación.




KOI

○ 42921 white/blanco

LED SMD 6W 3000K 400lm CRI>80 Driver ✓

Body Polycarbonate/Polycarbonato
Diff PVC



RADÓN


○ 43396 white/blanco
● 43406 NEW black/negro

GU 10 MAX 8W LED ⊗
[○ I7316 ● I7324 or *LED MODULE]
Socket GU 10 ⊗ 43065

Body Aluminium/Aluminio



LED MODULE information on page 615 /
Más información del MÓDULO LED en página 615



RADÓN


○ 43397 white/blanco
● 43407 NEW black/negro

GU 10 MAX 8W LED ⊗
[○ I7316 ● I7324 or *LED MODULE]
Socket 2 x GU 10 ⊗ 43065

Body Aluminium/Aluminio



LED MODULE information on page 615 /
Más información del MÓDULO LED en página 615



RADÓN


○ 43398 white/blanco
● 43408 NEW black/negro

GU 10 MAX 8W LED ⊗
[○ I7316 ● I7324 or *LED MODULE]
Socket GU 10 ⊗ 43065

Body Aluminium/Aluminio



LED MODULE information on page 615 /
Más información del MÓDULO LED en página 615





ARGÓN

- 43401 white/blanco
- 43411 **NEW** black/negro

GU 10 MAX 8W LED ☒
 [○ I7316 ● I7324 or *LED MODULE]
 Socket GU 10 ☒ 43065

Body Aluminium/Aluminio



LED MODULE information on page 615 /
 Más información del MÓDULO LED en página 615



ARGÓN


- 43403 white/blanco
- 43413 **NEW** black/negro

2 GU 10 MAX 8W LED ☒
 [○ I7316 ● I7324 or *LED MODULE]
 Socket 2 x GU 10 ☒ 43065

Body Aluminium/Aluminio



LED MODULE information on page 615 /
 Más información del MÓDULO LED en página 615



ARGÓN




- 43402 white/blanco
- 43412 **NEW** black/negro

GU 10 MAX 8W LED ☒
 [○ I7316 ● I7324 or *LED MODULE]
 Socket GU 10 ☒ 43065

Body Aluminium/Aluminio



LED MODULE information on page 615 /
 Más información del MÓDULO LED en página 615



NEÓN

- 43399 white/blanco
- 43409 **NEW** black/negro

GU 10 MAX 8W LED ☒
 [○ I7320 ● I7324 or *LED MODULE]
 Socket GU 10 ☒ 43065

Body Aluminium/Aluminio



LED MODULE information on page 615 /
 Más información del MÓDULO LED en página 615



NEÓN

- 43400 white/blanco
- 43410 **NEW** black/negro

GU 10 MAX 8W LED ☒
 [○ I7320 ● I7324 or *LED MODULE]
 Socket GU 10 ☒ 43065

Body Aluminium/Aluminio



LED MODULE information on page 615 /
 Más información del MÓDULO LED en página 615



GAS




- 43404 white/blanco
- 43405 **NEW** black/negro

GU 10 MAX 8W LED ☒
 [○ I7320 ● I7324 or *LED MODULE]
 Socket GU 10 ☒ 43065

Body Metal



LED MODULE information on page 615 /
 Más información del MÓDULO LED en página 615






STAN NEW


- 43752 white/blanco
- 43753 black/negro

GU 10 MAX 8W LED ☒ [17324]

Body Aluminium/Aluminio



*Accessories page 220 / Accesorios en página 220



P.237 CEILING



P.221 SPOT



P.122 SUSPENDED



P.264 TRACK



P.202 WALL





WABI NEW

- 43900 white/blanco

LED 10W 1800-3200K max. 600lm CRI>80

Driver 250mA ☒ [98310510C]

Body Aluminium/Aluminio





EBBA

- 42919 silver/plata

LED SMD 4W 3000K 304lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal PMMA+Transparent PMMA/
PMMA Opal+PMMA Transparente



250




BOL

- 65138 white/blanco

LED SMD 15W 2700K 800lm CRI90 Driver ✓

Body Aluminium/Aluminio
Diff Opal Glass/Cristal Opal




MÓVIL

- 43056 white/blanco
- 43057 matt nickel/níquel mate
- 43059 aluminium/aluminio

GU 10 MAX 8W LED ☒
Socket GU 10 ☒ 43065

Body Zamac






NUSA

● **02090201** white/blanco

LED COB 7W **4000K** 550lm CRI>80 350mA Driver ✓

Body Aluminium/Aluminio



FOX NEW

● **02101501** white/blanco


LED COB 7W **2700K** 535lm CRI>80 Driver 350mA ✗

Body Aluminium/Aluminio



Drivers

110/240V	1-2 units	NO DIM	98310620
220/240V	2 units	TRIAC	98310118LC
220/240V	2 units	DALI	98310536



FOX NEW

● **02101601** white/blanco


LED COB 10W **2700K** 680lm CRI>80 Driver 500mA ✗

Body Aluminium/Aluminio



Drivers

110/240V	1-2 units	NO DIM	98310620
220/240V	2 units	TRIAC	98310321LC
220/240V	2 units	DALI	98310536



FOX

● **02101001** white/blanco

● **02101002 NEW** black/negro


LED COB 5W **2700K** 500lm CRI>80 Driver 500mA ✗

Body Aluminium/Aluminio



Drivers

100/240V	only 1 unit	NO DIM	98310306
220/240V	2-4 units	TRIAC	98310321LC
220/240V	1-5 units	DALI	98310536



FOX TRIMLESS

● **02101101** white/blanco

● **02101102 NEW** black/negro


LED COB 5W **2700K** 500lm CRI 90 Driver 500mA ✗

Body Aluminium/Aluminio



Drivers

100/240V	only 1 unit	NO DIM	98310306
220/240V	2-4 units	TRIAC	98310321LC
220/240V	1-5 units	DALI	98310536



FOX ORIENTABLE

● **02101301** white/blanco

● **02101302 NEW** black/negro


LED COB 5W **2700K** 500lm CRI>80 Driver 500mA ✗

Body Aluminium/Aluminio



Drivers

100/240V	only 1 unit	NO DIM	98310306
220/240V	2-4 units	TRIAC	98310321LC
220/240V	1-5 units	DALI	98310536





CLEAR

● **02100201** white/blanco


LED COB 3W 3000K 256lm CRI>80 350mA Driver ☒

Body Metal
Diff Transparent Glass/Cristal Transparente



Drivers

110/240V	1-4 units	NO DIM	98310620
220/240V	2-3 units	TRIAC	98310110LC
220/240V	2-6 units	DALI	98310536



CLEAR

● **02100301** white/blanco


LED COB 7W 3000K 403lm CRI>80 350mA Driver ☒

Body Metal
Diff Transparent Glass/Cristal Transparente



Drivers

110/240V	1-2 units	NO DIM	98310620
220/240V	2-2 units	TRIAC	98310118LC
220/240V	2 units	DALI	98310536



AIM

● **02100401** white/blanco


LED COB 3W 3000K 256lm CRI>80 350mA Driver ☒

Body Metal
Diff Transparent Glass/Cristal Transparente



Drivers

110/240V	1-4 units	NO DIM	98310620
220/240V	2-3 units	TRIAC	98310110LC
220/240V	3-6 units	DALI	98310536



FRESH


● **02100501** white/blanco

● **02100502** black/negro


● **02100503** gold/oro

GU 10 MAX 8W LED ☒ [17316 or *LED MODULE]

Body Die Cast Aluminium/Aluminio inyectado



LED MODULE information on page 615 /
Más información del MÓDULO LED en página 615



FRESH WALL WASHER


● **02100601** white/blanco

● **02100602** black/negro


● **02100603** gold/oro

GU 10 MAX 8W LED ☒ [17316 or *LED MODULE]

Body Die Cast Aluminium/Aluminio inyectado



LED MODULE information on page 615 /
Más información del MÓDULO LED en página 615



FRESH IP44

● **02200501** white/blanco

● **02200502** black/negro


● **02200503** gold/oro

GU 10 MAX 8W LED ☒ [17316 or *LED MODULE]

Body Die Cast Aluminium/Aluminio inyectado



LED MODULE information on page 615 /
Más información del MÓDULO LED en página 615





FRESH TRIMLESS

- 02100701 white/blanco
- 02100702 NEW black/negro

GU 10 MAX 8W LED ☒ [17316 or *LED MODULE]

Body Die Cast Aluminium/Aluminio inyectado



LED MODULE information on page 615 /
 Más información del MÓDULO LED en página 615



FRESH IP65

- 02101401 white/blanco

GU 10 MAX 8W LED ☒ [17316 or *LED MODULE]

Body Die Cast Aluminium/Aluminio inyectado



LED MODULE information on page 615 /
 Más información del MÓDULO LED en página 615




WET

- 02100801 white/blanco





LED GU 10 MAX 8W LED ☒ [17316 or *LED MODULE]

Body Metal

Diff Transparent Glass/Cristal Transparente



LED MODULE information on page 615 /
 Más información del MÓDULO LED en página 615




MOIST

- 02100901 white/blanco

GU 10 MAX 8W LED ☒ [17316]

Body Metal

Diff Transparent Glass/Cristal Transparente



COMPACT

- 02070101 white/blanco


LED COB 15W 3000K 1000lm CRI>80 350mA Driver ☒

Body Aluminium/Aluminio



Drivers

100/240V	only 1 unit	NO DIM	98310620
220/240V	only 1 unit	TRIAC	9831018LC
220/240V	only 1 unit	DALI	98310536





BOW

● **02150101** white/blanco


LED COB 7W **2700K** 520lm CRI>90 350mA Driver

Body Aluminium/Aluminio



Drivers

110/240V	1-2 units	NO DIM	98310620
220/240V	2 units	TRIAC	98310118LC
220/240V	2 units	DALI	98310536



BOW

● **02150201** white/blanco


LED COB 10W **2700K** 655lm CRI>90 500mA Driver

Body Aluminium/Aluminio



Drivers

110/240V	1-2 units	NO DIM	98310620
220/240V	2 units	TRIAC	98310321LC
220/240V	2 units	DALI	98310536



BOW

● **02150301** white/blanco


LED COB 18W **2700K** 1575lm CRI>90 500mA Driver

Body Aluminium/Aluminio



Drivers

110/240V	only 1 unit	NO DIM	98310620
220/240V	only 1 unit	TRIAC	98310321LC
220/240V	only 1 unit	DALI	98310536



FALCON WITH FRAME


● **03020401** white/blanco

● **03020402** black/negro

● **03020403** grey/gris

GU 10 MAX 8W LED [17316]

Body Steel/Acero



FALCON WITH FRAME



● **03020501** white/blanco

● **03020502** black/negro

● **03020503** grey/gris

GU 10 MAX 8W LED [17316]

Body Steel/Acero



GINGKO QR III WITH FRAME



○ **03030101** white/blanco

● **03030102** black/negro

● **03030103** grey/gris

G53 MAX 15W LED [97684427]
Transformer [98111020]

Body Steel/Acero







FALCON TRIMLESS

● 03100401 white/blanco

● 03100402 black/negro

GU 10 MAX 8W LED ☒ [O 17316 ● 17324]

Body Steel/Acero





FALCON TRIMLESS

● 03100501 white/blanco

● 03100502 black/negro

2 GU 10 MAX 8W LED ☒ [O 17316 ● 17324]

Body Steel/Acero





GINGKO QR III TRIMLESS

● 03040102 black/negro

G53 MAX 15W LED ☒ [97684427]

Transformer ☒ [98111020]

Body Steel/Acero



GINGKO QR III WITH FRAME

○ 03030201 white/blanco


● 03030202 black/negro

● 03030203 grey/gris

2 G53 MAX 15W LED ☒ [97684427]

Transformer ☒ [2x98111020]

Body Steel/Acero





GINGKO QR III TRIMLESS

● 03040202 black/negro

2 G53 MAX 15W LED ☒ [97684427]

Transformer ☒ [2x98111020]

Body Steel/Acero






SON

● 42928 white/blanco

LED SMD 8W 2700K 580lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff PMMA/PMMA

⚡ 220- 50/ 240V 60HZ ⚡
Ø100




SON

● 42929 white/blanco

LED SMD 24W 2700K 2000lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff PMMA/PMMA

⚡ 220- 50/ 240V 60HZ ⚡
Ø205




SON

● 42930 white/blanco

LED SMD 24W 4000K 2000lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff PMMA/PMMA

⚡ 220- 50/ 240V 60HZ ⚡
Ø205





LUAN

● 42931 white/blanco

LED SMD 40W 3000K 3200lm CRI>80 Driver ✓

Body Metal
Diff Opal PMMA/PMMA Opal

IP44 ⚡ 100- 50/ 240V 60HZ ⚡
Ø375




TED

● 42926 white/blanco

LED SMD 15W 3000K 1200lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff PMMA/PMMA

IP44 ⚡ 220- 50/ 240V 60HZ ⚡
Ø150




TOD

● 42927 white/blanco

LED SMD 24W 3000K 2000lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff PMMA/PMMA

IP44 ⚡ 220- 50/ 240V 60HZ ⚡
Ø195





SIGNAL ASIMETRIC


● **02100101** grey/gris

LED COB 3W 3000K I02lm CRI>80 350mA
Driver ☒ [98310110]

Body Die Cast Aluminium/Aluminio inyectado



Recessed box ☒ [02100101 C]



PLAS

○ **63283** white/blanco


LED HIGH POWER 1W 3000K II 2lm CRI>80
Driver 3W 350mA ☒ 46060

Body Plaster/Yeso



Drivers

110/240V 2-13 units NO DIM **98310620**



PLAS

○ **63281** white/blanco


LED HIGH POWER 1W 3000K II 2lm CRI>80
Driver 3W 350mA ☒ 46060

Body Plaster/Yeso



Drivers

110/240V 2-13 units NO DIM **98310620**



PLAS

○ **63282** white/blanco


LED HIGH POWER 1W 3000K II 2lm CRI>80
Driver 3W 350mA ☒ 46060

Body Plaster/Yeso



Drivers

110/240V 2-13 units NO DIM **98310620**



*Visit faro.es to consult how to install it. / Visita faro.es para consultar su instalación.

TRACK

CARRIL

LINK

— Estudi Ribaudí




○ 29871 white/blanco

● 29872 black/negro

● 29896 bronze/bronce

GU 10 MAX 8W LED ⊗ [● 17316 /○ 17324]

Body Steel/Acero




P.234
CEILING

P.224
SPOT

P.66
TABLE&FLOOR



ORLEANS

— Nahtrng 




● 43535 white/blanco

● 43536 black/negro

GU 10 MAX 8W LED ⊗ [○ I7309 ● I7324]

Body Metal



P.233
CEILING

P.223
SPOT



RING


— Àlex & Manel Llusca 



- 40562 white/blanco
- 40563 dark grey/gris oscuro
- 40564 matt nickel/níquel mate

GU 10 MAX 8W LED  [17324]


Body Metal



P.227
SPOT



LAO

— Nahtrang 



● 29031 black+copper

● 29032 white+copper



● 29045 black/negro

○ 29046 white/blanco

LED SMD 4.5W 3000K 400lm CRI>80
Driver ✓

Body Metal

Diff ABS



P.67
TABLE&FLOOR

P.226
SPOT






STAN

○ 43724 white/blanco



● 43725 black/negro

LED 12W 2700K 1200lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Transparent Polycarbonate/
Policarbonato Transparente



*Accessories page 220 / Accesorios en página 220



STAN

○ 43720 white/blanco


● 43721 black/negro

GU 10 MAX 8W LED [17324]

Body Aluminium/Aluminio



*Accessories page 220 / Accesorios en página 220



P.237
CEILING



P.250
RECESSED



P.221
SPOT



P.122
SUSPENDED



P.202
WALL






PLOT

- 64202 white/blanco
- 64203 black/negro

GU10 MAX 8W LED ☒ [○ 17316 ● 17324]

Body Metal




RAM

- 40100 white/blanco
- 40101 black/negro

E27 MAX 15W LED ☒ [97687127]

Body Die Cast Aluminium/Aluminio inyectado




SURFACE TRACK KIT 1 MT

- 64210 white/blanco
- 64212 black/negro
- 64214 grey/gris

SURFACE TRACK KIT 2 MTS

- 64211 white/blanco
- 64213 black/negro
- 64215 grey/gris

Body Metal



Rail mounted suspension luminaire/
Ejemplo de instalación de suspensión en carril



OUTDOOR



EXTERIOR

MAKE YOUR
OWN HUE

CREA TU
PROPIA HUE

SHADES / PANTALLAS

W100*	W70*	T70*	R45	R55	R55	R17
71597	71593	71589 ● 71598	71588	71585	71586	71587
Wicker/Mimbre		Textile/Téxtil	Opal PEMD/PEMD Opal			

*R17 shade ref. 71587 incl. / Pantalla R17 ref. 71587 incl.

FLOOR STRUCTURES / ESTRUCTURAS DE SUELO

FLOOR 2MTS	FLOOR 1MT	FLOOR 0.1MTS	CONCRETE BASE*	METAL BASE	SPIKE
71569	71575	71576	71609	71577	71578
Aluminium/Aluminio			Concrete/Cemento	Aluminium/Aluminio	Aluminium/Aluminio

E27 MAX 15W LED [17463]



*Metal base ref. 71577 incl./
Base de metal ref. 71577 incl.

SUSPENDED & PORTABLE STRUCTURES / ESTRUCTURAS DE SUSPENSIÓN Y PORTÁTILES

SUSPENDED	PORTABLE	MODULAR SUSP.	CANOPY	CONE CAP	HOLE CAP
71579	71584	71619	71620	71582	71583
Aluminium/Aluminio		Aluminium/Aluminio		Aluminium/Aluminio	Aluminium/Aluminio

E27 MAX 15W LED [17463]



E27 MAX 15W LED [17463]








71593+71575+71577

NEW **HUE**
— Nahtrang 







OUTDOOR HUE


FLOOR / SUELO



R17








0.1MTS/3.9INCH




SPIKE / ESTACA

1MT/39.4INCH









0.1MTS/3.9INCH









*Obligatory use of concrete base (71609) for 2MT floor with screen W100 (71597). /
 Uso obligatorio de la base de cemento (71609) para el pie de 2MT con pantalla W100 (71597).

PORTABLES / PORTÁTIL



SUSPENDED / SUSPENSIÓN



*Rope not included/cuerda no incluida


MULTIPLE COMBINATIONS / MÚLTIPLES COMBINACIONES





PORTABLE

PORTÁTIL



IMO
CERTIFICATE

GROUND FIXING
INCLUDED

vertisol
contemporary weavers

● **71242** beige/beige

● **71243** blue/azul

LED SMD 18W 3000K 500lm CRI>80 Driver ✓


Body Aluminum/Aluminio
Diff Textylene/Textilene

IP65 □ 100- 50/
240V 60HZ Ⓢ
3 MT

EXTENDIBLE CABLE ACCESSORY

● **71244** black/negro

IP44 Ⓢ
2.5 MT



NEW **CADAQUÉS**
— Faro Lab 



VERSUS


— Pepe Llaudet

○ 74423 white/blanco

E27 MAX 15W LED ✕ [I7463]


Body Opal PEMD/PEMD Opal

IP44   3 MT




LARGE STRUCTURE ACCESSORY

● 74424 black/negro
Body Steel/Acero



SMALL STRUCTURE ACCESSORY

● 74422 black/negro
Body Steel/Acero



3daysofdesign Copenhagen, Denmark



● **71562** black/negro


○ **71563** white/blanco

● **71564** red/rojo

E27 MAX 15W LED ✕ [17463]

Body Aluminium/Aluminio
Diff PEMD


IP54   5 MT



WALL ACCESSORY

● **71556** black/negro

Body Steel/Acero





BALDA

● **70498** white/blanco

E27 MAX 15W LED ✘ [17463]

Body Opal Polyethylene/
Polietileno Opal

IP55   2 MT



BALDA

● **70499** white/blanco

E27 MAX 15W LED ✘ [17463]

Body Opal Polyethylene/
Polietileno Opal

IP55   2 MT



VOILA NEW




● **71565** dark grey/gris oscuro

LED RGB 2W 3000K Driver ✓

Body Polycarbonate/Policarbonato

IP44  Battery ✓  Rope&Hook ✓

🔌 USB wire  7h Worktime
10h Charge



TOC **NEW**


● **70786** white/blanco

LED SMD 5W 3000K 468lm

Body Aluminium/Aluminio
Diff Polycarbonate/Polycarbonato

IP54   DC 3.7V Battery  USB wire

 9h Worktime
 9h Charge



SWITCH
DIMMABLE
INTENSITY



TOC

● **70775** white/blanco

● **70776** black/negro

● **70777** grey/gris

● **70778** yellow/amarillo

LED SMD 2W 3000K 180lm


Body Aluminium/Aluminio
Diff Polycarbonate/Polycarbonato

 **TOUCH LAMP**  **DIM** **IP54**  DC5V 1A

Battery  USB wire  9h Worktime
5h Charge



P.333
WALL






CAGE NEW

● **75608** dark grey/gris oscuro

LED SMD 12W 2700K 990lm CRI>80 Driver ✓

Body Metal

IP65   2 MT




TASK NEW

● **70914** white/blanco

LED SMD 2W 3000K 263lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Polycarbonate/Polycarbonato

IP54  Battery ✓  USB wire





ARGUS


● **70784** dark grey/gris oscuro

LED SMD 2W 3000K 220lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal

TOUCH LAMP IP54 III DC5V 1A Battery ✓

USB charger 9h Worktime
5h Charge



KERALA

● **74454** dark grey/gris oscuro

LED SMD 5W 3000K 400lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Glass/Cristal

TOUCH LAMP DIM IP54 III DC5V 1A Battery ✓

USB wire 6h Worktime
8h Charge




100lm



250lm



400lm



BOLLARDS

BALIZAS

BLOCK

— Àlex&Manel Lluscà 



● 74141 grey/gris

E27 MAX 15W LED ✕ [17463]

Body Concrete/Cemento
Diff Opal Glass/Cristal Opal

SEA SIDE SUITABLE IP65  IK05 




● 74142 grey/gris

E27 MAX 15W LED ✕ [17463]

Body Concrete/Cemento
Diff Opal Glass/Cristal Opal

SEA SIDE SUITABLE IP65  IK05 



P.328
WALL



288



CONCRETE



LOTUS



— Estudi Ribaudí





● **71224** dark grey/gris oscuro

LED COB 18W 3000K II 20lm CRI>80
Driver ✓

Body Aluminium/Aluminio
Diff Polycarbonate/Polycarbonato



IP65  IK08 100- 50/
240V 60HZ 





● **71225** dark grey/gris oscuro

LED COB 18W 3000K II 20lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Polycarbonate/Polycarbonato

IP65  IK08 100- 50/
240V 60HZ 



P.329
WALL



STICKER

— Lucid 




● **75541** dark grey/gris oscuro

LED SMD 10W 3000K 623lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal

IP55  100- 50/
240V 60HZ 



P.338
WALL







TWIST



— Estudi Ribaudí 

● **71286** dark grey/gris oscuro

LED SMD 10W 3000K 500lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal Polycarbonate/Polycarbonato Opal



IP65  100- 50/
240V 60HZ 





● **71287** dark grey/gris oscuro

LED SMD 10W 3000K 500lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal Polycarbonate/Polycarbonato Opal

IP65  100- 50/
240V 60HZ 



P.328
WALL



TRAM


— Estudi Ribaudí



● **75531** dark grey/gris oscuro

E27 MAX 15W LED [17463]

Body Aluminium/Aluminio
Diff PMMA



P.312
POLE

P.330
WALL



SHELBY



— Conillas 




● **75537** dark grey/gris oscuro

LED SMD 10W 3000K 600lm CRI>80 Driver ✓

Body Die Cast Aluminium/Aluminio Inyectado
Diff Polycarbonate/Polycarbonato



IP65  220- 50/
240V 60HZ 




● **75538** dark grey/gris oscuro

LED SMD 10W 3000K 600lm CRI>80 Driver ✓

Body Die Cast Aluminium/Aluminio Inyectado
Diff Polycarbonate/Polycarbonato

IP65  220- 50/
240V 60HZ 



P.330
WALL






DATNA

— Àlex & Manel Lluscà 

● **74441** dark grey/gris oscuro

E27 MAX 15W LED ⊗ [17463]


Body Die Cast Aluminium/Aluminio Inyectado
Diff Opal Polycarbonate/Polycarbonato Opal



● **74442** dark grey/gris oscuro

E27 MAX 15W LED ⊗ [17463]

Body Die Cast Aluminium/Aluminio Inyectado
Diff Opal Polycarbonate/Polycarbonato Opal



P.312
POLE



P.333
WALL





PLIM

● **71300** dark grey/gris oscuro

LED SMD I0W 3000K 250lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Polycarbonate/Policarbonato

IP65 ⚡ 100- 50/ 240V 60HZ IK08 🔦



PLIM

● **71301** dark grey/gris oscuro

LED SMD I0W 3000K 250lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Polycarbonate/Policarbonato

IP65 ⚡ 100- 50/ 240V 60HZ IK08 🔦




PLIM

● **71299** dark grey/gris oscuro



LED SMD I0W 3000K 250lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Polycarbonate/Policarbonato

IP65 ⚡ 100- 50/ 240V 60HZ IK08 🔦



P.331
WALL






MUGA

● **75604** dark grey/gris oscuro

LED SMD 9W 3000K 810lm CRI>80 Driver ✓

Body Die Cast Aluminium/Aluminio Inyectado
Diff Opal Polycarbonate/Policarbonato Opal

IP55 100- 50/
240V 60HZ



MUGA

● **75603** dark grey/gris oscuro

LED SMD 9W 3000K 810lm CRI>80 Driver ✓

Body Die Cast Aluminium/Aluminio Inyectado
Diff Opal Polycarbonate/Policarbonato Opal

IP55 100- 50/
240V 60HZ



GIZA

● **70767** dark grey/gris oscuro

LED COB 15W 3000K 500lm CRI>80 Driver ✓

Body Die Cast Aluminium/Aluminio Inyectado
Diff Trans. Polycarbonate/Policarbonato Trans.

IP54 100- 50/
240V 60HZ







GIZA

● **70768** dark grey/gris oscuro

LED COB 15W 3000K 500lm CRI>80 Driver ✓

Body Die Cast Aluminium/Aluminio Inyectado
Diff Trans. Polycarbonate/Policarbonato Trans.

IP54 100- 50/
240V 60HZ



P.330
WALL







BERET

● **75522** dark grey/gris oscuro

LED SMD 8W 4000K 350lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal

IP54  220- 50/
240V 60HZ IK06 








BERET

● **75523** dark grey/gris oscuro

LED SMD 8W 4000K 350lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal

IP54  220- 50/
240V 60HZ IK06 






GROP

● **75600** dark grey/gris oscuro

LED SMD 12.5W 3000K 500lm CRI>80
Driver ✓

Body Die Cast Aluminium/Aluminio Inyectado
Diff Opal Polycarbonate/Polycarbonato Opal

IP54  100- 50/
240V 60HZ 



P.316
POLE






GROP

● **75601** dark grey/gris oscuro

LED SMD 18W 3000K 870lm CRI>80 Driver ✓

Body Die Cast Aluminium/Aluminio Inyectado
Diff Opal Polycarbonate/Polycarbonato Opal

IP54  100- 50/
240V 60HZ 






NANDA

● **71216** dark grey/gris oscuro

LED SMD 12.5W 3000K 500lm CRI>80
Driver ✓

Body Die Cast Aluminium/Aluminio Inyectado
Diff Polycarbonate/Policarbonato

IP54  100- 50/
240V 60HZ 






NANDA

● **71217** dark grey/gris oscuro

LED SMD 12.5W 3000K 500lm CRI>80
Driver ✓

Body Die Cast Aluminium/Aluminio Inyectado
Diff Polycarbonate/Policarbonato

IP54  100- 50/
240V 60HZ 






LOGAR

● **75605** dark grey/gris oscuro

LED SMD 12W 3000K 580lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal

IP54  100- 50/
240V 60HZ 





LOGAR

● **75606** dark grey/gris oscuro

LED SMD 23W 3000K 1340lm CRI>80
Driver ✓

Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal

IP54  100- 50/
240V 60HZ 





P.320
SUSPENDED



P.332
WALL





MOON — Faro Lab 

● **74433+74437** dark grey/gris oscuro

E27 MAX 15W LED [17437]

Body Die Cast Aluminium/Aluminio Inyectado
Diff Opal PMMA/PMMA Opal




MOON — Faro Lab 


● **74434+74437** dark grey/gris oscuro

E27 MAX 15W LED [17437]

Body Die Cast Aluminium/Aluminio Inyectado
Diff Opal PMMA/PMMA Opal





BLUB'S — Estudi Ribaudí 

● **74433+74430** dark grey/gris oscuro

E27 MAX 15W LED ☒ [17437]


Body Die Cast Aluminium/Aluminio Inyectado
Diff Opal PMMA/PMMA Opal



P.320
SUSPENDED



P.332
WALL



BLUB'S — Estudi Ribaudí 


● **74434+74430** dark grey/gris oscuro

E27 MAX 15W LED ☒ [17437]

Body Die Cast Aluminium/Aluminio Inyectado
Diff Opal PMMA/PMMA Opal



P.315
POLE



MISTU — Faro Lab 

● **74433+74428** dark grey/gris oscuro

E27 MAX 15W LED ☒ [17437]


Body Die Cast Aluminium/Aluminio Inyectado
Diff Opal PMMA/PMMA Opal



P.320
SUSPENDED



P.332
WALL



MISTU — Faro Lab 


● **74434+74428** dark grey/gris oscuro


E27 MAX 15W LED ☒ [17437]

Body Die Cast Aluminium/Aluminio Inyectado
Diff Opal PMMA/PMMA Opal



P.314
POLE



MUFFIN — Àlex & Manel Llusca 


● **74433+74429** dark grey/gris oscuro

E27 MAX 15W LED ☒ [17437]


Body Die Cast Aluminium/Aluminio Inyectado
Diff Opal PMMA/PMMA Opal



P.320
SUSPENDED



P.332
WALL



MUFFIN — Àlex & Manel Llusca 


● **74434+74429** dark grey/gris oscuro

E27 MAX 15W LED ☒ [17437]

Body Die Cast Aluminium/Aluminio Inyectado
Diff Opal PMMA/PMMA Opal



P.314
POLE





WILMA


● **75001** dark grey/gris oscuro

E27 MAX 15W LED ✕ [17463]


Body Die Cast Aluminium/Aluminio Inyectado
Diff Polycarbonate/Polycarbonato



P.321
SUSPENDED



P.333
WALL




WILMA

● **74997** dark grey/gris oscuro

E27 MAX 15W LED ✕ [17463]

Body Die Cast Aluminium/Aluminio Inyectado
Diff Polycarbonate/Polycarbonato




WILMA

● **75003** dark grey/gris oscuro

E27 MAX 15W LED ✕ [17463]

Body Die Cast Aluminium/Aluminio Inyectado
Diff Polycarbonate/Polycarbonato



VERNO

● **73450** black/negro

E27 MAX 15W LED ✕ [17463]

Body Die Cast Aluminium/Aluminio Inyectado
Diff Polycarbonate/Polycarbonato




VERNO

● **73440** black/negro

E27 MAX 15W LED ✕ [17463]

Body Die Cast Aluminium/Aluminio Inyectado
Diff Polycarbonate/Polycarbonato




VERNO

● **73460** black/negro

E27 MAX 15W LED ✕ [17463]

Body Die Cast Aluminium/Aluminio Inyectado
Diff Polycarbonate/Polycarbonato






SETE

● **7552I** dark grey/gris oscuro

LED SMD 6W 3000K 155lm CRI>80 Driver ✓

Body Die Cast Aluminium/Aluminio Inyectado
Diff Opal Polycarbonate/Polycarbonato Opal

IP54 ⚡ 100- 50/
240V 60HZ




MILA

● **7077I** dark grey/gris oscuro

LED SMD 18W 4000K 500lm CRI>80
Driver ✓

Body Die Cast Aluminium/Aluminio Inyectado
Diff Opal Polycarbonate/Polycarbonato Opal

IP65 ⚡ 220- 50/
240V 60HZ






NALA

● 70772 dark grey/gris oscuro

E27 MAX 15W LED ✕ [17463]

Body Die Cast Aluminium/Aluminio Inyectado
Diff Transparent Glass/Cristal Transparente



P.353
WALL




SURAT

● 72310 dark grey/gris oscuro

E27 MAX 15W LED ✕ [17463]

Body Die Cast Aluminium/Aluminio Inyectado
Diff Striped Glass/Cristal Rallado




ONZE

● 70761 dark grey/gris oscuro

E27 MAX 15W LED ✕ [17437]

Body Die Cast Aluminium/Aluminio Inyectado
Diff Opal Polycarbonate/Policarbonato Opal




ROY

● 72351 dark grey/gris oscuro

E27 MAX 15W LED ✕ []

Body Die Cast Aluminium/Aluminio Inyectado
Diff Opal Polycarbonate/Policarbonato Opal



GROW



— Àlex&Manel Lluscà 




● **71206** dark grey/gris oscuro

LED SMD 9W 3000K 720lm CRI>80 Driver ✓

Body Die Cast Aluminium/Aluminio Inyectado
Diff Polycarbonate/Polycarbonato



IP65  100- 50/
240V 60HZ 




● **71207** dark grey/gris oscuro

LED SMD 9W 3000K 720lm CRI>80 Driver ✓

Body Die Cast Aluminium/Aluminio Inyectado
Diff Polycarbonate/Polycarbonato


IP65  100- 50/
240V 60HZ 



FLOWERPOT ACCESSORY


● **71208** dark grey/gris oscuro

Body Polycarbonate/Polycarbonato







BU-OH!


— Estudi Ribaudí 

● **71213** dark grey/gris oscuro

LED SMD 12W 3000K 310lm CRI>80 Driver ✓

Body Die Cast Aluminium/Aluminio Inyectado
Diff Opal Polycarbonate/Polycarbonato Opal



IP65  100- 50/
240V 60HZ 




● **71214** dark grey/gris oscuro

LED SMD 12W 3000K 310lm CRI>80 Driver ✓

Body Die Cast Aluminium/Aluminio Inyectado
Diff Opal Polycarbonate/Polycarbonato Opal

IP65  100- 50/
240V 60HZ 



P.312
POLE



P.337
WALL







NAYA

● **71199** dark grey/gris oscuro

LED SMD 8W 3000K 180lm CRI>80 Driver ✓

Body Aluminium/Aluminio

Diff Opal Polycarbonate/Policarbonato Opal




NAYA

● **71198** dark grey/gris oscuro

LED SMD 8W 3000K 180lm CRI>80 Driver ✓

Body Aluminium/Aluminio

Diff Opal Polycarbonate/Policarbonato Opal



306



AGRA



● **70755** dark grey/gris oscuro

● **70756** rust brown/marrón óxido

LED COB 10W 3000K 420lm CRI>80 Driver ✓

Body Die Cast Aluminium/Aluminio Inyectado

Diff Transparent Glass/Cristal Transparente



AGRA


● **70753** dark grey/gris oscuro

● **70754** rust brown/marrón óxido

LED COB 10W 3000K 420lm CRI>80 Driver ✓

Body Die Cast Aluminium/Aluminio Inyectado

Diff Transparent Glass/Cristal Transparente






ALP

● 74451 dark grey/gris oscuro

LED SMD 8W 3000K 350lm CRI>80 Driver ✓

Body Die Cast Aluminium/Aluminio Inyectado
Diff Opal Polycarbonate/Policarbonato Opal




ALP

● 74452 dark grey/gris oscuro

LED SMD 8W 3000K 350lm CRI>80 Driver ✓

Body Die Cast Aluminium/Aluminio Inyectado
Diff Opal Polycarbonate/Policarbonato Opal





DAS



● 75519 dark grey/gris oscuro

LED COB 8W 3000K 480lm CRI>80 Driver ✓

Body Die Cast Aluminium/Aluminio Inyectado
Diff Transparent Glass/Cristal Transparente



P.336
WALL





DAS

● 75520 dark grey/gris oscuro

LED COB 8W 3000K 480lm CRI>80 Driver ✓

Body Die Cast Aluminium/Aluminio Inyectado
Diff Transparent Glass/Cristal Transparente







NOBORU


● **70576** dark grey/gris oscuro

LED COB 16W 3000K 690lm CRI>80

Driver ✓

Body Aluminium/Aluminio
Diff Glass/Cristal

IP65  IK08 100-240V 50/60HZ 





SPY-I

● **70782** dark grey/gris oscuro

LED COB 6W 3000K 500lm CRI>80

Driver ✓

Body Aluminium/Aluminio
Diff Glass/Cristal

IP65  220-240V 50HZ 





SPY-2








● **70783** dark grey/gris oscuro

LED COB 6W 3000K 500lm CRI>80

Driver ✓

Body Aluminium/Aluminio
Diff Glass/Cristal

IP65  220-240V 50Hz 





NEW SHADOW


— Àlex&Manel Llusca

● **72312** dark grey/gris oscuro

LED SMD 10W 3000K 800lm CRI>80 Driver ✓

Body Die Cast Aluminium/Aluminio Inyectado
Diff Opal glass/Cristal Opal

IP65 100- 50/
240V 60HZ




● **72311** dark grey/gris oscuro

LED SMD 10W 3000K 800lm CRI>80 Driver ✓

Body Die Cast Aluminium/Aluminio Inyectado
Diff Opal glass/Cristal Opal

IP65 100- 50/
240V 60HZ





GINA

● **71352** dark grey/gris oscuro

GU10 MAX 8W LED [17324]

Body Die Cast Aluminium/Aluminio Inyectado
Diff Transparent Glass/Cristal Transparente



KLAMP — Àlex & Manel Lluscà



● **74411** dark grey/gris oscuro

E27 MAX 15W LED [17463]

Body Die Cast Aluminium/Aluminio Inyectado
Diff Opal Polycarbonate/Polycarbonato Opal






CHANDRA

● **72298** dark grey/gris oscuro

LED COB 7W 3000K 195lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Tempered Glass/Cristal Templado





SAURA


● **70774** dark grey/gris oscuro

LED SMD 2W 3000K 150lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Polycarbonate/Polycarbonato



2.5H WORKTIME
6/8H CHARGE LITHIUM BATTERY ✓




SOLEIL

● **70785** dark grey/gris oscuro

LED SMD 2W 3000K 140lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff PMMA

SOLAR IP54 3H WORKTIME
7H CHARGE IK 10



SOLAR



P.292
BOLLARD



P.330
WALL



P.294
BOLLARD



P.333
WALL




P.305
BOLLARD



P.337
WALL





TRAM — Estudi Ribaudí 

● **75532** dark grey/gris oscuro

LED SMD 36W 3000K 2700lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff PMMA



IP65  100- 50/
240V 60HZ 


DATNA — Àlex & Manel Llusca 

● **74444E** dark grey/gris oscuro

LED SMD 36W 3000K 2700lm CRI85 Driver ✓

Body Die Cast Aluminium/Aluminio Inyectado
Diff Opal Polycarbonate/Polycarbonato Opal



IP65  220- 50/
240V 60HZ 





BU-OH! — Estudi Ribaudí 

● **71209** dark grey/gris oscuro

LED 4xSMD 10W 3000K 2700lm CRI>80 Driver ✓

Body Die Cast Aluminium/Aluminio Inyectado
Diff Opal PMMA/PMMA Opal

IP65  100- 50/
240V 60HZ 







P.300
BOLLARD



P.320
SUSPENDED



P.332
WALL





MISTU — Faro Lab 

74435+74428² ● dark grey/gris oscuro

2 E27 MAX 15W LED ⊗ [17437]

Body Die Cast Aluminium/Aluminio Inyectado
Diff Opal PMMA/PMMA Opal




MISTU — Faro Lab 

74436+74428³ ● dark grey/gris oscuro

3 E27 MAX 15W LED ⊗ [17437]


Body Die Cast Aluminium/Aluminio Inyectado
Diff Opal PMMA/PMMA Opal



P.300
BOLLARD




P.320
SUSPENDED



P.332
WALL




MUFFIN — Àlex & Manel Llusçà 


74435+74429² ● dark grey/gris oscuro

2 E27 MAX 15W LED ⊗ [17437]

Body Die Cast Aluminium/Aluminio Inyectado
Diff Opal PMMA/PMMA Opal






MUFFIN — Àlex & Manel Lluscà 

74436+74429³ ● dark grey/gris oscuro

3 E27 MAX 15W LED ⊗ [17437]

Body Die Cast Aluminium/Aluminio Inyectado
Diff Opal PMMA/PMMA Opal



P.300
BOLLARD



P.320
SUSPENDED



P.332
WALL




BLUB'S — Estudi Ribaudí 

74435+74430² ● dark grey/gris oscuro

2 E27 MAX 15W LED ⊗ [17437]

Body Die Cast Aluminium/Aluminio Inyectado
Diff Opal PMMA/PMMA Opal




BLUB'S — Estudi Ribaudí 

74436+74430³ ● dark grey/gris oscuro

3 E27 MAX 15W LED ⊗ [17437]

Body Die Cast Aluminium/Aluminio Inyectado
Diff Opal PMMA/PMMA Opal





P.297
BOLLARD



BERET

● **75524** dark grey/gris oscuro

LED SMD 16W 4000K 625lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal

IP54 100- 50/
240V 60HZ IK06



P.297
BOLLARD




GROF

● **75602** dark grey/gris oscuro

LED SMD 27W 3000K 1300lm CRI>80
Driver ✓

Body Die Cast Aluminium/Aluminio Inyectado
Diff Opal Polycarbonate/Polycarbonato Opal

IP54 100- 50/
240V 60HZ





PLAZA

● **75607** dark grey/gris oscuro

LED SMD 24W 3000K 1120lm CRI>80 Driver ✓


Body Metal
Diff Glass/Cristal

IP54 IK08 100- 50/
240V 60HZ





P.321
SUSPENDED



P.334
WALL




NÁUTICA

● **71116** rust brown/marrón óxido

E27 MAX 15W LED ⊗ [17463]

Body Metal
Diff Bubble Glass/Cristal Burbuja




NÁUTICA

● **71117** rust brown/marrón óxido

2 E27 MAX 15W LED ⊗ [17463]

Body Metal
Diff Bubble Glass/Cristal Burbuja




NÁUTICA

● **71118** rust brown/marrón óxido

3 E27 MAX 15W LED ⊗ [17463]

Body Metal
Diff Bubble Glass/Cristal Burbuja



SUSPENDED

SUSPENSIÓN



MUFFIN — Àlex&Manel Llusçà 

● **74427+74429** dark grey/gris oscuro

E27 MAX 15W LED ☒ [17437]


Body Die Cast Aluminium/Aluminio Inyectado
Diff Opal PMMA/ PMMA Opal

IP44   1.5 MT

P.300
BOLLARD



P.332
WALL




WILMA

● **74996** dark grey/gris oscuro

E27 MAX 15W LED ☒ [17463]

Body Die Cast Aluminium/Aluminio Inyectado
Diff Translucent Poly./Pol. Translúcido

IP44   1.5 MT



MOON — Faro Lab 

● **74427+74437** dark grey/gris oscuro

E27 MAX 15W LED ☒ [17437]


Body Die Cast Aluminium/Aluminio Inyectado
Diff Opal PMMA/ PMMA Opal

IP44   1.5 MT

P.299
BOLLARD



P.332
WALL



BLUB'S — Estudi Ribaudí 

● **74427+74430** dark grey/gris oscuro

E27 MAX 15W LED ☒ [17437]


Body Die Cast Aluminium/Aluminio Inyectado
Diff Opal PMMA/ PMMA Opal

IP44   1.5 MT

P.300
BOLLARD



P.332
WALL



MISTU — Faro Lab 

● **74427+74428** dark grey/gris oscuro

E27 MAX 15W LED ☒ [17437]


Body Die Cast Aluminium/Aluminio Inyectado
Diff Opal PMMA/ PMMA Opal

IP44   1.5 MT

P.300
BOLLARD



P.332
WALL





WILMA

● **75002** dark grey/gris oscuro

E27 MAX 15W LED ✕ [17463]


Body Die Cast Aluminium/Aluminio Inyectado
Diff Translucent Poly./Pol. Translúcido



P.301
BOLLARD



P.333
WALL



NÁUTICA

● **71106** white+copper/blanco+cobre

● **71108** brown+copper/marrón+cobre


● **71138** rust brown/marrón óxido

E27 MAX 15W LED ✕ [17463]

Body Metal
Diff Bubble Glass/Cristal Burbuja



P.317
POLE



NÁUTICA


● **71139** rust brown/marrón óxido

E27 MAX 15W LED ✕ [17463]

Body Metal
Diff Bubble Glass/Cristal Burbuja



P.334
WALL



HONEY


● **73696** black/negro

E27 MAX 15W LED ✕ [17463]

Body Aluminium/Aluminio
Diff Striped Glass/Cristal Rallado



P.321
WALL



ESTORIL


● **71142** rust brown/marrón óxido

E27 MAX 15W LED ✕ [17463]

Body Metal
Diff Bubble Glass/Cristal Burbuja



P.334
WALL




ESTORIL

● **71143** rust brown/marrón óxido


E27 MAX 15W LED ✕ [17463]

Body Metal
Diff Bubble Glass/Cristal Burbuja



SURFACE

SUPERFICIE



MASK ha sido diseñado para soportar las condiciones climáticas y atmosféricas más extremas. Gracias a la alta calidad del aluminio y a los tratamientos de protección superficial aplicados a éste, ofrecemos una garantía de 15 años, asegurando durante este tiempo la máxima protección de la superficie contra la corrosión.

Anti corrosion surface

MASK has been designed to withstand the most extreme weather and atmospheric conditions. Thanks to the high quality of the aluminum and the surface protection treatments applied to it, we offer a 15-year guarantee, ensuring during this time the maximum surface protection against corrosion.



NEW MASK
— Lucid 



WARRANTY
15 YEARS
Anti corrosion



● **71279** dark grey/gris oscuro



○ **71282** white/blanco

LED SMD 15W 3000K 500lm CRI>80 Driver ✓

Body Aluminium/Aluminio

Diff Glass/Cristal

SEA SIDE SUITABLE **IP65** IK08  100- 50/ 240V 60HZ 





TWIST — Estudi Ribaudí






● **71285** dark grey/gris oscuro

LED 10W 3000K 500lm CRI>80 Driver ✓

Body Aluminium/Aluminio

Diff Opal Polycarbonate/Policarbonato Opal

IP65  100- 50/
240V 60HZ 



P.291
BOLLARDS



BLOCK — Àlex&Manel Llusçà




● **74139** grey/gris

E27 MAX 15W LED  [17463]

Body Concrete/Cemento


Diff Opal Glass/Cristal Opal

IP65  **IK05** **SEA SIDE SUITABLE** 



P.288
BOLLARDS





LOTUS — Estudi Ribaudí 


○ 71222 white/blanco

● 71223 dark grey/gris oscuro

LED 18W 3000K II 20lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Polycarbonate/Polycarbonato


IP65  IK08 100- 50/
240V 60HZ 



P.329
BOLLARDS








SHELBY — Conillas 

● **75536** dark grey/gris oscuro

LED SMD 10W 3000K 600lm CRI>80 Driver ✓

Body Die Cast Aluminium/Aluminio Inyectado
Diff Polycarbonate/Polycarbonato

IP44  100- 50/
240V 60HZ 



P.293
BOLLARD





GIZA


● **70766** dark grey/gris oscuro

LED COB 15W 3000K 500lm CRI>80 Driver ✓

Body Die Cast Aluminium/Aluminio Inyectado
Diff Polycarbonate/Polycarbonato

IP54  100- 50/
240V 60HZ 



TRAM — Estudi Ribaudí 

● **75529** dark grey/gris oscuro

○ **75533** white/blanco

E27 MAX 15W LED ✕ [17463]

Body Die Cast Aluminium/Aluminio Inyectado
Diff PMMA

IP44  






KERALA

● **74453** dark grey/gris oscuro


LED SMD 13W 3000K 600lm CRI>80 Driver ✓

Body Die Cast Aluminium/Aluminio Inyectado
Diff Glass/Cristal


IP54  100- 50/
240V 60HZ 



P.296
BOLLARD



P.292
BOLLARD



P.285
PORTABLE





TARRACO

● **73260** grey/gris

E27 MAX 15W LED ✕ [17463]

Body Die Cast Aluminium/Aluminio Inyectado
Diff Opal Polycarbonate/Policarbonato Opal




ORWELL NEW

● **75700** dark grey/gris oscuro

LED SMD 7W 3000K 558lm CRI>80 Driver ✓

Body Die Cast Aluminium/Aluminio Inyectado
Diff Opal Polycarbonate/Policarbonato Opal







ORWELL WIFI NEW

● **75701** dark grey/gris oscuro

LED SMD 12W 3000K 360lm CRI>80 Driver ✓

Body Die Cast Aluminium/Aluminio Inyectado
Diff Opal Polycarbonate/Policarbonato Opal




PLIM

● **71295** dark grey/gris oscuro

LED SMD 10W 3000K 250lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Polycarbonate/Policarbonato




PLIM

● **71296** dark grey/gris oscuro

LED SMD 10W 3000K 250lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Polycarbonate/Policarbonato







PLIM


● **71297** dark grey/gris oscuro

LED SMD 10W 3000K 250lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Polycarbonate/Policarbonato



P.295 BOLLARD





MISTU — Faro Lab 

● 74432+74428 dark grey/gris oscuro

E27 MAX 15W LED ☒ [17437]


Body Die Cast Aluminium/Aluminio Inyectado
Diff Opal PMMA/PMMA Opal



P.300
BOLLARD



P.320
SUSPENDED



MOON — Faro Lab 

● 74432+74437 dark grey/gris oscuro

E27 MAX 15W LED ☒ [17437]


Body Die Cast Aluminium/Aluminio Inyectado
Diff Opal PMMA/PMMA Opal



P.299
BOLLARD



P.320
SUSPENDED



MUFFIN — Àlex&Manel Llusca 

● 74432+74429 dark grey/gris oscuro

E27 MAX 15W LED ☒ [17437]


Body Die Cast Aluminium/Aluminio Inyectado
Diff Opal PMMA/PMMA Opal



P.300
BOLLARD



P.320
SUSPENDED



BLUB'S — Estudi Ribaudí 

● 74432+74430 dark grey/gris oscuro

E27 MAX 15W LED ☒ [17437]


Body Die Cast Aluminium/Aluminio Inyectado
Diff Opal PMMA/PMMA Opal



P.300
BOLLARD



P.320
SUSPENDED





WILMA

● 74998 dark grey/gris oscuro

E27 MAX 15W LED ✕ [17463]

Body Die Cast Aluminium/Aluminio Inyectado
Diff Polycarbonate/Polycarbonato



WILMA

● 75000 dark grey/gris oscuro

E27 MAX 15W LED ✕ [17463]

Body Die Cast Aluminium/Aluminio Inyectado
Diff Polycarbonate/Polycarbonato





TOC

● 70780 white/blanco


● 70781 black/negro

LED SMD 8W 3000K 600lm CRI>80 Driver ✓


Body Aluminium/Aluminio
Diff Polycarbonate/Polycarbonato



P.301
BOLLARD



P.321
SUSPENDED



P.283
PORTABLES



DATNA — Àlex&Manel Llusçà


● 74440 dark grey/gris oscuro

1xE27 MAX 15W LED ✕ [17463]


Body Die Cast Aluminium/Aluminio Inyectado
Diff Opal Polycarbonate/Polycarbonatoo Opal



P.294
BOLLARD



P.312
POLE



P.321
SUSPENDED



HONEY

● 73695 black/negro

E27 MAX 15W LED ✕ [17433]

Body Metal
Diff Glass/Cristal



DADO

● 71606 rust brown/marrón óxido

E27 MAX 15W LED ✕ [17463]

Body Metal
Diff Glass/Cristal





ESTORIL

● **71140** rust brown/marrón óxido

E27 MAX 15W LED ✘ [17463]

Body Metal
Diff Bubble Glass/Cristal Burbuja



ESTORIL

● **71141** rust brown/marrón óxido

E27 MAX 15W LED ✘ [17463]

Body Metal
Diff Bubble Glass/Cristal Burbuja




WALLY



● **74261** rust brown/marrón óxido

E27 MAX 13W LED ✔

Body Metal
Diff Transparent Glass/Cristal Transparente



P.321
SUSPENDED



NÁUTICA

● **71110** rust brown/marrón óxido

E27 MAX 15W LED ✘ [17463]

Body Metal
Diff Bubble Glass/Cristal Burbuja



NÁUTICA

● **71128** rust brown/marrón óxido

E27 MAX 15W LED ✘ [17463]

Body Metal
Diff Bubble Glass/Cristal Burbuja




NÁUTICA




● **71129** rust brown/marrón óxido

E27 MAX 15W LED ✘ [17463]

Body Metal
Diff Bubble Glass/Cristal Burbuja



P.321
SUSPENDED



P.317
POLE





NORAY

● 70999 brass/latón

E27 MAX 15W LED ✕ [17463]

Body Brass/Latón
Diff Striped Glass/Cristal Rallado





TIMON

● 70996 brass/latón

E27 MAX 15W LED ✕ [17463]

Body Brass/Latón
Diff Striped Glass/Cristal Rallado



NAHIR

● 70992 brass/latón

E27 MAX 15W LED ✕ [17463]

Body Brass/Latón
Diff Striped Glass/Cristal Rallado



BORDA

● 70997 brass/latón

E27 MAX 15W LED ✕ [17463]

Body Brass/Latón
Diff Striped Glass/Cristal Rallado







CABO

● 70998 brass/latón

E27 MAX 15W LED ✕ [17463]

Body Brass/Latón
Diff Striped Glass/Cristal Rallado





NINE

- 72082 white/blanco
- 72083 dark grey/gris oscuro

LED SMD 7W 3000K 280lm CRI>80 Driver ✓

Body CNC Aluminium/Aluminio CNC
Diff Glass/Cristal

IP65 IK10 220-240V 50/60HZ



BRACKET

- 72272 dark grey/gris oscuro

LED SMD 6W 3000K 270lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal Glass/Cristal Opal

IP44 220-240V 50/60HZ








AXEL

- 71272 white/blanco
- 71273 dark grey/gris oscuro

LED 6W 3000K 360lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

IP65 IK07 100-240V 50/60HZ



ALP


- 74450 dark grey/gris oscuro

LED SMD 8W 3000K 350lm CRI>80 Driver ✓

Body Die Cast Aluminium/Aluminio Inyectado
Diff Opal Polycarbonate/Polycarbonato Opal

IP54 100-240V 50/60HZ

P.307 BOLLARDS





BU-OH! — Estudi Ribaudí






● **71212** dark grey/gris oscuro

○ **71215** white/blanco

LED SMD 12W 3000K 310lm CRI>80 Driver ✓

Body Die Cast Aluminium/Aluminio Inyectado
Diff Opal Polycarbonate/Polycarbonato Opal

IP65  100- 50/
240V 60HZ 



P.305
BOLLARD



P.312
POLE



FUTURE — Estudi Ribaudí




○ **71516** white/blanco

● **71517** dark grey/gris oscuro

E27 MAX 15W LED ✕ [17437]

Body Polycarbonate/Polycarbonato
Diff Opal Polycarbonate/Polycarbonato Opal

SEA SIDE SUITABLE IP44  






ÁNCORA — Àlex & Manel Llusçà 


● **74401** dark grey/gris oscuro

E27 MAX 15W LED ⊗ [17463]

Body Die Cast Aluminium/Aluminio Inyectado
Diff Opal Polycarbonate/Polycarbonato Opal

IP44  






STICKER — Lucid 

● **75540** dark grey/gris oscuro

LED SMD 10W 3000K 1350lm CRI>80
Driver ✓

Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal

IP55  100- 50/
240V 60HZ 



P.290
BOLLARD





CLAUSS


○ 70262 white/blanco

● 70263 dark grey/gris oscuro

LED SMD 7W 3000K 480lm CRI>80 Driver ✓

Body Die Cast Aluminium/Aluminio Inyectado

IP54 IK08  220- 50/ 240V 60HZ 






QUART

● 70579 dark grey/gris oscuro

LED SMD 30W 3000K 1200lm CRI>80 Driver ✓

Body Die Cast Aluminium/Aluminio Inyectado
Diff Opal Glass/Cristal Opal

IP54  220- 50/ 240V 60HZ 




DRAGMA — Àlex&Manel Llusçà

● 71362L dark grey/gris oscuro

LED SMD 15W 3000K 500lm CRI>80 Driver ✓

Body Die Cast Aluminium/Aluminio Inyectado
Diff Translucent Glass/Cristal Translúcido

IP65  100- 50/ 240V 60HZ 




VIEW — Estudi Ribaudí

● 71519 dark grey/gris oscuro

E27 MAX 15W LED ✗ [17463]

Body Polycarbonate/Policarbonato
Diff ABS

SEA SIDE SUITABLE IP54  





TAKUA

● **71277** dark grey/gris oscuro

LED SMD 10W 3000K 450lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal Glass/Cristal Opal

IP65 IK06 100-240V 50/60HZ



OVAL

● **71276** dark grey/gris oscuro

LED COB 10W 3000K 450lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal Glass/Cristal Opal

IP65 IK06 100-240V 50/60HZ






TANE

● **72269** dark grey/gris oscuro

LED SMD 1.5W 3000K 110lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Translucent Glass/Cristal Translúcido

IP44 220-240V 50/60HZ



ADAY

○ **70644** white/blanco

● **70645** dark grey/gris oscuro

LED SMD 6W 3000K 450lm CRI>80 Driver ✓

Body Die Cast Aluminium/Aluminio Inyectado
Diff Opal Polycarbonate/Polycarbonato Opal

IP54 IK08 100-240V 50/60HZ



ADAY

○ **70646** white/blanco

● **70647** dark grey/gris oscuro

LED SMD 13W 3000K 787lm CRI>80 Driver ✓

Body Die Cast Aluminium/Aluminio Inyectado
Diff Opal Polycarbonate/Polycarbonato Opal

IP54 IK08 220-240V 50/60HZ







WEST

● **70899** dark grey/gris oscuro

E27 MAX 15W LED ✗ [17437]

Body Die Cast Aluminium/Aluminio Inyectado
Diff Translucent Glass/Cristal Translúcido

IP54





KAULA

● **70405** matt nickel/níquel mate

LED SMD 9W 3000K 400lm CRI>80 Driver ✓

Body 316 Stainless Steel/Acero Inox 316
Diff Opal PMMA/PMMA Opal

SEA SIDE SUITABLE IP44 220-240V 50/60HZ



KAULA

● **70406** matt nickel/níquel mate

LED SMD 16W 3000K 650lm CRI>80 Driver ✓

Body 316 Stainless Steel/Acero Inox 316
Diff Opal PMMA/PMMA Opal

SEA SIDE SUITABLE IP44 220-240V 50/60HZ






WEST

● **70888** dark grey/gris oscuro

E27 MAX 15W LED ✗ [17437]

Body Die Cast Aluminium/Aluminio Inyectado
Diff Translucent Glass/Cristal Translúcido

IP54



TOLUCA

● **71050** dark grey/gris oscuro

○ **71051** white/blanco

● **71052** aluminium/aluminio

● **71053** rust brown/marrón oxidado

LED SMD 16W 3000K 900lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Tempered Glass/Cristal Templado

IP65 IK09 220-240V 50/60HZ



TACANA

● **71046** rust brown/marrón oxidado

○ **71047** white/blanco

● **71048** dark grey/gris oscuro

● **71049** aluminium/aluminio

LED SMD 24W 3000K 1800lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Tempered Glass/Cristal Templado

IP65 IK09 100-240V 50/60HZ



TACOS

● **71062** dark grey/gris oscuro

○ **71063** white/blanco





● **71064** aluminium/aluminio

● **71065** rust brown/marrón oxidado

LED SMD 30W 3000K 1800lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Tempered Glass/Cristal Templado

IP65 IK09 100-240V 50/60HZ






LACE

● **70811** dark grey/gris oscuro

LED HIGH POWER 6W 4000K 315lm CRI>80 Driver ✓

Body Die Cast Aluminium/Aluminio Inyectado
Diff Transparent Glass/Cristal Transparente



BRUC

● **70828** dark grey/gris oscuro

LED 2 SMD 7W 3000K 830lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Glass/Cristal







LING

● **70812** dark grey/gris oscuro

○ **70813** white/blanco

LED HIGH POWER 6W 4000K 315lm CRI>80 Driver ✓

Body Die Cast Aluminium/Aluminio Inyectado
Diff Transparent Glass/Cristal Transparente



LACRE

● **70802** dark grey/gris oscuro

E27 MAX 15W LED ✗ [17463]

Body Die Cast Aluminium/Aluminio Inyectado
Diff Transparent Glass/Cristal Transparente




LOG

● **70264** dark grey/gris oscuro

LED SMD 9W 3000K 600lm CRI>80 Driver ✓

Body Die Cast Aluminium/Aluminio Inyectado
Diff Opal Polycarbonate/Polycarbonato Opal



BLIND







○ **70267** white/blanco

● **70268** brown/marrón

● **70634** dark grey/gris oscuro

LED 6W 3000K 2x90lm CRI>80 Driver ✓

Body Die Cast Aluminium/Aluminio Inyectado
Diff Transparent Glass/Cristal Transparente





OLAN

- 70269 white/blanco
- 70270 brown/marrón
- 70637 dark grey/gris oscuro

2 LED 6W 3000K 100lm CRI>80 Driver ✓
 Body Die Cast Aluminium/Aluminio Inyectado
 Diff Transparent Glass/Cristal Transparente




SUNSET

- 70686 white/blanco
- 70687 dark grey/gris oscuro

LED 2 SMD 3W 3000K 250lm CRI>80
 Driver ✓

Body Die Cast Aluminium/Aluminio Inyectado
 Diff Glass/Cristal







COBO

- 70404 dark grey/gris oscuro

LED COB 12W 4000K 600lm CRI>80
 Driver ✓

Body Die Cast Aluminium/Aluminio Inyectado
 Diff Glass/Cristal



PISTÓN

- 70808 grey/gris

2 GU10 MAX 8W LED [17316]

Body Die Cast Aluminium/Aluminio Inyectado
 Diff Transparent Glass/Cristal Transparente




THON NEW

- 70283 black/negro

LED COB 20W 3000K 1200lm CRI>80
 Driver ✓

Body Aluminium/Aluminio
 Diff Opal Glass/Cristal Opal









THON NEW

- 70284 black/negro

LED 2 COB 20W 3000K 2400lm CRI>80
 Driver ✓

Body Aluminium/Aluminio
 Diff Opal Glass/Cristal Opal





STEPS — Estudi Ribaudí



- 75502 white/blanco
- 75503 dark grey/gris oscuro

4 GU 10 MAX 8W LED [17324]

Body Die Cast Aluminium/Aluminio Inyectado
Diff Tempered Glass/Cristal Templado

IP44   2 Blind caps/
2 Tapas ciegas ✓

STEPS — Estudi Ribaudí





- 75500 white/blanco
- 75501 dark grey/gris oscuro

2 GU 10 MAX 8W LED [17324]

Body Die Cast Aluminium/Aluminio Inyectado
Diff Tempered Glass/Cristal Templado

IP44   1 Blind cap/
1 Tapa ciega ✓





KLAMP — Àlex&Manel Llusçà 

74408 ● dark grey/gris oscuro

2 GU 10 MAX 8W LED ☒ [17324]

Body Die Cast Aluminium/Aluminio Inyectado
Diff Glass/Cristal



KLAMP — Àlex&Manel Llusçà 

74407 dark grey/gris oscuro

GU 10 MAX 8W LED ☒ [17324]

Body Die Cast Aluminium/Aluminio Inyectado
Diff Glass/Cristal




PROA — Àlex&Manel Llusçà 



74400 dark grey/gris oscuro

GU 10 MAX 8W LED ☒ [17324]

Body Die Cast Aluminium/Aluminio Inyectado
Diff Glass/Cristal



P.310
BOLLARDS



BRONX — Àlex&Manel Llusçà 


● **71194** brown/marrón

● **71195** white/blanco

● **71196** dark grey/gris oscuro

GU 10 MAX 8W LED ☒ [17316 / ● 17324]

Body Aluminium/Aluminio
Diff Glass/Cristal








KALA

- 70582 white/blanco
- 70583 dark grey/gris oscuro
- LED SMD 16W 2700K 1200lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal Glass/Cristal Opal

IP54  220- 50/ 240V 60HZ 




TORE

- 70648 dark grey/gris oscuro
- LED COB 30W 3000K 2000lm CRI>80 Driver ✓

Body Die Cast Aluminium/Aluminio Inyectado
Diff Translucent Glass/Cristal translúcido



IP54 IK06  120- 50/ 240V 60HZ 




NAIROBI

- 70830 white/blanco
- 70831 dark grey/gris oscuro
- 70832 rust brown/marrón oxido
- LED 2 SMD 6W 3000K 190lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Glass/Cristal

IP54  100- 50/ 240V 60HZ 




SUMA

- 70749 dark grey/gris oscuro
- 2 E27 MAX 15W LED X [17463]

Body Die Cast Aluminium/Aluminio Inyectado
Diff Translucent Glass/Cristal Translúcido





IP44  





CANON

- 70566N dark grey/gris oscuro
- 70567N white/blanco
- LED HIGH POWER 4W 3000K 130lm CRI>80 Driver ✓

Body Die Cast Aluminium/Aluminio Inyectado
Diff Tempered Glass/Cristal Templado




IP44  100- 50/ 240V 60HZ   





GUIZA

- 71278 dark grey/gris oscuro
- LED SMD 8W 3000K 400lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Glass/Cristal

IP65  IK06 100- 50/ 240V 60HZ  





GINA

- **71363** dark grey/gris oscuro
- **71366** white/blanco
- **71367** black/negro

GU 10 MAX 8W LED [17324]

Body Die Cast Aluminium/Aluminio Inyectado
Diff Glass/Cristal



TINIA

- **71353** dark grey/gris oscuro

E27 MAX 15W LED [17063]

Body Aluminium/Aluminio
Diff Polycarbonate/Polycarbonato




TAIMA





- **71388** dark grey/gris oscuro

LED SMD 6W 3000K 310lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente



P.310 BOLLARD




ELE

- **74419** dark grey/gris oscuro

LED SMD 6W 3000K 450lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Polycarbonate/Polycarbonato








WOOD NEW

- **74455** dark grey/gris oscuro

LED SMD 10W 3000K 600lm CRI>80 Driver ✓

Body Metal
Diff Polycarbonate/Polycarbonato





PILL

- 70824 white/blanco
- 70825 dark grey/gris oscuro
- 70826 rust brown/marrón oxido

LED CREE 4W 3000K 110lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Glass/Cristal

IP54 ⚡ 100- 50/
240V 60HZ



DRAK

- 72330 brass/latón

LED 6W 3000K 160lm CRI>80 Driver ✓

Body brass/latón
Diff Transparent Glass/Cristal Transparente

SEA SIDE SUITABLE IP44 ⚡ 100- 50/
240V 60HZ IK08





BROW

- 70408 white/blanco
- 70409 dark grey/gris oscuro

LED COB 3W 3000K 100lm CRI>80 Driver ✓

Body Polycarbonate/Polycarbonato
Diff Opal PMMA/PMMA Opal

IP44 ⚡ 220- 50/
240V



LOTH NEW

- 70285 black/negro

LED COB 6W 3000K 165lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Polycarbonate/Polycarbonato

IP67 IK10 ⚡ 100- 50/
240V 60HZ 2000KG.
4409LB.




LOTH NEW

- 70286 black/negro

LED 2 COB 6W 3000K 235lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Polycarbonate/Polycarbonato

IP67 IK10 ⚡ 100- 50/
240V 60HZ 2000KG.
4409LB.






LOTH NEW

- 70287 black/negro

LED 4 COB 3W 3000K 255lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Polycarbonate/Polycarbonato

IP67 IK10 ⚡ 100- 50/
240V 60HZ 2000KG.
4409LB.





KEENAN

● 70564 nickel/níquel

LED SMD 1W 6500K 80lm CRI>80

Gear ⓧ 98101050

Magnetic Transformer ⓧ

Body Aluminium/Aluminio

Diff Transparent Glass/Cristal Transparente

SEA SIDE SUITABLE IP67 IK08 III 12V



KEENAN

● 70546 nickel/níquel

LED SMD 0,5W 6500K 20lm CRI>80

Gear ⓧ 98101050

Magnetic Transformer ⓧ

Body Aluminium/Aluminio

Diff Transparent Glass/Cristal Transparente

SEA SIDE SUITABLE IP67 IK08 III 12V



KEENAN

● 70547 nickel/níquel

LED SMD 0,8W 6500K 40lm CRI>80




Gear ⓧ 98101050

Magnetic Transformer ⓧ

Body Aluminium/Aluminio

Diff Transparent Glass/Cristal Transparente

SEA SIDE SUITABLE IP67 IK08 III 12V







GRANT





● **70655** dark grey/gris oscuro

LED SMD 1W 3000K 65lm CRI>80 Driver ✓

Body ABS

Diff Polycarbonate/Polycarbonato

SEA SIDE SUITABLE IP65 IK 10  100-240V 50/60HZ 



PATH



● **70508** dark grey/gris oscuro


○ **70501 NEW** white/blanco

LED SMD 9W 3000K 390lm CRI>80 Driver ✓

Body Die Cast Aluminium/Aluminio Inyectado

Diff Polycarbonate/Polycarbonato

IP44  100-240V 50/60HZ 



MUST




● **70657** dark grey/gris oscuro

LED SMD 2W 3000K 80lm CRI>80 Driver ✓

Body ABS

Diff Polycarbonate/Polycarbonato

SEA SIDE SUITABLE IP65 IK 10  220-240V 50/60HZ 



MUST


● **70659** dark grey/gris oscuro

LED SMD 4W 3000K 240lm CRI>80 Driver ✓

Body ABS

Diff Polycarbonate/Polycarbonato

SEA SIDE SUITABLE IP65 IK 10  220-240V 50/60HZ 






GRADA NEW

● **70906** dark grey/gris oscuro

● **70907** brown/marrón

LED SMD 3W 3000K 86lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Glass/Cristal




GRADA NEW

● **70908** dark grey/gris oscuro

● **70909** brown/marrón

LED SMD 6W 3000K 208lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Glass/Cristal







GRADA NEW

● **70910** dark grey/gris oscuro

● **70911** brown/marrón

LED SMD 12W 3000K 443lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Glass/Cristal






HALF — Nahrang

○ **71536** white/blanco

● **71537** dark grey/gris oscuro

LED SMD 20W 3000K 1350lm CRI>80 Driver ✓

Body Die Cast Aluminium/Aluminio Inyectado
Diff Opal Glass/Cristal Opal







TONE — Nahtrang

- 71538 white/blanco
- 71539 dark grey/gris oscuro

LED SMD 20W 3000K 1200lm CRI>80
Driver ✓

Body Die Cast Aluminium/Aluminio Inyectado
Diff Opal Glass/Cristal Opal

IP65 ⚡ 100- 50/
240V 60HZ ☀




HIKARI

- 71274 dark grey/gris oscuro

LED SMD 10W 3000K 400lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal Polycarbonate/Policarbonato Opal

IP65 ⚡ IK 10 100- 50/
240V 60HZ ☀




KUBICK

- 70689 dark grey/gris oscuro
- 70715 grey/gris

E27 MAX 15W LED ✗ [17463]

Body Die Cast Aluminium/Aluminio Inyectado
Diff Opal PVC/PVC Opal

IP44 ⚡ ☀




LUR

- 70827 dark grey/gris oscuro

LED SMD 12W 3000K 950lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal

IP54 ⚡ 100- 50/
240V 60HZ ☀





NALA

● **70773** dark grey/gris oscuro

E27 MAX 15W LED ✘ [17426]

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente




MARE

● **70635** dark grey/gris oscuro

LED COB 3W 3000K 150lm CRI>80 Driver ✓

Body Die Cast Aluminium/Aluminio Inyectado
Diff Transparent Glass/Cristal Transparente




POMO **NEW**




● **71306** dark grey/gris oscuro

2 E27 MAX 15W LED ✘ [17426]

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente



P.303 BOLLARD



TAMASHI

● **71303** dark grey/gris oscuro

E27 MAX 15W LED ✘ [17428]

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente







PIVOT **NEW**

○ **71304** white/blanco

● **71305** dark grey/gris oscuro

LED SMD 10W 3000K 500lm CRI>80 Driver ✓

Body Die Cast Aluminium/Aluminio Inyectado
Diff Opal Glass/Cristal Opal






POL

● **70829** dark grey/gris oscuro

LED SMD 8W 3000K 550lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal







SUN

● **70823** dark grey/gris oscuro

LED SMD 5W 3000K 275lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal Polycarbonate/Polycarbonato Opal

IP54 100- 50/
240V 60HZ



TOM



○ **70665** white/blanco

● **70666** dark grey/gris oscuro

LED SMD 7W 3000K 400lm CRI>80 Driver ✓

Body Polycarbonate/Polycarbonato
Diff Opal Polycarbonate/Polycarbonato Opal

IP65 IK10 100- 50/
240V 60HZ



TOM XL



● **70682** dark grey/gris oscuro

○ **70683** white/blanco

LED SMD II W 3000K 600lm CRI>80 Driver ✓

Body Polycarbonate/Polycarbonato
Diff Opal Polycarbonate/Polycarbonato Opal

IP65 IK10 100- 50/
240V 60HZ



FRED


● **70663** dark grey/gris oscuro

○ **70664** white/blanco

LED SMD 7W 3000K 400lm Driver ✓

Body Polycarbonate/Polycarbonato
Diff Opal Polycarbonate/Polycarbonato Opal

IP65 IK10 100- 50/
240V 60HZ



FRED XL



● **70667** dark grey/gris oscuro

○ **70668** white/blanco

LED SMD II W 3000K 600lm CRI>80 Driver ✓

Body Polycarbonate/Polycarbonato
Diff Opal Polycarbonate/Polycarbonato Opal

IP65 IK10 100- 50/
240V 60HZ




BACO

● **70819** grey/gris

LED SMD 6W 4000K 620lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal Polycarbonate/Polycarbonato Opal

IP54 100- 50/
240V 60HZ





NATRON

● **70887** dark grey/gris oscuro

E27 MAX 15W LED ✕ [17437]

Body Die Cast Aluminium/Acero Inoxidable
Diff Transparent Glass/Cristal Transparente



MOL

● **70720** dark grey/gris oscuro

E27 MAX 15W LED ✕ [17463]

Body Die Cast Aluminium/Acero Inoxidable
Diff Opal Polycarbonate/Policarbonato Opal







TEJO

● **70573** dark grey/gris oscuro

○ **70573B NEW** white/blanco

E27 MAX 15W LED ✕ [17463]

Body Die Cast Aluminium/Acero Inoxidable
Diff Polycarbonate/Policarbonato



ARGOT

● **71424** rust brown/marrón óxido

E27 MAX 15W LED ✕ [17463]

Body Steel/Acero
Diff Bubble Glass/Cristal Burbuja



CERES — Àlex&Manel Llusca

● **71608** black/negro

2 E27 MAX 15W LED ✕ [17437]

Body Die Cast Aluminium/Aluminio Inyectado
Out Diff Polycarbonate/Policarbonato
In Diff Opal Glass/Cristal Opal






CERES — Àlex&Manel Llusca

● **71607** black/negro

E27 MAX 15W LED ✕ [17437]

Body Die Cast Aluminium/Aluminio Inyectado
Out Diff Polycarbonate/Policarbonato
In Diff Opal Glass/Cristal Opal






NEGUS

● 70696 grey/gris

E27 MAX 15W LED ⊗ [17463]

Body Die Cast Aluminium/Acero Inoxidable
Diff Opal Polycarbonate/Policarbonato Opal



BONN

● 70697 dark grey/gris oscuro

E27 MAX 15W LED ⊗ [17463]

Body Die Cast Aluminium/Acero Inoxidable
Diff PVC






FEDON

● 70714 matt nickel/níquel mate

E27 MAX 15W LED ⊗ [17463]

Body Stainless Steel/Acero Inoxidable
Diff Opal PVC/PVC Opal



CELA

● 72280 matt nickel/níquel mate

E27 MAX 15W LED ⊗ [17463]

Body Stainless Steel/Acero Inoxidable
Diff Opal Polycarbonate/Policarbonato Opal





CELA

● 72281 matt nickel/níquel mate

E27 MAX 15W LED ⊗ [17463]

Body Stainless Steel/Acero Inoxidable
Diff Opal Polycarbonate/Policarbonato Opal




ESTAY

○ 72010 white/blanco

● 72011 black/negro

E27 MAX 15W LED ⊗ [17463]

Body Die Cast Aluminium/Aluminio Inyectado
Diff Translucent Glass/Cristal Translúcido





DERBY

○ 72002 white/blanco

E27 MAX 15W LED ✕ [17463]

Body Die Cast Aluminium/Aluminio Inyectado
Diff Translucent Glass/Cristal Translúcido



DERBY

○ 72000 white/blanco

● 72001 black/negro

E27 MAX 15W LED ✕ [17463]

Body Die Cast Aluminium/Aluminio Inyectado
Diff Translucent Glass/Cristal Translúcido






ÓVALO

○ 71000 white/blanco

E27 MAX 15W LED ✕ [17463]

Body PVC
Diff Striped Glass/Cristal Rallado




CRIPTA

○ 71002 white/blanco

● 71003 black/negro

E27 MAX 15W LED ✕ [17463]

Body PVC
Diff Striped Glass/Cristal Rallado



SPIKES/
PROJECTORS

ESTACAS/
PROYECTORES



SLOT




— Lucid 





● **70038** black/negro

LED 14W 3000K 920lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Glass/Cristal



IP65  100- 50/ 240V 60HZ IK08  



● **70036** black/negro

LED 14W 3000K 920lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Glass/Cristal




IP65  100- 50/ 240V 60HZ IK08 



● **70037** black/negro

LED 14W 3000K 920lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Glass/Cristal



IP65  100- 50/ 240V 60HZ IK08  








● **70035** black/negro

LED 14W 3000K 920lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Glass/Cristal

IP65  100- 50/ 240V 60HZ IK08 







FLOW

— Alegre Design



SPIKE ACCESSORY

● 71548 black/negro

● 71549 beige/beige

Body Metal



● 71546 black/negro

● 71547 beige/beige


GU10 MAX 8W LED [● 17324 ● 17330]

Body Polycarbonate/Polycarbonato

Diff PMMA

SEA SIDE SUITABLE

IP65 [] [] 2.5 MT



TONI

— Alegre Design



● 71528 black/negro

GU 10 MAX 8W LED [17330]

Body PMMA


Diff Polycarbonate/Polycarbonato

SEA SIDE
SUITABLE

IP65



2.5 MT



● 70025 dark grey/gris oscuro

LED COB 14W 3000K 900lm CRI>80 Driver ✓

● 70026 dark grey/gris oscuro

LED COB 14W 4000K 1000lm CRI>80 Driver ✓

Body Die Cast Aluminium/Aluminio Inyectado
Diff Transparent Glass/Cristal Transparente

IP65





100-
240V

50/
60HZ



160°
180°



ALFA

— Àlex&Manel Llusçà






OKI

● **70160** dark grey/gris oscuro
LED COB 2W **3000K** 110lm CRI>80
 Driver ✘ [98324015] [IP67:98111031]
 Spike ✘ [70525]
 Body Aluminium/Aluminio
 Diff Glass/Cristal







OKO

● **70161** dark grey/gris oscuro
LED COB 20W **3000K** 1500lm CRI>80
 Driver ✔ Spike ✘ [70525]
 Body Aluminium/Aluminio
 Diff Glass/Cristal



PLOM NEW

● **70912** dark grey/gris oscuro
LED CREE 7W **3000K** 635lm CRI>80 Driver ✔
 Body Aluminium/Aluminio
 Diff PMMA





PROJECT — Àlex&Manel Llusca

● **71383** grey/gris
 ● **71390** dark grey/gris oscuro
GU 10 MAX 8W LED ✘ [17317]
 Body Die Cast Aluminium/Aluminio Inyectado
 Diff Transparent Glass/Cristal Transparente



PROJECT — Àlex&Manel Llusca

● **71389** dark grey/gris oscuro
E27 PAR 38 MAX 15W LED ✘ [17400]
 Body Die Cast Aluminium/Aluminio Inyectado
 Diff Transparent Glass/Cristal Transparente







LIT

● **70260** dark grey/gris oscuro

GU10 MAX 8W LED [17317]

Body Aluminium/Aluminio
Diff Glass/Cristal





FOC

● **70156** dark grey/gris oscuro

LED COB 15W 3000K 800lm CRI>80 Driver ✓

Body Die Cast Aluminium/Aluminio Inyectado
Diff Glass/Cristal





FOC

● **70157** dark grey/gris oscuro

LED COB 15W 3000K 800lm CRI>80 Driver ✓

Body Die Cast Aluminium/Aluminio Inyectado
Diff Glass/Cristal





TORAN

● **70140** dark grey/gris oscuro

LED SMD 5W 4000K 345lm CRI>80 Driver ✓

Body Die Cast Aluminium/Aluminio Inyectado
Diff Transparent Glass/Cristal Transparente





SHOW

● **71095** dark grey/gris oscuro

LED 12W 3000K 500lm CRI>80 Driver ✓

Spike [70525]

Body Aluminium/Aluminio
Diff Glass/Cristal



KEW

● **70407** grey/gris


LED 6W 4000K 420lm CRI>80

Transformer 12VDC [98111031]

Body 316 Stainless Steel/Acero Inox 316
Diff Transparent PMMA/PMMA Transparente



Visit faro.es to consult how to install it.
Visita faro.es para consultar su instalación.






FLUX

● **70649** dark grey/gris oscuro

LED SMD 10W 3000K 450lm CRI>80 Driver ✓

Spike ✗ [70525]

Body Aluminium/Aluminio
Diff Opal Polycarbonat/Policarbonato Opal




KARL

● **70261** dark grey/gris oscuro

LED SMD 12W 3000K 1100lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Tempered Glass/Cristal Templado







VIC

● **70581** dark grey/gris oscuro

LED SMD 52W 3000K 2400lm CRI>80 Driver ✓

Body Die Cast Aluminium/Aluminio Inyectado
Diff Transparent Glass/Cristal Transparente





SOBEK

● **70151** black/negro

LED COB 7W 3000K 550lm CRI>80 Driver ✓

Body Die Cast Aluminium/Aluminio Inyectado
Diff Transparent Glass/Cristal Transparente









PICCOLA

— Faro Lab 



- **70245** black/negro
- **70246** white/blanco
- LED SMD 6W 2700K 360lm CRI>80
Driver ✓
- Body Metal
Diff Opal PMMA/PMMA Opal
- IP65  100-240V 50/60HZ IK08  1.5 MT





ANDY

● **71613** satin gold/oro satinado

GU10 MAX 8W LED ☒ [17330]

Body Metal

Diff Transparent Glass/Cristal Transparente




BALDER

● **70469** black/negro

LED SMD 3W 3000K 110lm CRI>80 Driver ✓

Body Aluminium/Aluminio

Diff Transparent Glass/Cristal Transparente







PLOM **NEW**

● **70913** dark grey/gris oscuro

LED CREE 7W 3000K 636lm CRI>80 Driver ✓

Body Aluminium/Aluminio

Diff PMMA





SETH-60

● **70226** black/negro

LED SMD 6W 2700K 450lm CRI>80 Driver ✓

Body Aluminium/Aluminio

Diff PMMA





SETH-28

● **70227** black/negro

LED SMD 6W 2700K 450lm CRI>80 Driver ✓

Body Aluminium/Aluminio

Diff PMMA







GARTEN-I

● **73100** black/negro

Body Heat-Resistant ABS/
ABS Termoresistente





GARTEN-4

● **73111** black/negro

E27 PAR 38 MAX 15W LED [17400]

Body Heat-Resistant ABS/
ABS Termoresistente




TONO

● **73150** black/negro

GU 10 MAX 8W LED [17325]

Body Die Cast Aluminium/Aluminio Inyectado
Diff Transparent Glass/Cristal Transparente




FOC

● **70159** dark grey/gris oscuro

LED COB 15W 3000K 800lm CRI>80 Driver ✓

Body Die Cast Aluminium/Aluminio Inyectado
Diff Glass/Cristal




FOC

● **70158** dark grey/gris oscuro

LED COB 15W 3000K 800lm CRI>80 Driver ✓

Body Die Cast Aluminium/Aluminio Inyectado
Diff Glass/Cristal



CEILING

TECHO



TAMI

● **70799** dark grey/gris oscuro

LED COB 12W 3000K 590lm CRI>80 Driver ✓

Body Die Cast Aluminium/Aluminio Inyectado
Diff Transparent Glass/Cristal Transparente

IP54 100- 50/ 240V 60HZ $\pm 20^{\circ}$



GOZ

● **70575** dark grey/gris oscuro

LED COB 8W 3000K 500lm CRI>80 Driver ✓

Body Die Cast Aluminium/Aluminio Inyectado
Diff Glass/Cristal

IP65 100- 50/ 240V 60HZ



OLOT




○ **71372** white/blanco

● **71374** dark grey/gris oscuro

GU10 MAX 8W LED ✗ [17317]

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

IP44



DAKYU

○ **70719** white/blanco

E27 MAX 15W LED ✗ [17463]

Body ABS
Diff Opal Polycarbonate/Policarbonato Opal

SEA SIDE SUITABLE IP66 IK10



DAKRON

○ **70722** white/blanco

E27 MAX 15W LED ✗ [17463]

Body ABS
Diff Opal Polycarbonate/Policarbonato Opal

SEA SIDE SUITABLE IP65 IK10






YEN

● **70690** grey/gris

E27 MAX 15W LED ✗ [17463]

Body Die Cast Aluminium/Aluminio Inyectado
Diff Opal Polycarbonate/Policarbonato Opal

IP54





TASA

● **70806** dark grey/gris oscuro

○ **70821** white/blanco

E27 MAX 15W LED [97687127]

Body Die Cast Aluminium/Aluminio Inyectado
Diff Transparent Glass/Cristal Transparente



MAUREN

● **70993** brass/latón

E27 MAX 15W LED [17463]

Body Brass/Latón
Diff Striped Glass/Cristal Rallado



HELMET—Àlex&Manel Llusçà






● **71158** off white/blanco roto

● **71159** old brown/marrón envejec.

2 E27 MAX 15W LED [17437]

Body Metal
Diff Opal Glass/Cristal Opal



RECESSED

EMPOTRABLES



GALO

○ 70265 white/blanco

LED CREE 3W 3000K 200lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Tempered Glass/Cristal Templado

IP54 IK05 100-240V 50/60HZ 73X73



GALO

○ 70266 white/blanco

LED CREE 3W 3000K 200lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Tempered Glass/Cristal Templado

IP54 IK05 100-240V 50/60HZ 73X73



DANG




● 70446 black/negro

LED CREE 3W 3000K 200lm CRI>80 Driver [98324015]

Body Aluminium+316 Stainless Steel/
Aluminio+Acero Inox 316

SEA SIDE SUITABLE IP67 IK05 24VDC

Visit faro.es to consult how to install it.
Visita faro.es para consultar su instalación.



NASE

○ 70395 white/blanco

● 70398 dark grey/gris oscuro

LED SMD 2.9W 3000K 49lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Polycarbonate/Policarbonato

IP44 220-240V 50/60HZ

92X87X80



NASE

○ 70396 white/blanco

● 70399 dark grey/gris oscuro

LED SMD 3W 3000K 100lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Polycarbonate/Policarbonato

IP44 220-240V 50/60HZ

132X90X80



UVE



● 70397 dark grey/gris oscuro

LED SMD 2W 3000K 70lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Polycarbonate/Policarbonato

IP44 IK08 220-240V 50/60HZ

Ø78






SPARK

- 70162 dark grey/gris oscuro
- 70163 white/blanco

LED SMD 5W 3000K 190lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Polycarbonate/Polycarbonato




STRIPE

- 72092 dark grey/gris oscuro
- 72093 white/blanco

LED SMD 5W 3000K 50lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Polycarbonate/Polycarbonato






STRIPE

- 72094 white/blanco
- 72095 dark grey/gris oscuro

LED SMD 5W 3000K 70lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Polycarbonate/Polycarbonato




SPARK

- 70164 dark grey/gris oscuro
- 70165 white/blanco

LED SMD 5W 3000K 60lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Polycarbonate/Polycarbonato



LISO

- 71490 white/blanco
- 71491 black/negro

E27 MAX 15W LED ✗ [17463]

Body Die Cast Aluminium/Aluminio Inyectado
Diff Polycarbonate/Polycarbonato



ESCA

- 71480 white/blanco
- 71481 black/negro

E27 MAX 15W LED ✗ [17463]

Body Metal/Metal
Diff Polycarbonate/Polycarbonato






RECESSED BOX

- 71482

RECESSED BOX

- 71482





MINI RACING

● **70403** dark grey/gris oscuro

LED SMD 1W 4000K 30lm CRI>80 Driver ✓

Body Die Cast Aluminium/Aluminio Inyectado
Diff Transparent PVC/PVC Transparente

IP44 IK08 220-240V 50/60HZ

Ø76



MINI CARTER

● **70402** dark grey/gris oscuro

LED SMD 1W 4000K 30lm CRI>80 Driver ✓

Body Die Cast Aluminium/Aluminio Inyectado
Diff Transparent PVC/PVC Transparente

IP44 IK08 220-240V 50/60HZ

Ø76



SOUN

● **70833** dark grey/gris oscuro


● **70834** white/blanco

LED SMD 5W 3000K 280lm CRI>80 Driver ✓





Body Aluminium/Aluminio
Diff Glass/Cristal

IP65 IK06 100-240V 50/60HZ

220X950655



378





70272+70276

DART NEW

- 70272 white/blanco
- 70273 black/negro

LED COB 2W 2700K 70lm CRI>80 Driver ✓

Body Polycarbonate/Polycarbonato
Diff Glass/Cristal

IP65 220-240V 50/60HZ Ø68



RECESSED BOX

70276 black/negro

SURFACE BOX

70274 white/blanco

70275 black/negro



70277+70280

DART NEW

- 70277 white/blanco
- 70278 black/negro

LED COB 5W 2700K 275lm CRI>80 Driver ✓

Body Polycarbonate/Polycarbonato
Diff Glass/Cristal

IP65 220-240V 50/60HZ 160X68



RECESSED BOX

70281 black/negro

SURFACE BOX

70279 white/blanco

70280 black/negro



2 INSTALLATION MODES



SOUN



- 70900 dark grey/gris oscuro
- 70901 NEW white/blanco

LED SMD 8W 3000K 370lm CRI>80 Driver ✓

Body Die Cast Aluminium/Aluminio Inyectado
Diff Tempered Glass/Cristal Templado

IP65 IK06 100-240V 50/60HZ

183X225X70



STORE


- 70451 dark grey/gris oscuro

LED SMD 2W 2700K 90lm CRI>80 Driver ✓

Body Die Cast Aluminium/Aluminio Inyectado
Diff Tempered Glass/Cristal Templado

IP65 IK10 100-240V 50/60HZ

98X160X85



FILTER


- 70450 dark grey/gris oscuro

LED 2W 2700K 75lm CRI>80 Driver ✓

Body Die Cast Aluminium/Aluminio Inyectado
Diff Tempered Glass/Cristal Templado

IP65 IK10 100-240V 50/60HZ

98X160X85





SEDNA

● **70146** dark grey/gris oscuro

LED SMD 1W 3000K 22lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Glass/Cristal

IP65 IK08 100-240V 50/60HZ

80X75



SEDNA

● **70147** dark grey/gris oscuro

LED SMD 3W 3000K 120lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Glass/Cristal

IP65 IK08 100-240V 50/60HZ

125X58



SEDNA




● **70148** dark grey/gris oscuro

LED SMD 3W 3000K 120lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Glass/Cristal

IP65 IK08 100-240V 50HZ

128X112






NAT

● **70638** dark grey/gris oscuro

○ **70271** white/blanco

LED SMD 8W 3000K 330lm CRI>80 Driver ✓

Body Die Cast Aluminium/Aluminio Inyectado



62X98
215X65X70




HORUS

● **70155** grey/gris

LED SMD 4W 3000K 60lm CRI>80 Driver ✓

Body Die Cast Aluminium/Aluminio Inyectado
Diff Polycarbonate/Polycarbonato




HORUS







● **70154** grey/gris

LED SMD 4W 3000K 60lm CRI>80 Driver ✓

Body Die Cast Aluminium/Aluminio Inyectado
Diff Trans. Polycarbonate/Polycarbonato Trans.



62X98






GRUND

● **70726** matt nickel/níquel mate

● **70730 NEW** anodized black/negro anodizado


LED HIGH POWER 2W **3000K** 152lm CRI>90

Body Aluminium+Stainless Steel 316/
Aluminio+Acero Inoxidable 316



Drivers

100/240V	only 1 unit	NO DIM	98310206E
220/240V	2-4 units	TRIAC	98310210
220/240V	4/16 units	DALI	98310536




GRUND

● **70728** matt nickel/níquel mate

● **70731 NEW** anodized black/negro anodizado


LED COB 7W **3000K** 420lm CRI>90

Body Aluminium+Stainless Steel 316/
Aluminio+Acero Inoxidable 316



Drivers

110/240V	1-2 units	NO DIM	98310620
220/240V	2 units	TRIAC	98310118LC
220/240V	2 units	DALI	98310536




GRUND

● **70729** matt nickel/níquel mate

● **70732 NEW** anodized black/negro anodizado


LED COB 13W **3000K** 846lm CRI>90

Body Aluminium+Stainless Steel 316/
Aluminio+Acero Inoxidable 316



Drivers

110/240V	only 1 unit	NO DIM	98310620
220/240V	only 1 unit	TRIAC	98310118LC
220/240V	only 1 unit	DALI	98310536




CROSBY

● **70458N** matt nickel/níquel mate

LED HIGH POWER 2W **6000K** 85lm CRI>80
Driver ✓

Body 316 Stainless Steel/Acero Inox 316
Diff Glass/Cristal




CROSBY

● **70459N** matt nickel/níquel mate

LED HIGH POWER 2W **3000K** 77lm CRI>80
Driver ✓

Body 316 Stainless Steel/Acero Inox 316
Diff Glass/Cristal




CROSBY

● **70453** matt nickel/níquel mate

LED HIGH POWER 2W **3000K** 77lm CRI>80
Driver ✗ [98324015]

Body 316 Stainless Steel/Acero Inox 316
Diff Glass/Cristal





KANE

● **70660** matt nickel/níquel mate

LED 3W 3000K I 20lm CRI>80

Body 316 Stainless Steel/Acero Inox 316
Diff Glass/Cristal


SEA SIDE SUITABLE IP67 IK08 III 24 VDC



Drivers

220/240V I-3 units NO DIM **98324015**

220/240V I-3 units DALI **98311315**



FRUM

● **70445** black/negro


LED CREE 6W 3000K 200lm CRI>80

Driver [98324015]

Body Aluminium+316 Stainless Steel/
Aluminio+Acero Inox 316

SEA SIDE SUITABLE IP67 IK05 III 24 VDC

Visit faro.es to consult how to install it.
Visita faro.es para consultar su instalación.



KANE

● **70661** matt nickel/níquel mate

LED 3W 3000K I 20lm CRI>80

Body 316 Stainless Steel/Acero Inox 316
Diff Glass/Cristal


SEA SIDE SUITABLE IP67 IK08 III 24 VDC



Drivers

220/240V I-3 units NO DIM **98324015**

220/240V I-3 units DALI **98311315**



CURTIS ASIMETRIC

● **70462N** matt nickel/níquel mate


LED HIGH POWER 2W 3000K 77lm CRI>80

Driver

Body 316 Stainless Steel/Acero Inox 316
Diff Glass/Cristal

SEA SIDE SUITABLE IP67 IK08 III 100-240V 50/60HZ

Visit faro.es to consult how to install it.
Visita faro.es para consultar su instalación.



KANE

● **70662** matt nickel/níquel mate

LED 3W 3000K I 20lm CRI>80

Body 316 Stainless Steel/Acero Inox 316
Diff Glass/Cristal


SEA SIDE SUITABLE IP67 IK08 III 24 VDC



Drivers

220/240V I-3 units NO DIM **98324015**

220/240V I-3 units DALI **98311315**





FROL

● **70135** matt nickel/níquel mate

LED SMD 0,8W **3000K** 55lm CRI>80 Driver ✓

Body 304 Stainless Steel/Acero Inox 304
Diff Polycarbonate/Polycarbonato

IP65 220- 50/
240V 60HZ



LED -18

● **71496N** **6000K** matt nickel/níquel mate

● **71498N** **3000K** matt nickel/níquel mate

LED HIGH POWER 3W 40lm CRI>80 Driver ✓

Body 316 Stainless Steel/Acero Inox 316
Diff Opal Glass/Cristal Opal

SEA SIDE SUITABLE **IP67** IK08 100- 50/
240V 60HZ

1000KG.
2204LB.



TRAS ORIENTABLE **NEW**

● **71701** black/negro

LED SMD 4W **3000K** 430lm CRI>80

1 Power Supply 24VdC **[98324015]** x max. 3 uts.




Body Aluminium/Aluminio
Diff Tempered Glass/Cristal Templado

ORIENTABLE **IP67** IK08 **71703**

30° 30°
175X195X127

RECESSED BOX

71703 ●



GRON

● **70134** matt nickel/níquel mate

LED SMD 1W **3000K** 70lm CRI>80 Driver ✓

Body 304 Stainless Steel/Acero Inox 304
Diff Polycarbonate/Polycarbonato

IP65 220- 50/
240V 60HZ



LED -18

● **71497N** **6000K** matt nickel/níquel mate

● **71499N** **3000K** matt nickel/níquel mate

LED HIGH POWER 3W 40lm CRI>80 Driver ✓

Body 316 Stainless Steel/Acero Inox 316
Diff Opal Glass/Cristal Opal

SEA SIDE SUITABLE **IP67** IK08 220- 50/
240V 60HZ

1000KG.
2204LB.



TRAS **NEW**

● **71702** black/negro

LED SMD 8W **3000K** 860lm CRI>80




1 Power Supply 24VdC **[98321030]** x max. 3 uts.

Body Aluminium/Aluminio
Diff Tempered Glass/Cristal Templado

IP67 IK08 **71703**

RECESSED BOX

71703 ●





GEISER ORIENTABLE

● **70304** matt nickel/níquel mate

GU 10 MAX 8W ✕ [17324]

Cover 316 Stainless Steel/Acero Inox 316
Body Aluminium/Aluminio
Diff Tempered Glass/Cristal Templado

SEA SIDE SUITABLE **ORIENTABLE** **IP67**

100-240V 50/60HZ IK08 -20° 20°

2000KG. 4409LB.



GEISER ORIENTABLE

● **70302** matt nickel/níquel mate



LED COB 7W 3000K 400lm Driver ✓

Cover 316 Stainless Steel/Acero Inox 316
Body Aluminium/Aluminio
Diff Tempered Glass/Cristal Templado

SEA SIDE SUITABLE **ORIENTABLE**

IP67 100-240V 50/60HZ IK08

2000KG. 4409LB.



GEISER ORIENTABLE

● **70306** matt nickel/níquel mate



LED COB 32W 3000K 2300lm Driver ✓

Cover 316 Stainless Steel/Acero Inox 316
Body Aluminium/Aluminio
Diff Tempered Glass/Cristal Templado

SEA SIDE SUITABLE **ORIENTABLE**

IP67 100-240V 50/60HZ IK08

2000KG. 4409LB.



GEISER ORIENTABLE

● **70305** matt nickel/níquel mate


LED COB 7W 3000K 400lm Driver ✓

Cover 316 Stainless Steel/Acero Inox 316
Body Aluminium/Aluminio
Diff Tempered Glass/Cristal Templado

SEA SIDE SUITABLE **ORIENTABLE** **IP67**

100-240V 50/60HZ IK08 -20° 20°

2000KG. 4409LB.



GEISER ORIENTABLE

● **70303** matt nickel/níquel mate



LED COB 7W 3000K 400lm Driver ✓

Cover 316 Stainless Steel/Acero Inox 316
Body Aluminium/Aluminio
Diff Tempered Glass/Cristal Templado

SEA SIDE SUITABLE **ORIENTABLE**

IP67 100-240V 50/60HZ IK08

2000KG. 4409LB.



GEISER ORIENTABLE

● **70307** matt nickel/níquel mate



LED COB 32W 3000K 2300lm Driver ✓

Cover 316 Stainless Steel/Acero Inox 316
Body Aluminium/Aluminio
Diff Tempered Glass/Cristal Templado

SEA SIDE SUITABLE **ORIENTABLE**

IP67 100-240V 50/60HZ IK08

2000KG. 4409LB.





SURIA-3

● **70592N** matt nickel/níquel mate

LED COB 3W 3000K 175lm CRI>80 Driver ✓

Body Aluminium/Aluminio


Outer ring 316 Stainless Steel/Acero Inox 316

Box Polycarbonate/Polycarbonato

Diff Glass/Cristal

SEA SIDE SUITABLE **IP67** IK08 100-240V 50/60HZ

1000KG. 2204LB.



SURIA-12

● **70589** matt nickel/níquel mate

LED COB 12W 3000K 1280lm CRI>80 Driver ✓

Body Aluminium/Aluminio

Outer ring 316 Stainless Steel/Acero Inox 316

Box Polycarbonate/Polycarbonato

Diff Glass/Cristal

SEA SIDE SUITABLE **IP67** IK08 100-240V 50/60HZ

1000KG. 2204LB.



SURIA-12

● **70593N** matt nickel/níquel mate

LED COB 12W 3000K 1197lm CRI>80 Driver ✓

Body Aluminium/Aluminio


Outer ring 316 Stainless Steel/Acero Inox 316

Box Polycarbonate/Polycarbonato

Diff Glass/Cristal

SEA SIDE SUITABLE **IP67** IK08 100-240V 50/60HZ

1000KG. 2204LB.



SURIA-3

● **70588** matt nickel/níquel mate

LED COB 3W 3000K 190lm CRI>80 Driver ✓

Body Aluminium/Aluminio


Outer ring 316 Stainless Steel/Acero Inox 316

Box Polycarbonate/Polycarbonato

Diff Glass/Cristal

SEA SIDE SUITABLE **IP67** IK08 100-240V 50/60HZ

1000KG. 2204LB.





SURIA-24

70586 matt nickel/níquel mate

LED COB 24W 3000K 1290lm CRI>80 Driver ✓

Body Aluminium/Aluminio



Outer ring 316 Stainless Steel/Acero Inox 316

Box Polycarbonate/Polycarbonato

Diff Glass/Cristal

SEA SIDE SUITABLE IP67 IK08 100-240V 50/60HZ ✓

1000KG. 2204LB. ✓



SURIA-24

70587 matt nickel/níquel mate

LED COB 24W 3000K 1270lm CRI>80 Driver ✓

Body Aluminium/Aluminio


Outer ring 316 Stainless Steel/Acero Inox 316

Box Polycarbonate/Polycarbonato

Diff Glass/Cristal

SEA SIDE SUITABLE IP67 IK08 100-240V 50/60HZ ✓

1000KG. 2204LB. ✓



SALT ASIMETRIC

70591 matt nickel/níquel mate



LED COB 9W 3000K 500lm CRI90 Driver ✓

Body 316 Stainless Steel/Acero Inox 316

Diff Glass/Cristal

SEA SIDE SUITABLE IP67 IK08 100-240V 50/60HZ ✓

2000KG. 4409LB. ✓



TARO

70449 matt nickel/níquel mate


LED COB 7W 3000K 280lm CRI>80 Driver ✓

Body 316 Stainless Steel/Acero Inox 316

Diff Glass/Cristal

SEA SIDE SUITABLE IP67 IK08 100-240V 50/60HZ ✓

600KG. 1322LB. ✓





EDEL

● **70455** matt nickel/níquel mate

LED HIGH POWER 18W **4000K** 900lm CRI>80
Driver **[46067]**


Body 316 Stainless Steel/Acero Inox 316
Diff Glass/Cristal

SEA SIDE SUITABLE **IP68** IK08 24 VDC 50/60HZ



Very important: to be used only underwater
Importante: uso exclusivo sólo bajo el agua

Visit faro.es to consult how to install it.
Visita faro.es para consultar su instalación.



EDEL RGB

● **70456** matt nickel/níquel mate

LED HIGH POWER 18W CRI>80
Driver **[46067]**


Body 316 Stainless Steel/Acero Inox 316
Diff Glass/Cristal

SEA SIDE SUITABLE **IP68** IK08 24 VDC 50/60HZ



Very important: to be used only underwater
Importante: uso exclusivo sólo bajo el agua

Visit faro.es to consult how to install it.
Visita faro.es para consultar su instalación.



RGB ACCESSORIES

46067 24V 20W

70472 LED RGB MASTER 24V 72W

70474 Remote control IR RGB

70475 Receptor IR RGB

70476 LED RGB SLAVE 24V 72W



CONNECTION BOX IP68

75800



CONNECTION BOX T IP68

75801




TECNO-I

● **71483** matt nickel/níquel mate

E27 MAX 15W LED **[17463]**

Body 316 Stainless Steel/Acero Inox 316
Diff Glass/Cristal

SEA SIDE SUITABLE **IP67** IK08




TECNO-6

● **71489N** matt nickel/níquel mate

GU 10 MAX 8W LED **[17324]**

Body 316 Stainless Steel/Acero Inox 316
Diff Glass/Cristal

SEA SIDE SUITABLE **IP67** IK08





LIO

● **71495** matt nickel/níquel mate

GX53 6W **3000K** 330lm **[17340** 100-240V]

Body 316 Stainless Steel/Acero Inox 316
Diff Glass/Cristal

SEA SIDE SUITABLE **IP67** IK10





GRAVA



● **70447** matt nickel/níquel mate

LED 22W **3000K** 900lm CRI>80
Transformer ☒ [98324076]

Body 316 Stainless Steel/Acero Inox 316
Diff Glass/Cristal

SEA SIDE SUITABLE **IP67** IK07 24 VDC

1000KG. 2204LB. 528X70X80



GRAVA



● **70448** matt nickel/níquel mate

LED 42W **3000K** 2000lm CRI>80
Transformer ☒ [98324076]

Body 316 Stainless Steel/Acero Inox 316
Diff Glass/Cristal

SEA SIDE SUITABLE **IP67** IK07 24 VDC

1000KG. 2204LB. 1008X70X80




TECH

TÉCNICO

Smart Lighting

CASAMBI



Available on the iPhone
App Store

ANDROID APP ON
Google play



NEW

NESO



TRACK



FLYFACE



MAGNETIC SYSTEM





FLYFACE




CREATE YOUR PROJECT NESO

CREA TU PROYECTO NESO


1. CHOOSE YOUR NESO TRACK ESCOGE TU CARRIL NESO




2. JOIN THEM TO BUILD CONTINUOUS LINES ÚNELOS PARA CONSTRUIR LÍNEAS CONTÍNUAS



MECHANICAL CONNECTOR





L AND T ACCESORIES
INNER AND OUTER CORNERS






INPUT TERMINAL


3. TURN YOUR NESO TRACK SURFACE INTO PENDANT CONVIERTE TU CARRIL NESO SUPERFICIE EN COLGANTE



4. ADD LUMINAIRES TO YOUR NESO TRACK AÑADE LUMINARIAS A TU CARRIL NESO



NESO TRACK RECESSED



NESO TRACK RECESSED 1000mm

5020120102 ●	1000 mm	IP20	III	1.95 KG 4.3LB	DALI
5020120102D ●					

NESO TRACK RECESSED 2000mm

5020120202 ●	2000 mm	IP20	III	3.9 KG 8.59LB	DALI
5020120202D ●					

ACCESSORIES FOR NESO TRACK RECESSED



INPUT TERMINAL FOR RECESSED TRACK

5020221402 ●	DALI
5020221402D ●	



MECHANICAL CONNECTOR

5020200102 ●

POWER SUPPLY More information page 467

98324120 ●	120W
98324180 ●	180W
98324150U ●	150W



RECESSED "L" ACCESSORY

5020221002 ●	DALI
5020221002D ●	



RECESSED "T" ACCESSORY

5020221102 ●	DALI
5020221102D ●	



RECESSED INNER CORNER ACCESSORY


5020221202 ●	DALI
5020221202D ●	



RECESSED OUTER CORNER ACCESSORY

5020221302 ●	DALI
5020221302D ●	

NESO TRACK SURFACE AND SUSPENSION



NESO TRACK SURFACE 1000mm

- 5020110102 ● 1000 mm IP20 III 1,8 KG 3,96LB DALI
- 5020110102D ●

NESO TRACK SURFACE 2000mm

- 5020110202 ● 2000 mm IP20 III 3,6 KG 7,94LB DALI
- 5020110202D ●

ACCESSORIES FOR NESO TRACK SUSPENSION

MECHANICAL CONNECTOR



- 5020200102 ●

NESO DRIVER BOX



- 5020210002 ●
- 5020210002D ● DALI

NESO PENDANT KIT FOR DRIVER BOX



- 5020210202 ●
- 5020210202D ● DALI

STEEL WIRE (1pc)



- 5020210102 ●

POWER SUPPLY More information page 467

- 98324120 ● 120W
- 98324180 ● 180W
- 98324150U ● 150W

"L" ACCESSORY



- 5020211002 ●
- 5020211002D ● DALI

"T" ACCESSORY



- 5020211102 ●
- 5020211102D ● DALI

INNER CORNER ACCESSORY



- 5020211202 ●
- 5020211202D ● DALI

OUTER CORNER ACCESSORY



- 5020211302 ●
- 5020211302D ● DALI





INPUT TERMINAL FOR SURFACE TRACK

- 5020210302 ●
- 5020210302D ● DALI

NESO LUMINAIRES

NESO POINT

LED



4 W Driver included

CRI 90	3 light sources	2700K	220lm	12°	5010192712	●	
				34°	5010192722	●	
		3000K	250lm	12°	5010193012	●	
				34°	501093022	●	

8 W Driver included



CRI 90	6 light sources	2700K	490lm	12°	5010292712	●	DALI OPTION Add a D at the end of the ref. e.g.: 011200101D
				34°	5010292722	●	
		3000K	510lm	12°	5010293012	●	
				34°	5010293022	●	



16 W Driver included



CRI 90	12 light sources	2700K	810lm	12°	5010392712	●	DALI OPTION Add a D at the end of the ref. e.g.: 011200101D
				34°	5010392722	●	
		3000K	850lm	12°	5010393012	●	
				34°	5010393022	●	

NESO LINE

LED





13 W Driver included

CRI 90	32 cm	2700K	550lm	5010492702	●	DALI OPTION
		3000K	590lm	5010493002	●	Add a D at the end of the ref. e.g.: 011200101D

26 W Driver included

CRI 90	64 cm	2700K	930lm	5010592702	●	DALI OPTION
		3000K	970lm	5010593002	●	Add a D at the end of the ref. e.g.: 011200101D

NESO UNIK





5 W Driver included

CRI 90	2700K	330lm	5010892702	●
--------	-------	-------	------------	---

DALI OPTION

Add a D at the end of the ref.
e.g.: 011200101D

NESO TOP





5 W Driver included

CRI 90	2700K	330lm	20°	5010692712	●
			40°	5010692722	●
	3000K	360lm	20°	5010693012	●
			40°	5010693022	●

DALI OPTION

Add a D at the end of the ref.
e.g.: 011200101D

NESO HOLE



5 W Driver included

CRI 90	2700K	330lm	20°	5010792712	●
			40°	5010792722	●
	3000K	360lm	20°	5010793012	●
			40°	5010793022	●

DALI OPTION

Add a D at the end of the ref.
e.g.: 011200101D

FUGA



COLOURS | COLORES



POSITIONS | POSICIONES




Our projectors FUGA incorporate Vossloh components, to offer the latest technology available in the market and the most efficient LED.

Nuestros proyectores FUGA incorporan componentes Vossloh, para poder ofrecer la última tecnología disponible en el mercado y los led más eficientes.

FUGA SMALL

LED



7 W Driver included

CRI82	600 lm	2700K	24°	011100101	○
				011100102	●
			60°	011100201	○
				011100202	●
CRI85	650 lm	3000K	24°	011100301	○
				011100302	●
	700 lm	4000K	60°	011100401	○
				011100402	●
			24°	011100501	○
				011100502	●
			60°	011100601	○
				011100602	●

12 W Driver included

CRI82	1050 lm	2700K	24°	011100701	○
				011100702	●
			60°	011100801	○
				011100802	●
CRI85	1100 lm	3000K	24°	011100901	○
				011100902	●
	1150 lm	4000K	60°	011101001	○
				011101002	●
			24°	011101101	○
				011101102	●
			60°	011101201	○
				011101202	●

TRIAC OPTION

Add a C at the end of the ref.
e.g.: 011100701 C

FUGA MEDIUM

LED

IP20




850 °C



1,05KG.
2,31LB.

DALI
OPTIONAL



12 W Driver included

CRI82	950 lm	2700K	24°	011200101	○	DALI OPTION
				011200102	●	
			60°	011200201	○	Add a D at the end of the ref.
				011200202	●	
CRI85	1000 lm	3000K	24°	011200301	○	TRIAC OPTION
				011200302	●	
	1100 lm	4000K	60°	011200401	○	Add a C at the end of the ref.
				011200402	●	
			24°	011200501	○	CASAMBI OPTION
				011200502	●	
			60°	011200601	○	Add a W at the end of the ref.
				011200602	●	

18 W Driver included

CRI82	1450 lm	2700K	24°	011200701	○	DALI OPTION
				011200702	●	
			60°	011200801	○	Add a D at the end of the ref.
				011200802	●	
CRI85	1500 lm	3000K	24°	011200901	○	TRIAC OPTION
				011200902	●	
	1600 lm	4000K	60°	011201001	○	Add a C at the end of the ref.
				011201002	●	
			24°	011201101	○	CASAMBI OPTION
				011201102	●	
			60°	011201201	○	Add a W at the end of the ref.
				011201202	●	

CRI95

17 W Driver included

	1250 lm	2700K	24°	011201301	○	DALI OPTION
				011201302	●	
			60°	011201401	○	Add a D at the end of the ref.
				011201402	●	
CRI95	1300 lm	3000K	24°	011201501	○	TRIAC OPTION
				011201502	●	
	1400 lm	4000K	60°	011201601	○	Add a C at the end of the ref.
				011201602	●	
			24°	011201701	○	CASAMBI OPTION
				011201702	●	
			60°	011201801	○	Add a W at the end of the ref.
				011201802	●	

24 W Driver included

	1800 lm	2700K	24°	011201901	○	DALI OPTION
				011201902	●	
			60°	011202001	○	Add a D at the end of the ref.
				011202002	●	
CRI95	1850 lm	3000K	24°	011202101	○	TRIAC OPTION
				011202102	●	
	1950 lm	4000K	60°	011202201	○	Add a C at the end of the ref.
				011202202	●	
			24°	011202301	○	CASAMBI OPTION
				011202302	●	
			60°	011202401	○	Add a W at the end of the ref.
				011202402	●	




HIGH EFFICIENCY LED

24 W Driver included

CRI82	2000 lm	2700K	24°	011 202501	○	DALI OPTION
			60°	011 202502	●	
CRI85	2050 lm	3000K	24°	011 202701	○	TRIAC OPTION
			60°	011 202702	●	
	2150 lm	4000K	24°	011 202801	○	CASAMBI OPTION
			60°	011 202802	●	
			24°	011 202901	○	Add a W at the end of the ref.
			60°	011 202902	●	
			24°	011 203001	○	
			60°	011 203002	●	

FOOD LIGHTING LED

24 W Driver included

CRI85	1600 lm	fruits		24°	011 203101	○	DALI OPTION	
				60°	011 203102	●		
	1700 lm	fish		24°	011 203201	○	TRIAC OPTION	
				60°	011 203202	●		
CRI70	1500 lm	meat		24°	011 203301	○	CASAMBI OPTION	
				60°	011 203302	●		
					24°	011 203401	○	Add a W at the end of the ref.
					60°	011 203402	●	
				24°	011 203501	○		
				60°	011 203502	●		
				24°	011 203601	○		
				60°	011 203602	●		

RETAIL LIGHTING LED

17 W Driver included

CRI95	1300 lm	PEARL White 3100 K	20°	011 203701	○	DALI OPTION	
			56°	011 203702	●		
				20°	011 203801	○	TRIAC OPTION
				56°	011 203802	●	
				20°	011 203901	○	CASAMBI OPTION
				56°	011 203902	●	
CRI95	1800 lm	PEARL White 3100 K	20°	011 204001	○	DALI OPTION	
			56°	011 204002	●		
				20°	011 203901	○	TRIAC OPTION
				56°	011 203902	●	
				20°	011 204001	○	CASAMBI OPTION
				56°	011 204002	●	

24 W Driver included

CRI95	1800 lm	PEARL White 3100 K	20°	011 203901	○	DALI OPTION	
			56°	011 203902	●		
				20°	011 204001	○	TRIAC OPTION
				56°	011 204002	●	
				20°	011 203901	○	CASAMBI OPTION
				56°	011 203902	●	
				20°	011 204001	○	Add a W at the end of the ref.
				56°	011 204002	●	

FUGA LARGE

LED

IP20




850 °C



1,35Kg.
2,97Lb.

DALI
OPTIONAL



18 W Driver included

CRI82	1350 lm	2700K	24°	011 300101	○	DALI OPTION
				011 300102	●	
			60°	011 300201	○	Add a D at the end of the ref.
				011 300202	●	
CRI85	1400 lm	3000K	24°	011 300301	○	TRIAC OPTION
				011 300302	●	
	1500 lm	4000K	24°	011 300401	○	Add a C at the end of the ref.
				011 300402	●	
			24°	011 300501	○	CASAMBI OPTION
				011 300502	●	
			60°	011 300601	○	Add a W at the end of the ref.
				011 300602	●	

25 W Driver included

CRI82	1850 lm	2700K	24°	011 300701	○	DALI OPTION
				011 300702	●	
			60°	011 300801	○	Add a D at the end of the ref.
				011 300802	●	
CRI85	1900 lm	3000K	24°	011 300901	○	TRIAC OPTION
				011 300902	●	
	2000 lm	4000K	24°	011 301001	○	Add a C at the end of the ref.
				011 301002	●	
			24°	011 301101	○	CASAMBI OPTION
				011 301102	●	
			60°	011 301201	○	Add a W at the end of the ref.
				011 301202	●	

CRI95

36 W Driver included

	2800 lm	2700K	24°	011 301901	○	DALI OPTION
				011 301902	●	
			60°	011 302001	○	Add a D at the end of the ref.
				011 302002	●	
CRI95	2850 lm	3000K	24°	011 302101	○	TRIAC OPTION
				011 302102	●	
	2950 lm	4000K	24°	011 302201	○	Add a C at the end of the ref.
				011 302202	●	
			24°	011 302301	○	CASAMBI OPTION
				011 302302	●	
			60°	011 302401	○	Add a W at the end of the ref.
				011 302402	●	




HIGH EFFICIENCY LED

36 W Driver included




CRI82	2950 lm	2700K	24°	011 301301	○	DALI OPTION
				011 301302	●	
			60°	011 301401	○	Add a D at the end of the ref.
				011 301402	●	
CRI85	3000 lm	3000K	24°	011 301501	○	TRIAC OPTION
				011 301502	●	
	3100 lm	4000K	24°	011 301601	○	Add a C at the end of the ref.
				011 301602	●	
			24°	011 301701	○	CASAMBI OPTION
				011 301702	●	
			60°	011 301801	○	Add a W at the end of the ref.
				011 301802	●	

FOOD LIGHTING LED

24 W Driver included

CRI85	1600 lm	fruits		24°	011 302501 011 302502	<input type="radio"/> <input checked="" type="radio"/>	DALI OPTION
				60°	011 302601 011 302602	<input type="radio"/> <input checked="" type="radio"/>	Add a D at the end of the ref.
	1700 lm	fish		24°	011 302701 011 302702	<input type="radio"/> <input checked="" type="radio"/>	TRIAC OPTION
				60°	011 302801 011 302802	<input type="radio"/> <input checked="" type="radio"/>	Add a C at the end of the ref.
CRI70	1500 lm	meat		24°	011 302901 011 302902	<input type="radio"/> <input checked="" type="radio"/>	CASAMBI OPTION
				60°	011 303001 011 303002	<input type="radio"/> <input checked="" type="radio"/>	Add a W at the end of the ref.

36 W Driver included

CRI85	2350 lm	fruits		24°	011 303101 011 303102	<input type="radio"/> <input checked="" type="radio"/>	DALI OPTION
				60°	011 303201 011 303202	<input type="radio"/> <input checked="" type="radio"/>	Add a D at the end of the ref.
	2450 lm	fish		24°	011 303301 011 303302	<input type="radio"/> <input checked="" type="radio"/>	TRIAC OPTION
				60°	011 303401 011 303402	<input type="radio"/> <input checked="" type="radio"/>	Add a C at the end of the ref.
CRI70	2250 lm	meat		24°	011 303501 011 303502	<input type="radio"/> <input checked="" type="radio"/>	CASAMBI OPTION
				60°	011 303601 011 303602	<input type="radio"/> <input checked="" type="radio"/>	Add a W at the end of the ref.

RETAIL LIGHTING LED

24 W Driver included

CRI95	1800 lm	PEARL White 3100 K		24°	011 303701 011 303702	<input type="radio"/> <input checked="" type="radio"/>	DALI OPTION
				60°	011 303801 011 303802	<input type="radio"/> <input checked="" type="radio"/>	Add a D at the end of the ref.
							TRIAC OPTION
							Add a C at the end of the ref.
				60°	011 303801 011 303802	<input type="radio"/> <input checked="" type="radio"/>	CASAMBI OPTION
							Add a W at the end of the ref.

36 W Driver included

CRI95	2700 lm	PEARL White 3100 K		24°	011 303901 011 303902	<input type="radio"/> <input checked="" type="radio"/>	DALI OPTION
				60°	011 304001 011 304002	<input type="radio"/> <input checked="" type="radio"/>	Add a D at the end of the ref.
							TRIAC OPTION
							Add a C at the end of the ref.
				60°	011 304001 011 304002	<input type="radio"/> <input checked="" type="radio"/>	CASAMBI OPTION
							Add a W at the end of the ref.

SIGMA



COLOURS | COLORES




VS LIGHTING SOLUTIONS

Our projectors SIGMA incorporate Vossloh components, to offer the latest technology available in the market and the most efficient LED.

Nuestros proyectores SIGMA incorporan componentes Vossloh, para poder ofrecer la última tecnología disponible en el mercado y los led más eficientes.

NANO SIGMA

LED



7 W Driver included

CRI82	600 Lm	2700K	20°	011000102	●
			56°	011000202	●
CRI85	650 Lm	3000K	20°	011000302	●
			56°	011000402	●
	700 Lm	4000K	20°	011000502	●
			56°	011000602	●

12 W Driver included


CRI82	1050 Lm	2700K	20°	011000702	●
			56°	011000802	●
CRI85	1100 Lm	3000K	20°	011000902	●
			56°	011001002	●
	1150 Lm	4000K	20°	011001102	●
			56°	011001202	●

TRIAC OPTION

Add a C at the end of the ref.

MINI SIGMA

LED



12 W Driver included

CRI82	950 lm	2700K	20°	010900102	●	DALI OPTION
			56°	010900202	●	Add a D at the end of the ref.
CRI85	1000 lm	3000K	20°	010900302	●	TRIAC OPTION
			56°	010900402	●	Add a C at the end of the ref.
	1100 lm	4000K	20°	010900502	●	CASAMBI OPTION
			56°	010900602	●	Add a W at the end of the ref.

18 W Driver included

CRI82	1450 lm	2700K	20°	010900702	●	DALI OPTION
			56°	010900802	●	Add a D at the end of the ref.
CRI85	1500 lm	3000K	20°	010900902	●	TRIAC OPTION
			56°	010901002	●	Add a C at the end of the ref.
	1600 lm	4000K	20°	010901102	●	CASAMBI OPTION
			56°	010901202	●	Add a W at the end of the ref.

CRI95

17 W Driver included

CRI95	1250 lm	2700K	20°	010901302	●	DALI OPTION
			56°	010901402	●	Add a D at the end of the ref.
	1300 lm	3000K	20°	010901502	●	TRIAC OPTION
			56°	010901602	●	Add a C at the end of the ref.
1400 lm	4000K	20°	010901702	●	CASAMBI OPTION	
		56°	010901802	●	Add a W at the end of the ref.	

24 W Driver included

CRI95	1800 lm	2700K	20°	010901902	●	DALI OPTION
			56°	010902002	●	Add a D at the end of the ref.
	1850 lm	3000K	20°	010902102	●	TRIAC OPTION
			56°	010902202	●	Add a C at the end of the ref.
1950 lm	4000K	20°	010902302	●	CASAMBI OPTION	
		56°	010902402	●	Add a W at the end of the ref.	




HIGH EFFICIENCY LED

24 W Driver included

CRI82	2000 lm	2700K	20°	010902502	●	DALI OPTION
			56°	010902602	●	Add a D at the end of the ref.
CRI85	2050 lm	3000K	20°	010902702	●	TRIAC OPTION
			56°	010902802	●	Add a C at the end of the ref.
	2150 lm	4000K	20°	010902902	●	CASAMBI OPTION
			56°	010903002	●	Add a W at the end of the ref.

FOOD LIGHTING LED

24 W Driver included

CRI85	1600 lm	fruits		20°	010903102	●	DALI OPTION
				56°	010903202	●	Add a D at the end of the ref.
	1700 lm	fish		20°	010903302	●	TRIAC OPTION
				56°	010903402	●	Add a C at the end of the ref.
CRI70	1500 lm	meat		20°	010903502	●	CASAMBI OPTION
				56°	010903602	●	Add a W at the end of the ref.

RETAIL LIGHTING LED

17 W Driver included

CRI95	1300 lm	PEARL White 3100 K	20°	010903702	●	DALI OPTION
						Add a D at the end of the ref.
			56°	010903802	●	TRIAC OPTION
						Add a C at the end of the ref.
24 W Driver included	1800 lm	PEARL White 3100 K	20°	010903902	●	DALI OPTION
			Add a D at the end of the ref.			
24 W Driver included	1800 lm	PEARL White 3100 K	56°	010904002	●	TRIAC OPTION
						Add a C at the end of the ref.
24 W Driver included	1800 lm	PEARL White 3100 K	56°	010904002	●	CASAMBI OPTION
						Add a W at the end of the ref.

CYLINDER



COLOURS | COLORES




Our projectors CYLINDER incorporate Vossloh components, to offer the latest technology available in the market and the most efficient LED.

Nuestros proyectores CYLINDER incorporan componentes Vossloh, para poder ofrecer la última tecnología disponible en el mercado y los led más eficientes.

NANO CYLINDER

LED



7 W Driver included

CRI82	600 lm	2700K	20°	010800101	○
				010800102	●
CRI85	650 lm	3000K	56°	010800201	○
				010800202	●
			20°	010800301	○
				010800302	●
CRI85	700 lm	4000K	56°	010800401	○
				010800402	●
			20°	010800501	○
				010800502	●
			56°	010800601	○
				010800602	●

12 W Driver included

CRI82	1050 lm	2700K	20°	010800701	○
				010800702	●
CRI85	1100 lm	3000K	56°	010800801	○
				010800802	●
			20°	010800901	○
				010800902	●
			56°	010801001	○
				010801002	●
CRI85	1150 lm	4000K	20°	010801101	○
				010801102	●
			56°	010801201	○
				010801202	●

TRIAC OPTION

Add a C at the end of the ref.

CASAMBI OPTION

Add a W at the end of the ref.

MINI CYLINDER

LED

IP20




850 °C



1,06Kg.
2,33LB.

OPTIONAL



12 W Driver included

CRI82	950 lm	2700K	20°	010704101	○	DALI OPTION
			56°	010704102	●	
CRI85	1000 lm	3000K	20°	010704301	○	TRIAC OPTION
			56°	010704302	●	
	1100 lm	4000K	20°	010704401	○	Add a C at the end of the ref.
			56°	010704402	●	
			20°	010704501	○	CASAMBI OPTION
			56°	010704502	●	
			20°	010704601	○	Add a W at the end of the ref.
			56°	010704602	●	

18 W Driver included

CRI82	1450 lm	2700K	20°	010704701	○	DALI OPTION
			56°	010704702	●	
CRI85	1500 lm	3000K	20°	010704801	○	Add a D at the end of the ref.
			56°	010704802	●	
	1600 lm	4000K	20°	010704901	○	TRIAC OPTION
			56°	010704902	●	
			20°	010705001	○	Add a C at the end of the ref.
			56°	010705002	●	
			20°	010705101	○	CASAMBI OPTION
			56°	010705102	●	
			20°	010705201	○	Add a W at the end of the ref.
			56°	010705202	●	

CRI95

17 W Driver included

	1250 lm	2700K	20°	010705301	○	DALI OPTION
			56°	010705302	●	
CRI95	1300 lm	3000K	20°	010705401	○	Add a D at the end of the ref.
			56°	010705402	●	
	1400 lm	4000K	20°	010705501	○	TRIAC OPTION
			56°	010705502	●	
			20°	010705601	○	Add a C at the end of the ref.
			56°	010705602	●	
			20°	010705701	○	CASAMBI OPTION
			56°	010705702	●	
			20°	010705801	○	Add a W at the end of the ref.
			56°	010705802	●	

24 W Driver included

	1800 lm	2700K	20°	010705901	○	DALI OPTION
			56°	010705902	●	
CRI95	1850 lm	3000K	20°	010706001	○	Add a D at the end of the ref.
			56°	010706002	●	
	1950 lm	4000K	20°	010706101	○	TRIAC OPTION
			56°	010706102	●	
			20°	010706201	○	Add a C at the end of the ref.
			56°	010706202	●	
			20°	010706301	○	CASAMBI OPTION
			56°	010706302	●	
			20°	010706401	○	Add a W at the end of the ref.
			56°	010706402	●	

HIGH EFFICIENCY LED

24 W Driver included

CRI82	2000 lm	2700K	20°	010706501	○	DALI OPTION
			56°	010706502	●	
CRI85	2050 lm	3000K	20°	010706601	○	Add a D at the end of the ref.
			56°	010706602	●	
	2150 lm	4000K	20°	010706701	○	TRIAC OPTION
			56°	010706702	●	
			20°	010706801	○	Add a C at the end of the ref.
			56°	010706802	●	
CRI85	2150 lm	4000K	20°	010706901	○	CASAMBI OPTION
			56°	010706902	●	
			20°	010707001	○	Add a W at the end of the ref.
			56°	010707002	●	

FOOD LIGHTING LED

24 W Driver included

CRI85	1600 lm	fruits	●	20°	010707101	○	DALI OPTION	
				56°	010707102	●		
	1700 lm	fish	●	20°	010707201	○	Add a D at the end of the ref.	
				56°	010707202	●		
CRI70	1500 lm	meat	●	20°	010707301	○	TRIAC OPTION	
				56°	010707302	●		
					20°	010707401	○	Add a C at the end of the ref.
					56°	010707402	●	
				20°	010707501	○	CASAMBI OPTION	
				56°	010707502	●		
				20°	010707601	○	Add a W at the end of the ref.	
				56°	010707602	●		

RETAIL LIGHTING LED

17 W Driver included


CRI95	1300 lm	PEARL White 3100 K		20°	010707701	○	DALI OPTION	
				56°	010707702	●		
					20°	010707801	○	Add a D at the end of the ref.
					56°	010707802	●	
				20°	010707901	○	TRIAC OPTION	
				56°	010707902	●		
				20°	010708001	○	Add a C at the end of the ref.	
				56°	010708002	●		
				20°	010708001	○	CASAMBI OPTION	
				56°	010708002	●		
				20°	010708001	○	Add a W at the end of the ref.	
				56°	010708002	●		

24 W Driver included

CRI95	1800 lm	PEARL White 3100 K		20°	010707901	○	DALI OPTION	
				56°	010707902	●		
					20°	010708001	○	Add a D at the end of the ref.
					56°	010708002	●	
				20°	010708001	○	TRIAC OPTION	
				56°	010708002	●		
				20°	010708001	○	Add a C at the end of the ref.	
				56°	010708002	●		
				20°	010708001	○	CASAMBI OPTION	
				56°	010708002	●		
				20°	010708001	○	Add a W at the end of the ref.	
				56°	010708002	●		

CYLINDER

LED



18 W Driver included

CRI82	1350 lm	2700K	20°	010604101	○	DALI OPTION
				010604102	●	
CRI85	1400 lm	3000K	20°	010604201	○	Add a D at the end of the ref.
			56°	010604202	●	
			20°	010604301	○	TRIAC OPTION
			56°	010604302	●	
CRI85	1500 lm	4000K	20°	010604401	○	Add a C at the end of the ref.
			56°	010604402	●	
			20°	010604501	○	CASAMBI OPTION
			56°	010604502	●	
			20°	010604601	○	Add a W at the end of the ref.
			56°	010604602	●	

25 W Driver included

CRI85	1850 lm	2700K	20°	010604701	○	DALI OPTION
			56°	010604702	●	
			20°	010604801	○	Add a D at the end of the ref.
			56°	010604802	●	
CRI85	1900 lm	3000K	20°	010604901	○	TRIAC OPTION
			56°	010604902	●	
			20°	010605001	○	Add a C at the end of the ref.
			56°	010605002	●	
CRI85	2000 lm	4000K	20°	010605101	○	CASAMBI OPTION
			56°	010605102	●	
			20°	010605201	○	Add a W at the end of the ref.
			56°	010605202	●	

HIGH EFFICIENCY LED

36 W Driver included

CRI82	2950 lm	2700K	20°	010605301	○	DALI OPTION
			56°	010605302	●	
			20°	010605401	○	Add a D at the end of the ref.
			56°	010605402	●	
CRI85	3000 lm	3000K	20°	010605501	○	TRIAC OPTION
			56°	010605502	●	
			20°	010605601	○	Add a C at the end of the ref.
			56°	010605602	●	
CRI85	3100 lm	4000K	20°	010605701	○	CASAMBI OPTION
			56°	010605702	●	
			20°	010605801	○	Add a W at the end of the ref.
			56°	010605802	●	




CRI95

36 W Driver included




CRI95	2800 lm	2700K	20°	010605901	○	DALI OPTION
			56°	010605902	●	
			20°	010606001	○	Add a D at the end of the ref.
			56°	010606002	●	
CRI95	2850 lm	3000K	20°	010606101	○	TRIAC OPTION
			56°	010606102	●	
			20°	010606201	○	Add a C at the end of the ref.
			56°	010606202	●	
CRI95	2950 lm	4000k	20°	010606301	○	CASAMBI OPTION
			56°	010606302	●	
			20°	010606401	○	Add a W at the end of the ref.
			56°	010606402	●	

FOOD LIGHTING LED

24 W Driver included

CRI85	1600 lm	fruits		20°	010606501	<input type="radio"/>	DALI OPTION
					010606502	<input checked="" type="radio"/>	
				56°	010606601	<input type="radio"/>	Add a D at the end of the ref.
					010606602	<input checked="" type="radio"/>	
CRI70	1700 lm	fish		20°	010606701	<input type="radio"/>	TRIAC OPTION
					010606702	<input checked="" type="radio"/>	
				56°	010606801	<input type="radio"/>	Add a C at the end of the ref.
					010606802	<input checked="" type="radio"/>	
CRI70	1500 lm	meat		20°	010606901	<input type="radio"/>	CASAMBI OPTION
					010606902	<input checked="" type="radio"/>	
				56°	010607001	<input type="radio"/>	Add a W at the end of the ref.
					010607002	<input checked="" type="radio"/>	

36 W Driver included

CRI85	2350 lm	fruits		20°	010607101	<input type="radio"/>	DALI OPTION
					010607102	<input checked="" type="radio"/>	
				56°	010607201	<input type="radio"/>	Add a D at the end of the ref.
					010607202	<input checked="" type="radio"/>	
CRI70	2450 lm	fish		20°	010607301	<input type="radio"/>	TRIAC OPTION
					010607302	<input checked="" type="radio"/>	
				56°	010607401	<input type="radio"/>	Add a C at the end of the ref.
					010607402	<input checked="" type="radio"/>	
CRI70	2250 lm	meat		20°	010607501	<input type="radio"/>	CASAMBI OPTION
					010607502	<input checked="" type="radio"/>	
				56°	010607601	<input type="radio"/>	Add a W at the end of the ref.
					010607602	<input checked="" type="radio"/>	

RETAIL LIGHTING LED


24 W Driver included

CRI95	1800 lm	PEARL White 3100 K		20°	010607701	<input type="radio"/>	DALI OPTION			
					010607702	<input checked="" type="radio"/>				
										Add a D at the end of the ref.
				56°	010607801	<input type="radio"/>	TRIAC OPTION			
					010607802	<input checked="" type="radio"/>				
							Add a C at the end of the ref.			
				56°	010607801	<input type="radio"/>	CASAMBI OPTION			
					010607802	<input checked="" type="radio"/>				
							Add a W at the end of the ref.			

36 W Driver included

CRI95	2700 lm	PEARL White 3100 K		20°	010607901	<input type="radio"/>	DALI OPTION			
					010607902	<input checked="" type="radio"/>				
										Add a D at the end of the ref.
				56°	010608001	<input type="radio"/>	TRIAC OPTION			
					010608002	<input checked="" type="radio"/>				
							Add a C at the end of the ref.			
				56°	010608001	<input type="radio"/>	CASAMBI OPTION			
					010608002	<input checked="" type="radio"/>				
							Add a W at the end of the ref.			

LED



QR-III LED

MAX. 12 W LED

SOCKET 1*G53	12 V	ELECTRONIC GEAR INCLUDED	01065701	<input type="radio"/>
			01065702	<input checked="" type="radio"/>

QR-III LED TRIAC DIMMABLE


MAX. 15 W LED

SOCKET 1*G53	12 V	ELECTRONIC GEAR INCLUDED	01065701R	<input type="radio"/>
			01065702R	<input checked="" type="radio"/>


HOW TO INSTALL

3 PHASE TRACK, 16 A

OUTER MAIN SUPPLY INSTALLATION
 Instalación con cabezal de alimentación en el EXTERIOR



INNER MAIN SUPPLY INSTALLATION
 Instalación con cabezal de alimentación en el INTERIOR




- 1 OUTER JOIN
- 2 INNER JOIN
- 3 OUTER END
- 4 INNER END


- 5 OUTER INTERMEDIATE JOINT
- 6 INNER INTERMEDIATE JOINT
- 7 CROSS JOINT

CONNECTION SKETCH
 Esquema de conexiones


1 CIRCUIT




2 CIRCUITS



3 CIRCUITS




RECOMMENDED DISTANCE BETWEEN FIXAGE
 Distancia recomendada entre fijaciones



Max. weight: 19,84 lb
 Peso máx.: 9 kg

Max. 3 projectors = 3,8 KVA
 Máx. 3 proyectores = 3,8 KVA



Max. weight: 33,06 lb
 Peso máx.: 15 kg


Max. 5 projectors = 3,8 KVA
 Máx. 5 proyectores = 3,8 KVA

ACCESSORIES



BASE OF SURFACE

- 01991301 ○
 - 01991302 ●
 - 01991303 ●
- kg 0,20KG.
 0,04LB.






Only for / Sólo para:
 TRIPHASE TRACK

MECHANICAL ADAPTER/TRACK CONNECTOR

- 01997001 ○
- 01997002 ●

3 PHASE TRACK 16A



SURFACE & PENDENT 3 PHASE TRACK

01990101 ○
01990102 ● 1000 mm **IP20** 0,92 KG
01990103 ● 2,02LB

01990201 ○
01990202 ● 2000 mm **IP20** 1,85 KG
01990203 ● 4,07LB

INNER LIVE END



01990601 ○
01990602 ●

OUTER LIVE END



01990701 ○
01990702 ●

CENTRE FEED



01993301 ○
01993302 ●

SURFACE & PENDENT DALI TRACK

01995001 ○
01995002 ● 1000 mm **IP20** 0,92 KG
01995003 ● 2,02LB

01995101 ○
01995102 ● 2000 mm **IP20** 1,85 KG
01995103 ● 4,07LB

DALI INNER LIVE END



01993501 ○
01993502 ●

DALI OUTER LIVE END



01993601 ○
01993602 ●

DALI CENTRE FEED



01993401 ○
01993402 ●

RECESSED 3 PHASE TRACK

01997101 ○
01997102 ● 1000 mm **IP20** 0,92 KG
2,02LB

01997201 ○
01997202 ● 2000 mm **IP20** 1,85 KG
4,07LB

INNER LIVE END



01997401 ○
01997402 ●

OUTER LIVE END



01997301 ○
01997302 ●

CENTRE FEED



01997801 ○
01997802 ●

COMMON ACCESSORIES FOR SURFACE & PENDENT 3 PHASE TRACK AND SURFACE & PENDENT DALI TRACK

INNER "L" JOINT



01990501 ○
01990502 ●

OUTER "L" JOINT



01990401 ○
01990402 ●

OUTER "T" INTERMEDIATE JOINT



01990901 ○
01990902 ●

INNER "T" INTERMEDIATE JOINT



01991601 ○
01991602 ●

CEILING KIT 1 piece



01991201 ○
●

CROSS JOINT



01991001 ○
01991002 ●

INTERMEDIATE JOINT



01990801 ○
01990802 ●

END CAP



01991101 ○
01991102 ●

FLEXIBLE INTERMEDIATE JOINT



01993201 ○
01993202 ●

PENDANT KIT 2000 mm



01990301 ○
01990302 ●

ACCESSORIES FOR RECESSED 3 PHASE TRACK

INTERMEDIATE JOINT



01997501 ○
01997502 ●

END CAP



01997701 ○
01997702 ●

CEILING KIT 1 piece

01997601

NEW

DEEP



COLOURS / COLORES




VS LIGHTING SOLUTIONS

Can be used for DEEP in composite Versatub components or with the later mentioned apparatus with the same set (DEEP) in other projects. The DEEP apparatus is available for Versatub, two different models. The technical specifications are available on the website.

DEEP 60

LED



DEEP 60	3	3	5						
TYPOLGY	FAMILIES		POWER	LED	ANGLE	COLOR	ACCESSORY Choose one		
3 Recessed	01 Round/Redondo		35 350 mA	827 2700K 620lm	1 15°	1 ○ White	- No accessory		
	02 Round trimless/Redondo sin marco			830 3000K 650lm	3 36°	2 ● Black	H Honeycomb		
	03 Square/Cuadrado		35 350 mA	840 4000K 690lm	6 60°		S Stripy		
	04 Square trimless/Cuadrado sin marco			930 3000K 580lm CRI95			D Spread		
				940 4000K 600 lm CRI95					


PRICE TABLE						ACCESSORIES Choose one	
TYPOLGY	FAMILIES	POWER	LED	ANGLE	COLOR	ACCESSORY	
3 Recessed	01 Round Redondo	35 6/11 W	827 2700K	1 15° 3 36° 6 60°	1 ○ White 2 ● Black	- No accessory	
			830 3000K			H Honeycomb	
			840 4000K			S Stripy	
			930 3000K CRI95			D Spread	
			940 4000K CRI95				
	02 Round trimless Redondo sin marco	35 6/11 W	827 2700K	1 15° 3 36° 6 60°	1 ○ White 2 ● Black	- No accessory	
			830 3000K			H Honeycomb	
			840 4000K			S Stripy	
			930 3000K CRI95			D Spread	
			940 4000K CRI95				
	03 Square Cuadrado	35 6/11 W	827 2700K	1 15° 3 36° 6 60°	1 ○ White 2 ● Black	- No accessory	
			830 3000K			H Honeycomb	
			840 4000K			S Stripy	
			930 3000K CRI95			D Spread	
			940 4000K CRI95				
	04 Square trimless Cuadrado sin marco	35 6/11 W	827 2700K	1 15° 3 36° 6 60°	1 ○ White 2 ● Black	- No accessory	
830 3000K			H Honeycomb				
840 4000K			S Stripy				
930 3000K CRI95			D Spread				
940 4000K CRI95							

DRIVERS			
6W 200mA		11 W 350mA	
TRIAC	98310509C	TRIAC	98310114C
100-240	98310620	100-240	98310116
		DALI	98310536
		CASAMBI	98310538



DEEP 78

LED



DEEP 78	3	5	0							
TYPOLGY	FAMILIES		POWER	LED	ANGLE	COLOR	ACCESSORY Choose one			
3 Recessed	05 Round/Redondo		50 500 mA	827 2700K 1100lm	1 15°	1 ○ White	- No accessory			
	06 Round trimless/Redondo sin marco			830 3000K 1190lm	3 36°	2 ● Black	H Honeycomb			
	07 Square/Cuadrado			840 4000K 1240lm	6 60°		S Stripy			
	08 Square trimless/Cuadrado sin marco			930 3000K 950lm CRI95			D Spread			
				940 4000K 1050lm CRI95						



PRICE TABLE						ACCESSORIES Choose one	
TYPOLGY	FAMILIES	POWER	LED	ANGLE	COLOR	ACCESSORY	
3 Recessed	05 Round Redondo	50 12/18W	827 2700K	1 15° 3 36° 6 60°	1 ○ White 2 ● Black	- No accessory	
			830 3000K			H Honeycomb	
			840 4000K			S Stripy	
			930 3000K CRI95			D Spread	
			940 4000K CRI95				
	06 Round trimless Redondo sin marco	50 12/18W	827 2700K	1 15° 3 36° 6 60°	1 ○ White 2 ● Black	- No accessory	
			830 3000K			H Honeycomb	
			840 4000K			S Stripy	
			930 3000K CRI95			D Spread	
			940 4000K CRI95				
	07 Square Cuadrado	50 12/18W	827 2700K	1 15° 3 36° 6 60°	1 ○ White 2 ● Black	- No accessory	
			830 3000K			H Honeycomb	
			840 4000K			S Stripy	
			930 3000K CRI95			D Spread	
			940 4000K CRI95				
	08 Square trimless Cuadrado sin marco	50 12/18W	827 2700K	1 15° 3 36° 6 60°	1 ○ White 2 ● Black	- No accessory	
			830 3000K			H Honeycomb	
			840 4000K			S Stripy	
			930 3000K CRI95			D Spread	
			940 4000K CRI95				

DRIVERS			
11W 350mA		18W 500mA	
TRIAC	98310114C	TRIAC	98310321LC
100-240	98310116	100-240	98310321
DALI	98310536	DALI	98310536
CASAMBI	98310538	CASAMBI	98310538



DEEP 90

LED



DEEP 90 **3** **I** **0**

TYPOLOGY	FAMILIES	POWER	LED	ANGLE	COLOR	ACCESSORY Choose one
3 Recessed	09 Round/Redondo	10 1050 mA	827 2700K 2400lm	1 15°	1 ○ White	- No accessory
	10 Round trimless/Redondo sin marco		830 3000K 2550lm	3 36°	2 ● Black	H Honeycomb
	11 Square/Cuadrado		840 4000K 2650lm	6 60°		S Stripy
	12 Square trimless/Cuadrado sin marco		927 2700K 2020lm CRI95			D Spread
			930 3000K 2100lm CRI95			
			940 4000K 2300lm CRI95			
			941 P. White 2050lm CRI95			

PRICE TABLE

TYPOLOGY	FAMILIES	POWER	LED	ANGLE	COLOR	ACCESSORIES Choose one
3 Recessed	09 Round Redondo	10 18/25/39W	827 2700K	1 15° 3 36° 6 60°	1 ○ White 2 ● Black	- No accessory
			830 3000K			H Honeycomb
			840 4000K			S Stripy
			927 2700K CRI95			D Spread
			930 3000K CRI95			
			940 4000K CRI95			
			941 P. White CRI95			
	10 Round trimless Redondo sin marco	10 18/25/39W	827 2700K	1 15° 3 36° 6 60°	1 ○ White 2 ● Black	- No accessory
			830 3000K			H Honeycomb
			840 4000K			S Stripy
			927 2700K CRI95			D Spread
			930 3000K CRI95			
			940 4000K CRI95			
			941 P. White CRI95			
11 Square Cuadrado	10 18/25/39W	827 2700K	1 15° 3 36° 6 60°	1 ○ White 2 ● Black	- No accessory	
		830 3000K			H Honeycomb	
		840 4000K			S Stripy	
		927 2700K CRI95			D Spread	
		930 3000K CRI95				
		940 4000K CRI95				
		941 P. White CRI95				
12 Square trimless Cuadrado sin marco	10 18/25/39W	827 2700K	1 15° 3 36° 6 60°	1 ○ White 2 ● Black	- No accessory	
		830 3000K			H Honeycomb	
		840 4000K			S Stripy	
		927 2700K CRI95			D Spread	
		930 3000K CRI95				
		940 4000K CRI95				
		941 P. White CRI95				

DRIVERS

18W 500mA		25W 700mA		39W 1050mA	
TRIAC	9831032 ILC	TRIAC	98310236C		
100-240	9831032 I	100-240	98310233	100-240	98310444
DALI	98310536	DALI	98310536	DALI	98310536
CASAMBI	98310538	CASAMBI	98310538	CASAMBI	98310538

H Honeycomb D Spread S Stripy



SYNCH




COLORS | COLOURS



CITILED
The Light Engine
from Luce

Our new light SYNC is the most efficient and the most effective lighting solution in the market and the most efficient LED. Maximize your light SYNC and you will maximize your energy and your investment. It is the most efficient LED lighting solution in the market and the most effective lighting solution in the market.

LED




TRIMLESS
13 / 19 W

DRIVER (NOT INCL.)

CRI80	810 / 1110 lm	2700K	25°	038002801	○	13 W 98310116 TRIAC 98310114C DALI 98310536 CASAMBI 98310538 19 W 98310321 TRIAC 98310321LC DALI 98310536 CASAMBI 98310538
				038002802	●	
				038002804	●	
			36°	038002901	○	
				038002902	●	
				038002904	●	
	840 / 1170 lm	3000K	52°	038003001	○	
				038003002	●	
				038003004	●	
			25°	038003101	○	
				038003102	●	
				038003104	●	
840 / 1250 lm	4000K	36°	038003201	○		
			038003202	●		
			038003204	●		
		52°	038003301	○		
			038003302	●		
			038003304	●		
CRI97	600 / 840 lm	2700K	25°	038003701	○	
				038003702	●	
				038003704	●	
			36°	038003801	○	
				038003802	●	
				038003804	●	
	630 / 870 lm	3000K	52°	038003901	○	
				038003902	●	
				038003904	●	
			25°	038004601	○	
				038004602	●	
				038004604	●	
660 / 900 lm	4000K	36°	038004701	○		
			038004702	●		
			038004704	●		
		52°	038004801	○		
			038004802	●		
			038004804	●		
660 / 900 lm	4000K	25°	038004901	○		
			038004902	●		
			038004904	●		
		36°	038005001	○		
			038005002	●		
			038005004	●		
660 / 900 lm	4000K	52°	038005101	○		
			038005102	●		
			038005104	●		
		25°	038005201	○		
			038005202	●		
			038005204	●		
660 / 900 lm	4000K	36°	038005301	○		
			038005302	●		
			038005304	●		
		52°	038005401	○		
			038005402	●		
			038005404	●		

Different models with 3500, 5000 and 6000K, consult with the commercial. / Posibilidad de modelos con 3500, 5000 y 6000K, consulta con el comercial

LED



TRIMLESS
13 / 19 W

DRIVER (NOT INCL.)

CRI80	810 / 1110 lm	2700K	25°	038000101	○	13 W 98310116 TRIAC 98310114C DALI 98310536 CASAMBI 98310538 19 W 98310321 TRIAC 98310321LC DALI 98310536 CASAMBI 98310538
				038000102	●	
				038000104	●	
			36°	038000201	○	
				038000202	●	
				038000204	●	
	52°	038000301	○			
		038000302	●			
		038000304	●			
	840 / 1170 lm	3000K	25°	038000401	○	
				038000402	●	
				038000404	●	
36°			038000501	○		
			038000502	●		
			038000504	●		
52°	038000601	○				
	038000602	●				
	038000604	●				
840 / 1200 lm	4000K	25°	038001001	○		
			038001002	●		
			038001004	●		
		36°	038001101	○		
			038001102	●		
			038001104	●		
52°	038001201	○				
	038001202	●				
	038001204	●				
CRI97	600 / 840 lm	2700K	25°	038001901	○	
				038001902	●	
				038001904	●	
			36°	038002001	○	
				038002002	●	
				038002004	●	
	52°	038002101	○			
		038002102	●			
		038002104	●			
	630 / 870 lm	3000K	25°	038002201	○	
				038002202	●	
				038002204	●	
36°			038002301	○		
			038002302	●		
			038002304	●		
52°	038002401	○				
	038002402	●				
	038002404	●				
660 / 900 lm	4000K	25°	038002501	○		
			038002502	●		
			038002504	●		
		36°	038002601	○		
			038002602	●		
			038002604	●		
52°	038002701	○				
	038002702	●				
	038002704	●				

Different models with 3500, 5000 and 6000K, consult with the commercial.
 Posibilidad de modelos con 3500, 5000 y 6000K, consulta con el comercial



OPTIC



COLOURS / COLORES




VS LIGHTING SOLUTIONS

Our complete LED lighting solutions are designed to offer the best lighting technology available in the market and that goes with an LED.
Standard projection: 18° - 10° - 6° in projection, adjustable beam. Versatile, long projection, adjustable beam, adjustable beam, adjustable beam.

MINI OPTIC

LED



12 / 18 W

DRIVER (NOT INCL.)

CRI82	950 / 1450 lm	2700K	20°	032503001	○
				032503002	●
				032503003	●
			56°	032503101	○
				032503102	●
				032503103	●
CRI85	1000 / 1500 lm	3000K	20°	032503201	○
				032503202	●
				032503203	●
			56°	032503301	○
				032503302	●
				032503303	●
CRI85	1100 / 1600 lm	4000K	20°	032503401	○
				032503402	●
				032503403	●
			56°	032503501	○
				032503502	●
				032503503	●

12 W 98310116
 TRIAC 98310114C
 DALI 98310536
 CASAMBI 98310538

18 W 98310321
 TRIAC 98310321LC
 DALI 98310536
 CASAMBI 98310538

CRI95

17 / 24 W

DRIVER (NOT INCL.)

CRI95	1250 / 1800 lm	2700K	20°	032503601	○
				032503602	●
				032503603	●
			56°	032503701	○
				032503702	●
				032503703	●
CRI95	1300 / 1850 lm	3000K	20°	032503801	○
				032503802	●
				032503803	●
			56°	032503901	○
				032503902	●
				032503903	●
CRI95	1400 / 1950 lm	4000K	20°	032504001	○
				032504002	●
				032504003	●
			56°	032504101	○
				032504102	●
				032504103	●

17 W 98310321
 TRIAC 98310321LC
 DALI 98310536
 CASAMBI 98310538

24 W 98310233
 TRIAC 98310236C
 DALI 98310536
 CASAMBI 98310538

HIGH EFFICIENCY LED

24 W

DRIVER (NOT INCL.)





CRI82	2000 lm	2700K	20°	032504201	○
				032504202	●
				032504203	●
			56°	032504301	○
				032504302	●
				032504303	●
CRI85	2050 lm	3000K	20°	032504401	○
				032504402	●
				032504403	●
			56°	032504501	○
				032504502	●
				032504503	●
CRI85	2150 lm	4000K	20°	032504601	○
				032504602	●
				032504603	●
			56°	032504701	○
				032504702	●
				032504703	●

24 W 98310233
 TRIAC 98310236C
 DALI 98310536
 CASAMBI 98310538

FOOD LIGHTING LED

24 W

DRIVER (NOT INCL.)

CRI85	1600 lm	fruits		20°	032504801 ○	24 W 98310233 TRIAC 98310236C DALI 98310536 CASAMBI 98310538
					032504802 ●	
					032504803 ●	
	1700 lm	fish		20°	032504901 ○	
					032504902 ●	
					032504903 ●	
CRI70	1500 lm	meat		20°	032505001 ○	
					032505002 ●	
					032505003 ●	
	1500 lm	meat		20°	032505101 ○	
					032505102 ●	
					032505103 ●	

RETAIL LIGHTING LED


17 / 24 W

DRIVER (NOT INCL.)

CRI95	1300 / 1800 lm	PEARL White 3100K		20°	032505401 ○	17 W 98310321 TRIAC 98310321 ILC DALI 98310536 CASAMBI 98310538	
					032505402 ●		
					032505403 ●		
				56°	032505501 ○		
							032505502 ●
							032505503 ●

OPTIC

LED



18 / 25 W

DRIVER (NOT INCL.)

CRI82	1350 / 1850 lm	2700K		20°	032003001 ○	18 W 98310321 TRIAC 98310321 ILC DALI 98310536 CASAMBI 98310538
					032003002 ●	
				56°	032003101 ○	
CRI85	1400 / 1900 lm	3000K		20°	032003201 ○	25 W 98310233 TRIAC 98310236C DALI 98310536 CASAMBI 98310538
					032003202 ●	
				56°	032003301 ○	
	032003302 ●					
	20°	032003401 ○				
			032003402 ●			
1500 / 2000 lm	4000K			20°	032003501 ○	
				56°	032003502 ●	

CRI95

24 / 36 W

DRIVER (NOT INCL.)

CRI95	1800 / 2800 lm	2700K	20°	032003601	○	24 W 98310233 TRIAC 98310236C DALI 98310536 CASAMBI 98310538 36 W 98310444 DALI 98310536 CASAMBI 98310538
				032003602	●	
			56°	032003701	○	
				032003702	●	
	1850 / 2850 lm	3000K	20°	032003801	○	
				032003802	●	
		56°	032003901	○		
			032003902	●		
1950 / 2950 lm	4000K	20°	032004001	○		
			032004002	●		
		56°	032004101	○		
			032004102	●		

HIGH EFFICIENCY LED

36 W




DRIVER (NOT INCL.)

CRI82	2950 lm	2700K	20°	032004201	○	36 W 98310444 DALI 98310536 CASAMBI 98310538
				032004202	●	
			56°	032004301	○	
				032004302	●	
CRI85	3000 lm	3000K	20°	032004401	○	
				032004402	●	
			56°	032004501	○	
				032004502	●	
3100 lm	4000K	20°	032004601	○		
			032004602	●		
		56°	032004701	○		
			032004702	●		

FOOD LIGHTING LED

24 / 36 W

DRIVER (NOT INCL.)

CRI85	1600 / 2350 lm	fruits		20°	032004801	○	24 W 98310233 TRIAC 98310236C DALI 98310536 CASAMBI 98310538 36 W 98310444 DALI 98310536 CASAMBI 98310538
					032004802	●	
			56°	032004901	○		
				032004902	●		
	1700 / 2450 lm	fish		20°	032005001	○	
					032005002	●	
		56°	032005101	○			
			032005102	●			
CRI70	1500 / 2250 lm	meat		20°	032005201	○	
					032005202	●	
		56°	032005301	○			
			032005302	●			

RETAIL LIGHTING LED

24 / 36 W

DRIVER (NOT INCL.)

CRI95	1800 / 2700 lm	PEARL White 3100 K	20°	032005401	○	24 W 98310233 TRIAC 98310236C DALI 98310536 CASAMBI 98310538 36 W 98310444 DALI 98310536 CASAMBI 98310538
				032005402	●	
		56°	032005501	○		
			032005502	●		

COLIN



COLOURS / COLORES



VS LIGHTING SOLUTIONS

Our superior LED technology, our consistency, to offer the best lighting solutions in the market and the most efficient LED lighting products. COLIN has some components, such as, pin pointer sensor, all these items are available at the same place - as click here



LE COO


TECH

NANOCOLIN 1
TRIMLESS STEPS



NANO COLIN IL

LED



7 / 12 W



DRIVER (NOT INCL.)

CRI82	600 / 1050 lm	2700K	20°	035000101	○
				035000102	●
				035000103	●
			56°	035000201	○
				035000202	●
				035000203	●
CRI85	650 / 1100 lm	3000K	20°	035000301	○
				035000302	●
				035000303	●
			56°	035000401	○
				035000402	●
				035000403	●
CRI85	700 / 1150 lm	4000K	20°	035000501	○
				035000502	●
				035000503	●
			56°	035000601	○
				035000602	●
				035000603	●

12 W 98310116
TRIAC 98310114C
DALI 98310536
CASAMBI 98310538

7 W 98310620
TRIAC 98310509C

LED



TRIMLESS

7 / 12 W

DRIVER (NOT INCL.)

CRI82	600 / 1050 lm	2700K	20°	035100101	○
				035100102	●
				035100201	○
			56°	035100202	●
				035100301	○
				035100302	●
CRI85	650 / 1100 lm	3000K	20°	035100401	○
				035100402	●
				035100501	○
			56°	035100502	●
				035100601	○
				035100602	●

12 W 98310116
TRIAC 98310114C
DALI 98310536
CASAMBI 98310538


7 W 98310620
TRIAC 98310509C

NANO COLIN_{2L}

LED



DALI
OPTIONAL



TRIMLESS
14 / 24 W

DRIVER (NOT INCL.)

CRI82	1200 / 2100 lm	2700K	20°	035005001	○
				035005002	●
				035005003	●
			56°	035005101	○
				035005102	●
				035005103	●
CRI85	1300 / 2200 lm	3000K	20°	035005201	○
				035005202	●
				035005203	●
			56°	035005301	○
				035005302	●
				035005303	●
CRI85	1400 / 2300 lm	4000K	20°	035005401	○
				035005402	●
				035005403	●
			56°	035005501	○
				035005502	●
				035005503	●



24 W 2 x 98310116
TRIAC 2 x 98310114C
DALI 2 x 98310536
CASAMBI 2 x 98310538

14 W 2 x 98310620
TRIAC 2 x 98310509C

LED



DALI
OPTIONAL



TRIMLESS
14 / 24 W

DRIVER (NOT INCL.)



CRI82	1200 / 2100 lm	2700K	20°	035105001	○
				035105002	●
				035105101	○
			56°	035105102	●
				035105201	○
				035105202	●
CRI85	1300 / 2200 lm	3000K	20°	035105301	○
				035105302	●
				035105401	○
			56°	035105402	●
				035105501	○
				035105502	●

24 W 2 x 98310116
TRIAC 2 x 98310114C
DALI 2 x 98310536
CASAMBI 2 x 98310538

14 W 2 x 98310620
TRIAC 2 x 98310509C

MINI COLIN IL

LED



12 / 18 W

DRIVER (NOT INCL.)

CRI	Beam Angle	Light Output (lm)	Color Temp (K)	Part Number	Availability
CRI82	20°	950 / 1450 Lm	2700K	033008301	○
				033008302	●
				033008303	●
	56°			033008401	○
				033008402	●
				033008403	●
CRI85	20°	1000 / 1500 Lm	3000K	033008501	○
				033008502	●
				033008503	●
	56°			033008601	○
				033008602	●
				033008603	●
CRI85	20°	1100 / 1600 Lm	4000K	033008701	○
				033008702	●
				033008703	●
	56°			033008801	○
				033008802	●
				033008803	●

12 W 98310116
TRIAC 98310114C
DALI 98310536
CASAMBI 98310538

18 W 98310321
TRIAC 98310321LC
DALI 98310536
CASAMBI 98310538

CRI95

17 / 24 W

DRIVER (NOT INCL.)

CRI	Beam Angle	Light Output (lm)	Color Temp (K)	Part Number	Availability	
CRI95	20°	1250 / 1800 Lm	2700K	033008901	○	
				033008902	●	
				033008903	●	
	56°			033009001	○	
				033009002	●	
				033009003	●	
	20°	1300 / 1850 Lm	3000K	033009101	○	
				033009102	●	
				033009103	●	
				56°	033009201	○
					033009202	●
					033009203	●
20°	1400 / 1950 Lm	4000K	033009301	○		
			033009302	●		
			033009303	●		
			56°	033009401	○	
				033009402	●	
				033009403	●	

17 W 98310321
TRIAC 98310321LC
DALI 98310536
CASAMBI 98310538

24 W 98310233
TRIAC 98310236C
DALI 98310536
CASAMBI 98310538

HIGH EFFICIENCY LED

24 W

DRIVER (NOT INCL.)

CRI82	2000 lm	2700K	20°	033009501	○
				033009502	●
				033009503	●
			56°	033009601	○
				033009602	●
				033009603	●
CRI85	2050 lm	3000K	20°	033009701	○
				033009702	●
				033009703	●
			56°	033009801	○
				033009802	●
				033009803	●
CRI85	2150 lm	4000K	20°	033009901	○
				033009902	●
				033009903	●
			56°	033010001	○
				033010002	●
				033010003	●

24 W 98310233
TRIAC 98310236C
DALI 98310536
CASAMBI 98310538

FOOD LIGHTING LED

24 W

DRIVER (NOT INCL.)

CRI85	1600 lm	fruits	●	20°	033010101	○
					033010102	●
					033010103	●
				56°	033010201	○
					033010202	●
					033010203	●
CRI85	1700 lm	fish	●	20°	033010301	○
					033010302	●
					033010303	●
				56°	033010401	○
					033010402	●
					033010403	●
CRI70	1500 lm	meat	●	20°	033010501	○
					033010502	●
					033010503	●
				56°	033010601	○
					033010602	●
					033010603	●

24 W 98310233
TRIAC 98310236C
DALI 98310536
CASAMBI 98310538

RETAIL LIGHTING LED

17 / 24 W

DRIVER (NOT INCL.)



CRI95	1300 / 1800 lm	PEARL White 3100 K		20°	033010701	○
					033010702	●
					033010703	●
				56°	033010801	○
					033010802	●
					033010803	●

17 W 98310321
TRIAC 98310321LC
DALI 98310536
CASAMBI 98310538

24 W 98310233
TRIAC 98310236C
DALI 98310536
CASAMBI 98310538

MINI COLIN₂L

LED



24 / 36 W

DRIVER (NOT INCL.)

CRI82	1900 / 2900 lm	2700K	20°	033010901	○
				033010902	●
				033010903	●
			56°	033011001	○
				033011002	●
				033011003	●
CRI85	2000 / 3000 lm	3000K	20°	033011101	○
				033011102	●
				033011103	●
			56°	033011201	○
				033011202	●
				033011203	●
	2200 / 3200 lm	4000K	20°	033011301	○
				033011302	●
				033011303	●
			56°	033011401	○
				033011402	●
				033011403	●

24 W 2 x 98310116
TRIAC 2 x 98310114C
DALI 2 x 98310536
CASAMBI 2 x 98310538

36 W 2 x 98310321
TRIAC 2 x 98310321LC
DALI 2 x 98310536
CASAMBI 2 x 98310538

CRI95

34 / 48 W

DRIVER (NOT INCL.)

CRI95	2500 / 3600 lm	2700K	20°	033011501	○
				033011502	●
				033011503	●
			56°	033011601	○
				033011602	●
				033011603	●
CRI95	2600 / 3700 lm	3000K	20°	033011701	○
				033011702	●
				033011703	●
			56°	033011801	○
				033011802	●
				033011803	●
	2800 / 3900 lm	4000K	20°	033011901	○
				033011902	●
				033011903	●
			56°	033012001	○
				033012002	●
				033012003	●

34 W 2 x 98310321
TRIAC 2 x 98310321LC
DALI 2 x 98310536
CASAMBI 2 x 98310538

48 W 2 x 98310233
TRIAC 2 x 98310236C
DALI 2 x 98310536
CASAMBI 2 x 98310538

HIGH EFFICIENCY LED

48 W

DRIVER (NOT INCL.)




CRI82	4000 lm	2700K	20°	033012101	○
				033012102	●
				033012103	●
			56°	033012201	○
				033012202	●
				033012203	●
CRI85	4100 lm	3000K	20°	033012301	○
				033012302	●
				033012303	●
			56°	033012401	○
				033012402	●
				033012403	●
CRI85	4300 lm	4000K	20°	033012501	○
				033012502	●
				033012503	●
			56°	033012601	○
				033012602	●
				033012603	●

48W 2 x 98310233
 TRIAC 2 x 98310236C
 DALI 2 x 98310536
 CASAMBI 2 x 98310538

FOOD LIGHTING LED

48 W

DRIVER (NOT INCL.)

CRI85	3200 lm	fruits 	20°	033012701	○
				033012702	●
				033012703	●
			56°	033012801	○
				033012802	●
				033012803	●
CRI85	3400 lm	fish 	20°	033012901	○
				033012902	●
				033012903	●
			56°	033013001	○
				033013002	●
				033013003	●
CRI70	3000 lm	meat 	20°	033013101	○
				033013102	●
				033013103	●
			56°	033013201	○
				033013202	●
				033013203	●

48W 2 x 98310233
 TRIAC 2 x 98310236C
 DALI 2 x 98310536
 CASAMBI 2 x 98310538

RETAIL LIGHTING LED

34 / 48 W

DRIVER (NOT INCL.)

CRI95	2600 / 3600 lm	PEARL White 3100 K	20°	033013301	○
				033013302	●
				033013303	●
			56°	033013401	○
				033013402	●
				033013403	●

34 W 2 x 98310116
 TRIAC 2 x 98310114C
 DALI 2 x 98310536
 CASAMBI 2 x 98310538

48W 2 x 98310233
 TRIAC 2 x 98310236C
 DALI 2 x 98310536
 CASAMBI 2 x 98310538

MINI COLIN³L

LED

IP20

III

403X129

1-30


20°

850 °C

200

2.45KG.
5.40LB.

DALI
OPTIONAL



36 / 54 W

DRIVER (NOT INCL.)

CRI82	2850 / 4350 lm	2700K	20°	033013501	○
				033013502	●
				033013503	●
			56°	033013601	○
				033013602	●
				033013603	●
CRI85	3000 / 4500 lm	3000K	20°	033013701	○
				033013702	●
				033013703	●
			56°	033013801	○
				033013802	●
				033013803	●
CRI85	3300 / 4800 lm	4000K	20°	033013901	○
				033013902	●
				033013903	●
			56°	033014001	○
				033014002	●
				033014003	●

36 W 3 x 98310116
TRIAC 3 x 98310114C
DALI 3 x 98310536
CASAMBI 3 x 98310538

54 W 3 x 98310321
TRIAC 3 x 98310321LC
DALI 3 x 98310536
CASAMBI 3 x 98310538

CRI95

51 / 72 W

DRIVER (NOT INCL.)

CRI95	3750 / 5400 lm	2700K	20°	033014101	○
				033014102	●
				033014103	●
			56°	033014201	○
				033014202	●
				033014203	●
CRI95	3900 / 5550 lm	3000K	20°	033014301	○
				033014302	●
				033014303	●
			56°	033014401	○
				033014402	●
				033014403	●
CRI95	4200 / 5850 lm	4000K	20°	033014501	○
				033014502	●
				033014503	●
			56°	033014601	○
				033014602	●
				033014603	●

51 W 3 x 98310321
TRIAC 3 x 98310321LC
DALI 3 x 98310536
CASAMBI 3 x 98310538

72 W 3 x 98310233
TRIAC 3 x 98310236C
DALI 3 x 98310536
CASAMBI 3 x 98310538

HIGH EFFICIENCY LED

72 W

DRIVER (NOT INCL.)




CRI82	6000 lm	2700K	20°	033014701	○
				033014702	●
				033014703	●
			56°	033014801	○
				033014802	●
				033014803	●
CRI85	6150 lm	3000K	20°	033014901	○
				033014902	●
				033014903	●
			56°	033015001	○
				033015002	●
				033015003	●
CRI85	6450 lm	4000K	20°	033015101	○
				033015102	●
				033015103	●
			56°	033015201	○
				033015202	●
				033015203	●

72 W 3 x 98310233
TRIAC 3 x 98310236C
DALI 3 x 98310536
CASAMBI 3 x 98310538

FOOD LIGHTING LED

72 W

DRIVER (NOT INCL.)

CRI85	4800 lm	fruits 	20°	033015301	○
				033015302	●
				033015303	●
			56°	033015401	○
				033015402	●
				033015403	●
CRI85	5100 lm	fish 	20°	033015501	○
				033015502	●
				033015503	●
			56°	033015601	○
				033015602	●
				033015603	●
CRI70	4500 lm	meat 	20°	033015701	○
				033015702	●
				033015703	●
			56°	033015801	○
				033015802	●
				033015803	●

72 W 3 x 98310233
TRIAC 3 x 98310236C
DALI 3 x 98310536
CASAMBI 3 x 98310538

RETAIL LIGHTING LED

51 / 72 W

DRIVER (NOT INCL.)

CRI95	3900 / 5400 lm	PEARL White 3100 K	20°	033015901	○
				033015902	●
				033015903	●
			56°	033016001	○
				033016002	●
				033016003	●

51 W 3 x 98310116
TRIAC 3 x 98310114C
DALI 3 x 98310536
CASAMBI 3 x 98310538


72 W 3 x 98310233
TRIAC 3 x 98310236C
DALI 3 x 98310536
CASAMBI 3 x 98310538

COLIN IL

LED



DALI: OPTIONAL



18 / 25 W

DRIVER (NOT INCL.)

CRI	Beam Angle	Color Temp.	Power	Part No.	Availability
CRI82	1350 / 1850 lm	2700K	18 W	034008501	○
				034008502	●
				034008503	●
	1400 / 1900 lm	3000K	25 W	034008601	○
				034008602	●
				034008603	●
CRI85	1400 / 1900 lm	3000K	18 W	034008701	○
				034008702	●
				034008703	●
	1500 / 2000 lm	4000K	25 W	034008801	○
				034008802	●
				034008803	●
CRI85	1500 / 2000 lm	4000K	18 W	034008901	○
				034008902	●
				034008903	●
	1500 / 2000 lm	4000K	25 W	034009001	○
				034009002	●
				034009003	●

18 W 98310321
 TRIAC 98310321LC
 DALI 98310536
 CASAMBI 98310538

25 W 98310233
 TRIAC 98310236C
 DALI 98310536
 CASAMBI 98310538

CR195

36 W

DRIVER (NOT INCL.)

CRI	Beam Angle	Color Temp.	Power	Part No.	Availability
CRI95	2800 lm	2700K	36 W	034009101	○
				034009102	●
				034009103	●
	2850 lm	3000K	36 W	034009201	○
				034009202	●
				034009203	●
CRI95	2850 lm	3000K	36 W	034009301	○
				034009302	●
				034009303	●
	2950 lm	4000K	36 W	034009401	○
				034009402	●
				034009403	●
CRI95	2950 lm	4000K	36 W	034009501	○
				034009502	●
				034009503	●
	2950 lm	4000K	36 W	034009601	○
				034009602	●
				034009603	●

36 W 98310444
 DALI 98310536
 CASAMBI 98310538

HIGH EFFICIENCY LED




36 W

DRIVER (NOT INCL.)

CRI	Beam Angle	Color Temp.	Power	Part No.	Availability
CRI82	2950 m	2700K	36 W	034009701	○
				034009702	●
				034009703	●
	3000 lm	3000K	36 W	034009801	○
				034009802	●
				034009803	●
CRI85	3000 lm	3000K	36 W	034009901	○
				034009902	●
				034009903	●
	3100 lm	4000K	36 W	034010001	○
				034010002	●
				034010003	●
CRI85	3100 lm	4000K	36 W	034010101	○
				034010102	●
				034010103	●
	3100 lm	4000K	36 W	034010201	○
				034010202	●
				034010203	●

36 W 98310444
 DALI 98310536
 CASAMBI 98310538

FOOD LIGHTING LED
24 / 36 W

CRI85	1600 / 2350 lm	fruits		20°	034010301	○	
					034010302	●	
					034010303	●	
	1700 / 2450	fish		20°	034010401	○	
					034010402	●	
					034010403	●	
CRI70	1500 / 2250 lm	meat		20°	034010501	○	
					034010502	●	
					034010503	●	
					20°	034010601	○
						034010602	●
						034010603	●
				20°	034010701	○	
					034010702	●	
					034010703	●	
				56°	034010801	○	
					034010802	●	
					034010803	●	

DRIVER (NOT INCL.)

- 24 W** 98310233
TRIAC 98310236C
DALI 98310536
CASAMBI 98310538
- 36 W** 98310444
DALI 98310536
CASAMBI 98310538


RETAIL LIGHTING LED
24 / 36 W

CRI95	1800 / 2700 lm	PEARL White 3100 K		20°	034010901	○
					034010902	●
					034010903	●
				56°	034011001	○
					034011002	●
					034011003	●

DRIVER (NOT INCL.)


- 24 W** 98310233
TRIAC 98310236C
DALI 98310536
CASAMBI 98310538
- 36 W** 98310444
DALI 98310536
CASAMBI 98310538









QR - III LED
MAX. 12 W LED

SOCKET I*G53	12 V	ELECTRONIC GEAR NOT INCLUDED 98III020	03400401	○
			03400402	●
			03400403	●

*Bulb not included


COLIN₂L

LED

IP20



OPTIONAL



36 / 50 W

DRIVER (NOT INCL.)

CRI	Beam Angle	Light Output (lm)	Color Temp (K)	Part Number	Availability
CRI82	20°	2700 / 3700	2700K	034011101	○
				034011102	●
				034011103	●
	56°	2700 / 3700	2700K	034011201	○
				034011202	●
				034011203	●
CRI85	20°	2800 / 3800	3000K	034011301	○
				034011302	●
				034011303	●
	56°	2800 / 3800	3000K	034011401	○
				034011402	●
				034011403	●
CRI85	20°	3000 / 4000	4000K	034011501	○
				034011502	●
				034011503	●
	56°	3000 / 4000	4000K	034011601	○
				034011602	●
				034011603	●

36 W 2 x 98310321
 TRIAC 2 x 98310321 ILC
 DALI 2 x 98310536
 CASAMBI 2 x 98310538

50 W 2 x 98310233
 TRIAC 2 x 98310236C
 DALI 2 x 98310536
 CASAMBI 2 x 98310538

CRI95

72 W

DRIVER (NOT INCL.)

CRI	Beam Angle	Light Output (lm)	Color Temp (K)	Part Number	Availability
CRI95	20°	5600	2700K	034011701	○
				034011702	●
				034011703	●
	56°	5600	2700K	034011801	○
				034011802	●
				034011803	●
CRI95	20°	5700	3000K	034011901	○
				034011902	●
				034011903	●
	56°	5700	3000K	034012001	○
				034012002	●
				034012003	●
CRI95	20°	5900	4000K	034012101	○
				034012102	●
				034012103	●
	56°	5900	4000K	034012201	○
				034012202	●
				034012203	●

72 W 2 x 98310444
 DALI 2 x 98310536
 CASAMBI 2 x 98310538

HIGH EFFICIENCY LED

72 W

DRIVER (NOT INCL.)




CRI	Beam Angle	Light Output (lm)	Color Temp (K)	Part Number	Availability
CRI82	20°	5900	2700K	034012301	○
				034012302	●
				034012303	●
	56°	5900	2700K	034012401	○
				034012402	●
				034012403	●
CRI85	20°	6000	3000K	034012501	○
				034012502	●
				034012503	●
	56°	6000	3000K	034012601	○
				034012602	●
				034012603	●
CRI85	20°	6200	4000K	034012701	○
				034012702	●
				034012703	●
	56°	6200	4000K	034012801	○
				034012802	●
				034012803	●

72 W 2 x 98310444
 DALI 2 x 98310536
 CASAMBI 2 x 98310538

FOOD LIGHTING LED

48 / 72 W

DRIVER (NOT INCL.)

CRI85	3200 / 4700 lm	fruits		20°	034012901	○	
					034012902	●	
					034012903	●	
	3400 / 4900 lm	fish		20°	034013001	○	
					034013002	●	
					034013003	●	
CRI70	3000 / 4500 lm	meat		20°	034013101	○	
					034013102	●	
					034013103	●	
					20°	034013201	○
						034013202	●
						034013203	●
				20°	034013301	○	
					034013302	●	
					034013303	●	
				56°	034013401	○	
					034013402	●	
					034013403	●	

48 W 2 x 98310233
TRIAC 2 x 98310236C
DALI 2 x 98310536
CASAMBI 2 x 98310538

72 W 2 x 98310444
DALI 2 x 98310536
CASAMBI 2 x 98310538

RETAIL LIGHTING LED


48 / 72 W

DRIVER (NOT INCL.)

CRI95	3600 / 5400 lm	PEARL White 3100 K		20°	034013501	○
					034013502	●
					034013503	●
				56°	034013601	○
					034013602	●
					034013603	●

48 W 2 x 98310233
TRIAC 2 x 98310236C
DALI 2 x 98310536
CASAMBI 2 x 98310538

72 W 2 x 98310444
DALI 2 x 98310536
CASAMBI 2 x 98310538



QR KIT LED


MAX. 2 X I2 W LED

SOCKET 2*G53	12 V	ELECTRONIC GEAR NOT INCLUDED 98III020	03400501	○
			03400502	●
			03400503	●

*Bulb not included

COLIN³L

LED



54 / 75 W

DRIVER (NOT INCL.)

CRI82	4050 / 3700 lm	2700K	20°	03401 3701	○
				03401 3702	●
				03401 3703	●
			56°	03401 3801	○
				03401 3802	●
				03401 3803	●
CRI85	4200 / 5700 lm	3000K	20°	03401 3901	○
				03401 3902	●
				03401 3903	●
			56°	03401 4001	○
				03401 4002	●
				03401 4003	●
CRI85	4500 / 6000 lm	4000K	20°	03401 4101	○
				03401 4102	●
				03401 4103	●
			56°	03401 4201	○
				03401 4202	●
				03401 4203	●

36 W 3 x 98310321
 TRIAC 3 x 98310321 LC
 DALI 3 x 98310536
 CASAMBI 3 x 98310538

50 W 3 x 98310233
 TRIAC 3 x 98310236 C
 DALI 3 x 98310536
 CASAMBI 3 x 98310538

CRI95

108 W

DRIVER (NOT INCL.)

CRI95	8400 lm	2700K	20°	03401 4301	○
				03401 4302	●
				03401 4303	●
			56°	03401 4401	○
				03401 4402	●
				03401 4403	●
CRI95	8550 lm	3000K	20°	03401 4501	○
				03401 4502	●
				03401 4503	●
			56°	03401 4601	○
				03401 4602	●
				03401 4603	●
CRI95	8850 lm	4000K	20°	03401 4701	○
				03401 4702	●
				03401 4703	●
			56°	03401 4801	○
				03401 4802	●
				03401 4803	●

72 W 3 x 98310444
 DALI 3 x 98310536
 CASAMBI 3 x 98310538

HIGH EFFICIENCY LED

108 W

DRIVER (NOT INCL.)




CRI82	8850 lm	2700K	20°	03401 4901	○
				03401 4902	●
				03401 4903	●
			56°	03401 5001	○
				03401 5002	●
				03401 5003	●
CRI85	9000 lm	3000K	20°	03401 5101	○
				03401 5102	●
				03401 5103	●
			56°	03401 5201	○
				03401 5202	●
				03401 5203	●
CRI85	9300 lm	4000K	20°	03401 5301	○
				03401 5302	●
				03401 5303	●
			56°	03401 5401	○
				03401 5402	●
				03401 5403	●

72 W 3 x 98310444
 DALI 3 x 98310536
 CASAMBI 3 x 98310538

FOOD LIGHTING LED

72 / 108 W

DRIVER (NOT INCL.)

CRI85	4800 / 7050 lm	fruits		20°	034015501	○
					034015502	●
					034015503	●
	5100 / 7350 lm	fish		20°	034015601	○
					034015602	●
					034015603	●
CRI70	4500 / 6750 lm	meat		20°	034015701	○
					034015702	●
					034015703	●
	56°		034015801	○		
			034015802	●		
			034015803	●		

48 W 3 x 98310233
TRIAC 3 x 98310236C
DALI 3 x 98310536
CASAMBI 3 x 98310538

72 W 3 x 98310444
DALI 3 x 98310536
CASAMBI 3 x 98310538

RETAIL LIGHTING LED


72 / 108 W

DRIVER (NOT INCL.)

CRI95	5400 / 8100 lm	PEARL White 3100 K		20°	034016101	○	
					034016102	●	
					034016103	●	
				56°		034016201	○
						034016202	●
						034016203	●

48 W 3 x 98310233
TRIAC 3 x 98310236C
DALI 3 x 98310536
CASAMBI 3 x 98310538

72 W 3 x 98310444
DALI 3 x 98310536
CASAMBI 3 x 98310538



QR KIT LED

MAX. 3 X 12 W

SOCKET 3*G53	12 V	ELECTRONIC GEAR NOT INCLUDED 98III020	03400601	○
			03400602	●
			03400603	●

*Bulb not included

TEKO



COLOUR | COLORES



VS LIGHTING SOLUTIONS

Our superior LED technology enables us to offer the most advanced technology solutions in the market and the most efficient LED lighting products. It is our mission to provide the most advanced lighting solutions for your business. We are committed to providing the most advanced lighting solutions for your business.



TEKO IL


LED

IP20

850 °C

1,75Kg.
3,85LB.

DALI
OPTIONAL



12 / 18 W

DRIVER (NOT INCL.)

CRI82	950 / 1450 lm	2700K	20°	050400101	○
				050400102	●
			56°	050400201	○
				050400202	●
CRI85	1000 / 1500 lm	3000K	20°	050400301	○
				050400302	●
			56°	050400401	○
				050400402	●
	1100 / 1600 lm	4000K	20°	050400501	○
				050400502	●
			56°	050400601	○
				050400602	●

12 W 98310116
TRIAC 98310114C
DALI 98310536
CASAMBI 98310538

18 W 98310321
TRIAC 98310321LC
DALI 98310536
CASAMBI 98310538

CRI95

17 / 24 W

DRIVER (NOT INCL.)

	1250 / 1800 lm	2700K	20°	050400701	○
				050400702	●
			56°	050400801	○
				050400802	●
CRI95	1300 / 1850 lm	3000K	20°	050400901	○
				050400902	●
			56°	050401001	○
				050401002	●
	1400 / 1950 lm	4000K	20°	050401101	○
				050401102	●
			56°	050401201	○
				050401201	●

18 W 98310321
TRIAC 98310321LC
DALI 98310536
CASAMBI 98310538

24 W 98310233
TRIAC 98310236C
DALI 98310536
CASAMBI 98310538

HIGH EFFICIENCY LED

24 W

DRIVER (NOT INCL.)

CRI82	2000 lm	2700K	20°	050401301	○	24 W 98310233 TRIAC 98310236C DALI 98310536 CASAMBI 98310538
				050401302	●	
	2050 lm	3000K	20°	050401501	○	
				050401502	●	
CRI85	2150 lm	4000K	20°	050401701	○	
				050401702	●	
			56°	050401401	○	
				050401402	●	
			56°	050401601	○	
				050401602	●	
			56°	050401801	○	
				050401802	●	

FOOD LIGHTING LED

24 W

DRIVER (NOT INCL.)

CRI85	1600 lm	fruits	●	20°	050401901	○	24 W 98310233 TRIAC 98310236C DALI 98310536 CASAMBI 98310538
					050401902	●	
	1700 lm	fish	●	20°	050402101	○	
					050402102	●	
				56°	050402201	○	
					050402202	●	
CRI70	1500 lm	meat	●	20°	050402301	○	
					050402302	●	
				56°	050402401	○	
					050402402	●	

RETAIL LIGHTING LED

17 / 24 W

DRIVER (NOT INCL.)

CRI95	1300 / 1800 lm	PEARL White 3100 K	20°	050402501	○	18 W 98310321 TRIAC 98310321LC DALI 98310536 CASAMBI 98310538	
				050402502	●		
			56°	050402601	○		
				050402602	●		
				56°	050402601		○
					050402602		●
				56°	050402601	○	
					050402602	●	

TEKO₂L

LED

IP20




20°

850 °C



2,8KG.
6,17LB.

DALI
OPTIONAL



24 / 36 W

DRIVER (NOT INCL.)

CRI	Light Output (lm)	Color Temp (K)	Beam Angle	Part Number	Option
CRI82	1900 / 2900	2700K	20°	050500101	<input type="radio"/>
				050500102	<input checked="" type="radio"/>
			56°	050500201	<input type="radio"/>
				050500202	<input checked="" type="radio"/>
CRI85	2000 / 3000	3000K	20°	050500301	<input type="radio"/>
				050500302	<input checked="" type="radio"/>
			56°	050500401	<input type="radio"/>
				050500402	<input checked="" type="radio"/>
	2200 / 3200	4000K	20°	050500501	<input type="radio"/>
				050500502	<input checked="" type="radio"/>
			56°	050500601	<input type="radio"/>
				050500602	<input checked="" type="radio"/>

24 W 2 x 98310116
TRIAC 2 x 98310114C
DALI 2 x 98310536
CASAMBI 2 x 98310538

36 W 2 x 98310321
TRIAC 2 x 98310321LC
DALI 2 x 98310536
CASAMBI 2 x 98310538

CRI95

34 / 48 W

DRIVER (NOT INCL.)

	2500 / 3600	2700K	20°	050500701	<input type="radio"/>
				050500702	<input checked="" type="radio"/>
			56°	050500801	<input type="radio"/>
				050500802	<input checked="" type="radio"/>
CRI95	2600 / 3700	3000K	20°	050500901	<input type="radio"/>
				050500902	<input checked="" type="radio"/>
			56°	050501001	<input type="radio"/>
				050501002	<input checked="" type="radio"/>
	2800 / 3900	4000K	20°	050501101	<input type="radio"/>
				050501102	<input checked="" type="radio"/>
			56°	050501201	<input type="radio"/>
				050501202	<input checked="" type="radio"/>

34 W 2 x 98310321
TRIAC 2 x 98310321LC
DALI 2 x 98310536
CASAMBI 2 x 98310538

48 W 2 x 98310233
TRIAC 2 x 98310236C
DALI 2 x 98310536
CASAMBI 2 x 98310538

HIGH EFFICIENCY LED

48 W




DRIVER (NOT INCL.)

CRI82	4000 lm	2700K	20°	050501301	○	48W 2 x 98310233 TRIAC 2 x 98310236C DALI 2 x 98310536 CASAMBI 2 x 98310538
				050501302	●	
	4100 lm	3000K	20°	050501501	○	
				050501502	●	
CRI85			56°	050501401	○	
				050501402	●	
	4300 lm	4000K	20°	050501601	○	
				050501602	●	
			20°	050501701	○	
				050501702	●	
			56°	050501801	○	
				050501802	●	

FOOD LIGHTING LED

48 W

DRIVER (NOT INCL.)

CRI85	3200 lm	fruits		20°	050501901	○	48W 2 x 98310233 TRIAC 2 x 98310236C DALI 2 x 98310536 CASAMBI 2 x 98310538
					050501902	●	
	3400 lm	fish		56°	050502001	○	
					050502002	●	
				20°	050502101	○	
					050502102	●	
CRI70	3000 lm	meat		56°	050502201	○	
					050502202	●	
				20°	050502301	○	
					050502302	●	
				56°	050502401	○	
					050502402	●	

RETAIL LIGHTING LED

34 / 48 W

DRIVER (NOT INCL.)

CRI95	2600 / 3600 lm	PEARL White 3100 K	20°	050502501	○	34 W 2 x 98310321 TRIAC 2 x 98310321LC DALI 2 x 98310536 CASAMBI 2 x 98310538	
				050502502	●		
			56°	050502601	○		
				050502602	●		
				56°	050502601		○
					050502602		●

TEKO3L

LED

IP20




20°

850 °C

3,8Kg.
8,37Lb.

OPTIONAL



36 / 54 W

DRIVER (NOT INCL.)

CRI	2850 / 4350 lm	2700K	20°	050600101 050600102	○ ●
CRI82			56°	050600201 050600202	○ ●
			20°	050600301 050600302	○ ●
CRI85	3000 / 4500 lm	3000K	56°	050600401 050600402	○ ●
			20°	050600501 050600502	○ ●
CRI85	3300 / 4800 lm	4000K	56°	050600601 050600602	○ ●

24 W 3 x 98310116
TRIAC 3 x 98310114C
DALI 3 x 98310536
CASAMBI 3 x 98310538

36 W 3 x 98310321
TRIAC 3 x 98310321LC
DALI 3 x 98310536
CASAMBI 3 x 98310538

CRI95

51 / 72 W

DRIVER (NOT INCL.)

CRI95	3750 / 5400 lm	2700K	20°	050600701 050600702	○ ●
			56°	050600801 050600802	○ ●
CRI95	3900 / 5550 lm	3000K	20°	050600901 050600902	○ ●
			56°	050601001 050601002	○ ●
CRI95	4200 / 5850 lm	4000K	20°	050601101 050601102	○ ●
			56°	050601201 050601202	○ ●

34 W 3 x 98310321
TRIAC 3 x 98310321LC
DALI 3 x 98310536
CASAMBI 3 x 98310538

48 W 3 x 98310233
TRIAC 3 x 98310236C
DALI 3 x 98310536
CASAMBI 3 x 98310538

HIGH EFFICIENCY LED

72 W




DRIVER (NOT INCL.)

CRI82	6000 lm	2700K	20°	050601301	○	48W 3 x 98310233 TRIAC 3 x 98310236C DALI 3 x 98310536 CASAMBI 3 x 98310538
				050601302	●	
	6150 lm	3000K	20°	050601501	○	
				050601502	●	
CRI85			56°	050601401	○	
				050601402	●	
	6450 lm	4000K	20°	050601701	○	
				050601702	●	
			56°	050601801	○	
				050601802	●	

FOOD LIGHTING LED

72 W

DRIVER (NOT INCL.)

CRI85	4800 lm	fruits		20°	050601901	○	48W 3 x 98310233 TRIAC 3 x 98310236C DALI 3 x 98310536 CASAMBI 3 x 98310538
					050601902	●	
	5100 lm	fish		56°	050602001	○	
					050602002	●	
				20°	050602101	○	
					050602102	●	
CRI70	4500 lm	meat		56°	050602201	○	
					050602202	●	
				20°	050602301	○	
					050602302	●	
				56°	050602401	○	
					050602402	●	

RETAIL LIGHTING LED

51 / 72 W

DRIVER (NOT INCL.)

CRI95	3900 / 5400 lm	PEARL White 3100 K	20°	050602501	○	34 W 3 x 98310321 TRIAC 3 x 98310321LC DALI 3 x 98310536 CASAMBI 3 x 98310538 48W 3 x 98310233 TRIAC 3 x 98310236C DALI 3 x 98310536 CASAMBI 3 x 98310538
				050602502	●	
			56°	050602601	○	
				050602602	●	

VIA



COLORS / COLOURS





VS LIGHTING SOLUTIONS


Our complete VIA composite pendant components include the latest technology available in the market and the most efficient LED technology, ensuring VIA is an ideal composite pendant for your interior lighting. Ultra-technology LED light fixtures are made to give you the best quality.

CREATE YOUR PROJECT **VIA** CREA TU PROYECTO **VIA**


1. CHOOSE YOUR VIA ESCOGE TU VIA



2. JOIN THEM TO BUILD CONTINUOUS LINES ÚNELOS PARA CONSTRUIR LÍNEAS CONTÍNUAS



CONTINUOUS ACCESSORY




L-SHAPE

3. TURN YOUR VIA SURFACE INTO PENDANT CONVIERTE TU VIA SUPERFICIE EN COLGANTE

PENDANT ACCESSORY
 ACCESORIO COLGANTE

STEEL WIRES
 TENSORES DE ACERO



CONTINUOUS ACCESSORY!
 ACCESORIO CONTINUO!

All sections are equipped with an opal diffuser, if you prefer a prismatic diffuser, add the letter U at the end of the reference.

Todos los tramos equipan difusor opal, si prefieres difusor prismático, añade la letra U al final de la referencia.




VIA SURFACE

LED

IP20 

 1,05Kg.
2,31Lb.

 OPTIONAL




56 CM

12 W Driver included

CRI80	21,4 W/m	1000 lm	3000K	041000901	○
				041000902	●
				041000903	●
	1100 lm	4000K	041001801	○	
			041001802	●	
			041001803	●	

PRISMATIC OPTION


Add a U at the end of the ref.
e.g.: 041000901 U

17 W Driver included

CRI80	30,3 W/m	1200 lm	3000K	041000801	○
				041000802	●
				041000803	●
	1300 lm	4000K	041001701	○	
			041001702	●	
			041001703	●	

PRISMATIC OPTION

Add a U at the end of the ref.
e.g.: 041000801 U

24 W Driver included

CRI80	42,8 W/m	1900 lm	3000K	041000701	○
				041000702	●
				041000703	●
	2000 lm	4000K	041001601	○	
			041001602	●	
			041001603	●	

DALI/PUSH 24 W OPTION

PRISMATIC OPTION

Add a D at the end of the ref.
e.g.: 041000701 D

Add a U at the end of the ref.
e.g.: 041000701 U

DALI/PUSH & PRISMATIC OPTION

Add DU at the end of the ref. e.g.: 041000701 DU


84 CM

 1,35Kg.
2,97Lb.

17 W Driver included

CRI80	21,4 W/m	1500 lm	3000K	041000601	○
				041000602	●
				041000603	●
	1600 lm	4000K	041001501	○	
			041001502	●	
			041001503	●	

PRISMATIC OPTION


Add a U at the end of the ref.
e.g.: 041000601 U

25 W Driver included

CRI80	30,3 W/m	1800 lm	3000K	041000501	○
				041000502	●
				041000503	●
	1900 lm	4000K	041001401	○	
			041001402	●	
			041001403	●	

PRISMATIC OPTION

Add a U at the end of the ref.
e.g.: 041000501 U

36 W Driver included

CRI80	42,8 W/m	2800 lm	3000K	041000401	○
				041000402	●
				041000403	●
	3000 lm	4000K	041001301	○	
			041001302	●	
			041001303	●	

DALI/PUSH 36 W OPTION

PRISMATIC OPTION

Add a D at the end of the ref.
e.g.: 041000401 D

Add a U at the end of the ref.
e.g.: 041000401 U

DALI/PUSH & PRISMATIC OPTION

Add DU at the end of the ref. e.g.: 041000101 DU

112 CM

 1,65Kg.
3,63Lb.

23 W Driver included

CRI80	21,4 W/m	2000 lm	3000K	041000301	<input type="radio"/>
				041000302	<input checked="" type="radio"/>
				041000303	<input type="radio"/>
		2100 lm	4000K	041001201	<input type="radio"/>
				041001202	<input checked="" type="radio"/>
				041001203	<input type="radio"/>

PRISMATIC OPTION

Add a U at the end of the ref.
e.g.: 041000301 U



34 W Driver included

CRI80	30,3 W/m	2300 lm	3000K	041000201	<input type="radio"/>
				041000202	<input checked="" type="radio"/>
				041000203	<input type="radio"/>
		2500 lm	4000K	041001101	<input type="radio"/>
				041001102	<input checked="" type="radio"/>
				041001103	<input type="radio"/>

PRISMATIC OPTION

Add a U at the end of the ref.
e.g.: 041000201 U

48 W Driver included

CRI80	42,8 W/m	3700 lm	3000K	041000101	<input type="radio"/>
				041000102	<input checked="" type="radio"/>
				041000103	<input type="radio"/>
		4600 lm	4000K	041001001	<input type="radio"/>
				041001002	<input checked="" type="radio"/>
				041001003	<input type="radio"/>

DALI/PUSH 48 W OPTION

Add a D at the end of the ref.
e.g.: 041000101 D

PRISMATIC OPTION

Add a U at the end of the ref.
e.g.: 041000101 U

DALI/PUSH & PRISMATIC OPTION

Add DU at the end of the ref. e.g.: 041000101 DU

L-SHAPE ONLY FOR SURFACE AND PENDANT



CRI80

IP20



 0,60Kg.
1,32Lb.

21,4 W/m	3000K	041009601	<input type="radio"/>	
		041009602	<input checked="" type="radio"/>	
		041009603	<input type="radio"/>	
	4000K	041009701	<input type="radio"/>	
		041009702	<input checked="" type="radio"/>	
		041009703	<input type="radio"/>	
30,3 W/m	3000K	041009801	<input type="radio"/>	
		041009802	<input checked="" type="radio"/>	
		041009803	<input type="radio"/>	
	42,8 W/m	4000K	041009901	<input type="radio"/>
			041009902	<input checked="" type="radio"/>
			041009903	<input type="radio"/>

PRISMATIC OPTION

Add a U at the end of the ref.
e.g.: 041000101 U



Add a U at the end of the ref.
e.g.: 041009801 U

ACCESSORIES

PENDANT ACCESSORY Canopy + 2 x steel wires



- 04100101
- 04100102
- 04100103

CONTINUOUS ACCESSORY 1pc



04100201

PENDANT ACCESSORY Canopy + 2 x steel wires + DALI/PUSH wire



- 04100101 D
- 04100102 D
- 04100103 D

STEEL WIRES 2pcs



04100100


VIA RECESSED

LED

IP20 

 1,05Kg.
2,31LB.

 OPTIONAL




56 CM

12 W Driver included

CRI80	21,4 W/m	1000 lm	3000K	041002701	<input type="radio"/>
				041002702	<input checked="" type="radio"/>
		1100 lm	4000K	041003001	<input type="radio"/>
				041003002	<input checked="" type="radio"/>

PRISMATIC OPTION

Add a U at the end of the ref.
e.g.: 041002701U 

17 W Driver included

CRI80	30,3 W/m	1200 lm	3000K	041002601	<input type="radio"/>
				041002602	<input checked="" type="radio"/>
		1300 lm	4000K	041002901	<input type="radio"/>
				041002902	<input checked="" type="radio"/>

PRISMATIC OPTION

Add a U at the end of the ref.
e.g.: 041002601U

24 W Driver included

CRI80	42,8 W/m	1900 lm	3000K	041002501	<input type="radio"/>
				041002502	<input checked="" type="radio"/>
		2000 lm	4000K	041002801	<input type="radio"/>
				041002802	<input checked="" type="radio"/>

DALI/PUSH 36 W OPTION

PRISMATIC OPTION

Add a D at the end of the ref.
e.g.: 041002501D

Add a U at the end of the ref.
e.g.: 041002501U

DALI/PUSH & PRISMATIC OPTION


Add DU at the end of the ref. e.g.: 041002501DU

84 CM - NEW

17 W Driver included

CRI80	21,4 W/m	1500 lm	3000K	0410003301	<input type="radio"/>
				0410003302	<input checked="" type="radio"/>
		1600 lm	4000K	0410003601	<input type="radio"/>
				0410003602	<input checked="" type="radio"/>

PRISMATIC OPTION

Add a U at the end of the ref.
e.g.: 0410003301U 

25 W Driver included

CRI80	30,3 W/m	1800 lm	3000K	0410003201	<input type="radio"/>
				0410003202	<input checked="" type="radio"/>
		1900 lm	4000K	0410003501	<input type="radio"/>
				0410003502	<input checked="" type="radio"/>

PRISMATIC OPTION

Add a U at the end of the ref.
e.g.: 0410003201U

36 W Driver included

CRI80	42,8 W/m	2800 lm	3000K	0410003101	<input type="radio"/>
				0410003102	<input checked="" type="radio"/>
		3000 lm	4000K	0410003401	<input type="radio"/>
				0410003402	<input checked="" type="radio"/>

DALI/PUSH 36 W OPTION

PRISMATIC OPTION

Add a D at the end of the ref.
e.g.: 0410003101D

Add a U at the end of the ref.
e.g.: 0410003101U

DALI/PUSH & PRISMATIC OPTION

Add DU at the end of the ref. e.g.: 0410003101DU

I12 CM - NEW

 1,65KG.
3,63LB.

23 W Driver included

CRI80	21,4 W/m	2000 lm	3000K	0410003901	<input type="radio"/>
				0410003902	<input checked="" type="radio"/>
		2100 lm	4000K	0410004201	<input type="radio"/>
				0410004202	<input checked="" type="radio"/>

PRISMATIC OPTION

Add a U at the end of the ref.
e.g.: 0410003901 U



34 W Driver included

CRI80	30,3 W/m	2300 lm	3000K	0410003801	<input type="radio"/>
				0410003802	<input checked="" type="radio"/>
		2500 lm	4000K	0410004101	<input type="radio"/>
				0410004102	<input checked="" type="radio"/>

PRISMATIC OPTION

Add a U at the end of the ref.
e.g.: 0410003801 U

48 W Driver included

CRI80	42,8 W/m	3700 lm	3000K	0410003701	<input type="radio"/>
				0410003702	<input checked="" type="radio"/>
		4600 lm	4000K	0410004001	<input type="radio"/>
				0410004002	<input checked="" type="radio"/>

DALI/PUSH 48 W OPTION

Add a D at the end of the ref.
e.g.: 0410003701 D

PRISMATIC OPTION

Add a U at the end of the ref.
e.g.: 0410003701 U

DALI/PUSH & PRISMATIC OPTION

Add DU at the end of the ref. e.g.: 041000101 DU

ACCESORIES

CONTINUOUS ACCESSORY 1 pc



04100201

NEW

FONOVIA






FONOVIA DRESS YOUR VIA

FONOVIA VISTE TU VIA

Compatible for 84 cm and 112 cm **PENDANT VIA** systems
 Compatible para **SISTEMAS COLGANTES** de 84 cm y 112 cm




1. CHOOSE YOUR **VIA PENDANT** COMPOSITION IN PAGE 455
 ESCOGE TU COMPOSICIÓN DE **VIA COLGANTE** EN LA PÁGINA 455

2. DRESS IT WITH **FONOVIA** SOUND ABSORBING SHADE SYSTEM
 VÍSTELA CON EL SISTEMA DE PANTALLAS FONOABSORBENTES **FONOVIA**

041080003

Only one set.
 Solo un set.




For 84cm VIA
 041080001

For 112cm VIA
 041080002
 One set per unit of VIA.
 Un set por unidad de VIA.

041080004

If you have 1 VIA, use 2 supports.
 If you have 2 VIA, use 3 supports.
 If you have 3 VIA, use 4 supports.
 ...

CREATE YOUR **FONOVIA** AS LONG AS YOU WANT
 CREA TU **FONOVIA** TAN LARGO COMO QUIERAS




Si tienes 1 VIA, usa 2 soportes.
 Si tienes 2 VIA, usa 3 soportes.
 Si tienes 3 VIA, usa 4 soportes.
 ...



LEDSTRIP

5 MT 14.4 W/MT 24 V





CRI85	2300 K	3200 LM
08040101-01	10 cm	
08040101-02	20 cm	
08040101-03	30 cm	
08040101-04	40 cm	
08040101-05	50 cm	
08040101-06	60 cm	
08040101-07	70 cm	
08040101-08	80 cm	
08040101-09	90 cm	
08040101-10	100 cm	
08040101-11	110 cm	
08040101-12	120 cm	
08040101-13	130 cm	
08040101-14	140 cm	
08040101-15	150 cm	
08040101-16	160 cm	
08040101-17	170 cm	
08040101-18	180 cm	
08040101-19	190 cm	
08040101-20	200 cm	
08040101-21	210 cm	
08040101-22	220 cm	
08040101-23	230 cm	
08040101-24	240 cm	
08040101-25	250 cm	
08040101-26	260 cm	
08040101-27	270 cm	
08040101-28	280 cm	
08040101-29	290 cm	
08040101-30	300 cm	
08040101-31	310 cm	
08040101-32	320 cm	
08040101-33	330 cm	
08040101-34	340 cm	
08040101-35	350 cm	
08040101-36	360 cm	
08040101-37	370 cm	
08040101-38	380 cm	
08040101-39	390 cm	
08040101-40	400 cm	
08040101-41	410 cm	
08040101-42	420 cm	
08040101-43	430 cm	
08040101-44	440 cm	
08040101-45	450 cm	
08040101-46	460 cm	
08040101-47	470 cm	
08040101-48	480 cm	
08040101-49	490 cm	
08040101	500 cm	

CRI85	2700K	3650 LM
08040301-01	10 cm	
08040301-02	20 cm	
08040301-03	30 cm	
08040301-04	40 cm	
08040301-05	50 cm	
08040301-06	60 cm	
08040301-07	70 cm	
08040301-08	80 cm	
08040301-09	90 cm	
08040301-10	100 cm	
08040301-11	110 cm	
08040301-12	120 cm	
08040301-13	130 cm	
08040301-14	140 cm	
08040301-15	150 cm	
08040301-16	160 cm	
08040301-17	170 cm	
08040301-18	180 cm	
08040301-19	190 cm	
08040301-20	200 cm	
08040301-21	210 cm	
08040301-22	220 cm	
08040301-23	230 cm	
08040301-24	240 cm	
08040301-25	250 cm	
08040301-26	260 cm	
08040301-27	270 cm	
08040301-28	280 cm	
08040301-29	290 cm	
08040301-30	300 cm	
08040301-31	310 cm	
08040301-32	320 cm	
08040301-33	330 cm	
08040301-34	340 cm	
08040301-35	350 cm	
08040301-36	360 cm	
08040301-37	370 cm	
08040301-38	380 cm	
08040301-39	390 cm	
08040301-40	400 cm	
08040301-41	410 cm	
08040301-42	420 cm	
08040301-43	430 cm	
08040301-44	440 cm	
08040301-45	450 cm	
08040301-46	460 cm	
08040301-47	470 cm	
08040301-48	480 cm	
08040301-49	490 cm	
08040301	500 cm	

CRI85	3000K	3640 LM
08040201-01	10 cm	
08040201-02	20 cm	
08040201-03	30 cm	
08040201-04	40 cm	
08040201-05	50 cm	
08040201-06	60 cm	
08040201-07	70 cm	
08040201-08	80 cm	
08040201-09	90 cm	
08040201-10	100 cm	
08040201-11	110 cm	
08040201-12	120 cm	
08040201-13	130 cm	
08040201-14	140 cm	
08040201-15	150 cm	
08040201-16	160 cm	
08040201-17	170 cm	
08040201-18	180 cm	
08040201-19	190 cm	
08040201-20	200 cm	
08040201-21	210 cm	
08040201-22	220 cm	
08040201-23	230 cm	
08040201-24	240 cm	
08040201-25	250 cm	
08040201-26	260 cm	
08040201-27	270 cm	
08040201-28	280 cm	
08040201-29	290 cm	
08040201-30	300 cm	
08040201-31	310 cm	
08040201-32	320 cm	
08040201-33	330 cm	
08040201-34	340 cm	
08040201-35	350 cm	
08040201-36	360 cm	
08040201-37	370 cm	
08040201-38	380 cm	
08040201-39	390 cm	
08040201-40	400 cm	
08040201-41	410 cm	
08040201-42	420 cm	
08040201-43	430 cm	
08040201-44	440 cm	
08040201-45	450 cm	
08040201-46	460 cm	
08040201-47	470 cm	
08040201-48	480 cm	
08040201-49	490 cm	
08040201	500 cm	

LEDSTRIP

5 MT 19.2 W/MT 24V



CRI85 2300 K 3860 LM

08030101-01	10 cm
08030101-02	20 cm
08030101-03	30 cm
08030101-04	40 cm
08030101-05	50 cm
08030101-06	60 cm
08030101-07	70 cm
08030101-08	80 cm
08030101-09	90 cm
08030101-10	100 cm
08030101-11	110 cm
08030101-12	120 cm
08030101-13	130 cm
08030101-14	140 cm
08030101-15	150 cm
08030101-16	160 cm
08030101-17	170 cm
08030101-18	180 cm
08030101-19	190 cm
08030101-20	200 cm
08030101-21	210 cm
08030101-22	220 cm
08030101-23	230 cm
08030101-24	240 cm
08030101-25	250 cm
08030101-26	260 cm
08030101-27	270 cm
08030101-28	280 cm
08030101-29	290 cm
08030101-30	300 cm
08030101-31	310 cm
08030101-32	320 cm
08030101-33	330 cm
08030101-34	340 cm
08030101-35	350 cm
08030101-36	360 cm
08030101-37	370 cm
08030101-38	380 cm
08030101-39	390 cm
08030101-40	400 cm
08030101-41	410 cm
08030101-42	420 cm
08030101-43	430 cm
08030101-44	440 cm
08030101-45	450 cm
08030101-46	460 cm
08030101-47	470 cm
08030101-48	480 cm
08030101-49	490 cm
08030101	500 cm

CRI85 2700K 5082 LM

08030301-01	10 cm
08030301-02	20 cm
08030301-03	30 cm
08030301-04	40 cm
08030301-05	50 cm
08030301-06	60 cm
08030301-07	70 cm
08030301-08	80 cm
08030301-09	90 cm
08030301-10	100 cm
08030301-11	110 cm
08030301-12	120 cm
08030301-13	130 cm
08030301-14	140 cm
08030301-15	150 cm
08030301-16	160 cm
08030301-17	170 cm
08030301-18	180 cm
08030301-19	190 cm
08030301-20	200 cm
08030301-21	210 cm
08030301-22	220 cm
08030301-23	230 cm
08030301-24	240 cm
08030301-25	250 cm
08030301-26	260 cm
08030301-27	270 cm
08030301-28	280 cm
08030301-29	290 cm
08030301-30	300 cm
08030301-31	310 cm
08030301-32	320 cm
08030301-33	330 cm
08030301-34	340 cm
08030301-35	350 cm
08030301-36	360 cm
08030301-37	370 cm
08030301-38	380 cm
08030301-39	390 cm
08030301-40	400 cm
08030301-41	410 cm
08030301-42	420 cm
08030301-43	430 cm
08030301-44	440 cm
08030301-45	450 cm
08030301-46	460 cm
08030301-47	470 cm
08030301-48	480 cm
08030301-49	490 cm
08030301	500 cm

CRI85 3000K 4280 LM

08030201-01	10 cm
08030201-02	20 cm
08030201-03	30 cm
08030201-04	40 cm
08030201-05	50 cm
08030201-06	60 cm
08030201-07	70 cm
08030201-08	80 cm
08030201-09	90 cm
08030201-10	100 cm
08030201-11	110 cm
08030201-12	120 cm
08030201-13	130 cm
08030201-14	140 cm
08030201-15	150 cm
08030201-16	160 cm
08030201-17	170 cm
08030201-18	180 cm
08030201-19	190 cm
08030201-20	200 cm
08030201-21	210 cm
08030201-22	220 cm
08030201-23	230 cm
08030201-24	240 cm
08030201-25	250 cm
08030201-26	260 cm
08030201-27	270 cm
08030201-28	280 cm
08030201-29	290 cm
08030201-30	300 cm
08030201-31	310 cm
08030201-32	320 cm
08030201-33	330 cm
08030201-34	340 cm
08030201-35	350 cm
08030201-36	360 cm
08030201-37	370 cm
08030201-38	380 cm
08030201-39	390 cm
08030201-40	400 cm
08030201-41	410 cm
08030201-42	420 cm
08030201-43	430 cm
08030201-44	440 cm
08030201-45	450 cm
08030201-46	460 cm
08030201-47	470 cm
08030201-48	480 cm
08030201-49	490 cm
08030201	500 cm

LEDSTRIP

RGB IP20

5 MT 14,4 W/MT 24 V



RGB


08041001 500 cm

CONTROLLER

98324812 24V

AMPLIFIER

98324813 24V



PROFILES Diffuser not included



SURFACE PROFILE 45°

08050101-01	10 cm
08050101-02	20 cm
08050101-03	30 cm
08050101-04	40 cm
08050101-05	50 cm
08050101-06	60 cm
08050101-07	70 cm
08050101-08	80 cm
08050101-09	90 cm
08050101-10	100 cm
08050101-11	110 cm
08050101-12	120 cm
08050101-13	130 cm
08050101-14	140 cm
08050101-15	150 cm
08050101-16	160 cm
08050101-17	170 cm
08050101-18	180 cm
08050101-19	190 cm
08050101	200 cm

ENDCAP (2 PCS)




08050104

SURFACE PROFILE CLIP



08050105



SURFACE PROFILE

08060101-01	10 cm
08060101-02	20 cm
08060101-03	30 cm
08060101-04	40 cm
08060101-05	50 cm
08060101-06	60 cm
08060101-07	70 cm
08060101-08	80 cm
08060101-09	90 cm
08060101-10	100 cm
08060101-11	110 cm
08060101-12	120 cm
08060101-13	130 cm
08060101-14	140 cm
08060101-15	150 cm
08060101-16	160 cm
08060101-17	170 cm
08060101-18	180 cm
08060101-19	190 cm
08060101	200 cm

ENDCAP (2 PCS)




08060104

SURFACE AND RECESSED PROFILE CLIP



08060105




SURFACE PROFILE 8mm

08080101-01	10 cm
08080101-02	20 cm
08080101-03	30 cm
08080101-04	40 cm
08080101-05	50 cm
08080101-06	60 cm
08080101-07	70 cm
08080101-08	80 cm
08080101-09	90 cm
08080101-10	100 cm
08080101-11	110 cm
08080101-12	120 cm
08080101-13	130 cm
08080101-14	140 cm
08080101-15	150 cm
08080101-16	160 cm
08080101-17	170 cm
08080101-18	180 cm
08080101-19	190 cm
08080101	200 cm

ENDCAP (2 PCS)



08080104



RECESSED PROFILE

08070101-01	10 cm
08070101-02	20 cm
08070101-03	30 cm
08070101-04	40 cm
08070101-05	50 cm
08070101-06	60 cm
08070101-07	70 cm
08070101-08	80 cm
08070101-09	90 cm
08070101-10	100 cm
08070101-11	110 cm
08070101-12	120 cm
08070101-13	130 cm
08070101-14	140 cm
08070101-15	150 cm
08070101-16	160 cm
08070101-17	170 cm
08070101-18	180 cm
08070101-19	190 cm
08070101	200 cm

ENDCAP (2 PCS)



08070104

DIFFUSERS



OPAL DIFFUSER

08060102-01	10 cm
08060102-02	20 cm
08060102-03	30 cm
08060102-04	40 cm
08060102-05	50 cm
08060102-06	60 cm
08060102-07	70 cm
08060102-08	80 cm
08060102-09	90 cm
08060102-10	100 cm
08060102-11	110 cm
08060102-12	120 cm
08060102-13	130 cm
08060102-14	140 cm
08060102-15	150 cm
08060102-16	160 cm
08060102-17	170 cm
08060102-18	180 cm
08060102-19	190 cm
08060102	200 cm



TRANSPARENT DIFFUSER

08060103-01	10 cm
08060103-02	20 cm
08060103-03	30 cm
08060103-04	40 cm
08060103-05	50 cm
08060103-06	60 cm
08060103-07	70 cm
08060103-08	80 cm
08060103-09	90 cm
08060103-10	100 cm
08060103-11	110 cm
08060103-12	120 cm
08060103-13	130 cm
08060103-14	140 cm
08060103-15	150 cm
08060103-16	160 cm
08060103-17	170 cm
08060103-18	180 cm
08060103-19	190 cm
08060103	200 cm

POWER SUPPLY

Ref.	Class	W	V	P.Factor	Rated V	Temp. Range	Tc	Size (mm)
98324020U	II	20 W	24 Vdc	0,55	100-240 V	-25< + 50°C	80°C	146 x 55 x 19
98324030		30 W	24 Vdc	0,95	220-240 V	-20< + 45°C	75°C	168 x 51 x 24
98324060		50 W	24 Vdc	0,95	220-240 V	-20< + 45°C	75°C	172 x 63 x 30
98324120		75 W	24 Vdc	0,95	220-240 V	-20< + 45°C	75°C	193 x 63 x 30
98324180		100 W	24 Vdc	0,90	220-240 V	-20< + 45°C	75°C	380 x 49 x 32
98324150U	II	150 W	24 Vdc	0,90	220-240 V	-20< + 45°C	75°C	180 x 65 x 31
98324599		120 W	24 Vdc	0,98	220-240 V	-25< + 50°C	75°C	240 x60 x49

IP67 POWER SUPPLY

Ref.	Class	W	V	P.Factor	Rated V	Temp. Range	Tc	Size (mm)
98324031	II	30 W	24 Vdc	0,90	220-240 V	-20< + 45°C	75°C	132 x 42 x 34
98324076		75 W	24 Vdc	0,90	220-240 V	-20< + 45°C	75°C	180 x 49 x 32
98324101		100 W	24 Vdc	0,90	220-240 V	-20< + 45°C	75°C	206 x 69 x 37
98324151		150 W	24 Vdc	0,90	220-240 V	-20< + 45°C	75°C	206 x 69 x 37

DIMMER FOR 12 - 24 V LED POWER SUPPLY

Dim types: Push, I-I0 V, 0-I0 V, DALI


Ref.	Class	V	Temp. Range	Tc	Size (mm)
97052	II	12-24 V	-25< + 50°C	75°C	156 x 52 x 30

LAMPS

LED

LED BULB GU5.3


PARATHOM MR 16



97686227							24°	485 lm	2700K
97686230	SOCKET	8 W	CRI92	40000 h	DIM			500 lm	3000K
97686327	GU5.3						36°	485 lm	2700K
97686330								500 lm	3000K

LED BULB GU 10

MASTER LED Spot MV



97685327		5 W	CRI90	25000 h	DIM		36°	350 lm	2700K
97685330								365 lm	3000K
97264	SOCKET	5 W	CRI90	25000 h	DIM		60°	355 lm	2700K
97265	GU10	7W	CRI80	25000 h	-		60°	670lm	3000K
97266		7W	CRI80	25000 h	DIM		36°	590lm	3000K
97273		5.5W	CRI97	40000 h	DIM		36°	355 lm	2700K

AR III

PARATHOM AR III



97684227							24°		2700K
97684230	SOCKET G53	11,5 W	CRI90	40000 h	DIM			800 lm	3000K
97684427							40°		2700K
97684430									3000K



Works with electronic gears (pag. 472)

PAR30



PARATHOM PAR30

97687127	E27	10 W	CRI90	25000 h	DIM		36°	633 lm	2700K
----------	-----	------	-------	---------	-----	--	-----	--------	-------

GU10

							Compatible CCT Shifter	Compat. Linear Louver System
97691327	 	7.5 W	410 lm	2700K	CRI>95	25°		
97691127		7.5 W	390 lm	2700K	CRI>95	10°	✓	✓
97691227		7.5 W	410 lm	2700K	CRI>95	36°		
97691330		7.5 W	410 lm	3000K	CRI>95	25°		
97691130		7.5 W	410 lm	3000K	CRI>95	10°	✓	✓
97691230		7.5 W	435 lm	3000K	CRI>95	36°		

MR16 - GU5.3



							Compatible CCT Shifter	Compat. Linear Louver System
97690127	 	7.5 W	390 lm	2700K	CRI>95	10°		✓
97690427		7.5 W	410 lm	2700K	CRI>95	36°		
97690130		7.5 W	410 lm	3000K	CRI>95	10°	✓	✓
97690430		7.5 W	435 lm	3000K	CRI>95	36°		

Works with electronic gears (pag. 472)

SNAP System - MR16 & PAR 20

97691695	CCT Shifter SNAP Lens - 2" Color Filter, 1/2 CTO, 3000K to 2400K	
97691696	CCT Shifter SNAP Lens - 2" Color Filter, 3/4 CTO, 3000K to 2200K	
97691697	SNAP Lens - 2" Linear Beam Spreader 10°x25°	
97691698	SNAP Lens - 2" Linear Beam Spreader 10°x36°	
97691701	SNAP Lens - 2" Beam Spreader 17°	
97691702	SNAP Lens - 2" Beam Spreader 25°	
97691703	SNAP Lens - 2" Beam Spreader 36°	
97691704	SNAP Lens - 2" Beam Spreader 60°	
97691699	SNAP Lens - 2" Louver 40°	

AR III - 12V

							Compatible CCT Shifter	Compat. Linear Louver System
97692327	 	12.5 W	575 lm	2700K	CRI>95	8°		
97692427		12.5 W	575 lm	2700K	CRI>95	36°		
97692330		12.5 W	620 lm	3000K	CRI>95	8°		
97692430		12.5 W	620 lm	3000K	CRI>95	36°		

Works with electronic gears (pag. 472)







SNAP System - Large Lamps

97692595	CCT Shifter SNAP Lens - 4" Color Filter, 1/2 CTO, 3000K to 2700K	
97692596	CCT Shifter SNAP Lens - 4" Color Filter, 3/4 CTO, 3000K to 2200K	
97692597	SNAP Lens - 4" Linear Beam Spreader 10°x36°	
97692598	SNAP Lens - 4" Linear Beam Spreader 10°x60°	
97692601	SNAP Lens - 4" Beam Spreader 17°	
97692602	SNAP Lens - 4" Beam Spreader 25°	
97692603	SNAP Lens - 4" Beam Spreader 36°	
97692604	SNAP Lens - 4" Beam Spreader 60°	
97692599	SNAP Lens - 4" Louver 40°	

DRIVERS

CONSTANT / CURRENT DRIVER









200 mA

Constant current LED driver of 6-8W, 220-240V - 50/60Hz, with 200mA	Controlador LED de corriente constante de 6-8W, 220-240V - 50/60Hz, con 200mA			98310509C
Constant current LED driver of 1-20W, 100-240V - 50/60Hz, with 200mA	Controlador LED de corriente constante de 1-20W, 100-240V - 50/60Hz, con 200mA			98310620
Constant current LED driver of 10W, 220-240V - 50/60Hz, with 250mA TRIAC C	Controlador LED de corriente constante de 10W, 220-240V - 50/60Hz, con 250mA			98310510C

350 mA

Constant current LED driver of 3-10W, 220-240V - 50/60Hz, with 350mA TRIAC	Controlador LED de corriente constante de 3-10W, 220-240V - 50/60Hz, con 350mA			98310110LC
Constant current LED driver of 10-14W, 220-240V - 50/60Hz, with 350mA TRIAC C	Controlador LED de corriente constante de 10-14W, 220-240V - 50/60Hz, con 350mA			98310114C
Constant current LED driver of 9-18W, 220-240V - 50/60Hz, with 350mA TRIAC LC	Controlador LED de corriente constante de 9-18W, 220-240V - 50/60Hz, con 350mA			98310118LC
Constant current LED driver of 8-16W, 100-240V - 50/60Hz, with 350mA	Controlador LED de corriente constante de 8-16W, 100-240V - 50/60Hz, con 350mA			98310116
Constant current LED driver of 1-20W, 100-240V - 50/60Hz, with 350mA	Controlador LED de corriente constante de 1-20W, 100-240V - 50/60Hz, con 350mA			98310620
Constant current LED driver of 1-3W, 100-240V - 50/60Hz, with 350mA	Controlador LED de corriente constante de 1-3W, 100-240V - 50/60Hz, con 350mA			98310103



500 mA

Constant current LED driver of 4,5-7W, 220-240V - 50/60Hz, with 500mA TRIAC C	Controlador LED de corriente constante de 4,5-7W, 220-240V - 50/60Hz, con 500mA			98310307C
Constant current LED driver of 8-21W, 220-240V - 50/60Hz, with 500mA TRIAC LC	Controlador LED de corriente constante de 8-21W, 220-240V - 50/60Hz, con 500mA			98310321LC
Constant current LED driver of 10,5-21W, 100-240V - 50/60Hz, with 500mA	Controlador LED de corriente constante de 10,5-21W, 100-240V - 50/60Hz, con 500mA			98310321
Constant current LED driver of 3-6W, 100-240V - 50/60Hz, with 500mA	Controlador LED de corriente constante de 3-6W, 100-240V - 50/60Hz, con 500mA			98310306



700 mA

Constant current LED driver of 4-10W, 220-240V - 50/60Hz, with 700mA TRIAC LC	Controlador LED de corriente constante de 4-10W, 220-240V - 50/60Hz, con 700mA			98310210
Constant current LED driver of 11-20W, 220-240V - 50/60Hz, with 700mA TRIAC LC	Controlador LED de corriente constante de 11-20W, 220-240V - 50/60Hz, con 700mA			98310220LC
Constant current LED driver of 21-31W, 220-240V - 50/60Hz, with 700mA TRIAC C	Controlador LED de corriente constante de 21-31W, 220-240V - 50/60Hz, con 700mA			98310233
Constant current LED driver of 14-30W, 100-240V - 50/60Hz, with 700mA	Controlador LED de corriente constante de 14-30W, 100-240V - 50/60Hz, con 700mA			98310233
Constant current LED driver of 21-30W, 220-240V - 50/60Hz, with 700mA	Controlador LED de corriente constante de 21-30W, 220-240V - 50/60Hz, con 700mA			98310233
Constant current LED driver of 3W, 100-240V - 50/60Hz, with 700mA	Controlador LED de corriente constante de 3W, 100-240V - 50/60Hz, con 700mA			98310233
Constant current LED driver of 1-6W, 100-240V - 50/60Hz, with 700mA	Controlador LED de corriente constante de 1-6W, 100-240V - 50/60Hz, con 700mA			98310206E

1050 mA







Dimmable constant current LED driver up to 40W, 100-240, 50/60Hz.	Controlador LED de corriente constante regulable hasta 40W, 100-240, 50 / 60Hz. Multi-corriente con dip-switch.			98310444
---	---	---	--	----------

MULTICURRENT & SPECIAL DIM



Dimmable constant current LED driver up to 20W, 100-240, 50/60Hz. Multi-current with dip-switch. Currents available: 250-900mA in steps of 50mA. Dimmable options are: PUSH and 0/1-10V	Controlador LED de corriente constante regulable hasta 20W, 100-240, 50 / 60Hz. Multi-corriente con dip-switch. Corrientes disponibles: 250-900mA en pasos de 50mA. Las opciones regulables son: PUSH y 0 / 1-10V			98311320
Dimmable constant current LED driver up to 50W, 100-240, 50/60Hz. Multi-current with dip-switch. Currents available: 350-500-550-650-700-750-850-900-1050mA. Dimmable options are: PUSH, 1-10V and DALI	Controlador LED de corriente constante regulable hasta 50W, 100-240, 50 / 60Hz. Multi-corriente con dip-switch. Corrientes disponibles: 350-500-550-650-700-750-850-900-1050mA. Las opciones regulables son: PUSH, 1-10V y DALI			98310599
Constant current LED driver of 10-20W, 220-240V - 50/60Hz, with 250-700mA	Controlador LED de corriente constante de 10-20W, 220-240V - 50/60Hz, con 250-700mA			98310538
Constant current LED driver of 30-60W, 100-240V - 50/60Hz, with 1200mA	Controlador LED de corriente constante de 30-60W, 100-240V - 50/60Hz, con 1200mA			98310538
Dimmable constant current LED driver up to 38W, 220-240, 50/60Hz. Multi-current with dip-switch. Currents available: 300-1050mA in steps of 50mA. Dimmable options are: PUSH and DALI	Controlador LED de corriente constante regulable hasta 38W, 220-240, 50/60Hz. Multi-corriente con dip-switch. Corrientes disponibles: 300-1050mA en pasos de 50mA. Las opciones regulables son: PUSH y DALI			98310536





CONSTANT VOLTAGE / POWER SUPPLY

12V

<p>Constant voltage power supply for 12V DC. Supplies up to 12W, 220-240V, 50/60Hz</p>	<p>Fuente de alimentación de voltaje constante para 12V DC. Suministra hasta 12W, 220-240V, 50/60Hz.</p>			98111012
<p>Constant voltage power supply for 12V DC. Supplies up to 20W, 220-240V, 50/60Hz.</p>	<p>Fuente de alimentación de voltaje constante para 12V DC. Suministra hasta 20W, 220-240V, 50/60Hz.</p>			98111020
<p>Constant voltage power supply for SORAA lamps working at 12V. Supplies up to 20W, 100-240V, 50/60Hz. Dimmable options are: DALI.</p>	<p>Fuente de alimentación de voltaje constante para lámparas SORAA que funcionan a 12V. Suministra hasta 20W, 100-240V, 50/60Hz. Las opciones regulables son: DALI.</p>			971197

24V

<p>Constant voltage power supply for 24V DC. Supplies up to 6W, 100-240V, 50/60Hz</p>	<p>Fuente de alimentación de voltaje constante para 24V DC. Suministra hasta 6W, 100-240V, 50/60Hz</p>			98324006
<p>Constant voltage power supply for 24V DC. Supplies up to 20W, 100-240V, 50/60Hz</p>	<p>Fuente de alimentación de voltaje constante para 24V DC. Suministra hasta 20W, 100-240V, 50/60Hz</p>			98324020U
<p>Constant voltage power supply for 24V DC. Supplies up to 30W, 220-240V, 50/60Hz</p>	<p>Fuente de alimentación de voltaje constante para 24V DC. Suministra hasta 30W, 220-240V, 50/60Hz</p>			98324030
<p>Constant voltage power supply for 24V DC. Supplies up to 30W, 220-240V, 50/60Hz. With protection rated at IP67</p>	<p>Fuente de alimentación de voltaje constante para 24V DC. Suministra hasta 30W, 220-240V, 50/60Hz. Con protección clasificada en IP67</p>			98324031
<p>Constant voltage power supply for 24V DC. Supplies up to 75W, 220-240V, 50/60Hz</p>	<p>Fuente de alimentación de voltaje constante para 24V DC. Suministra hasta 75W, 220-240V, 50/60Hz</p>			98324060
<p>Constant voltage power supply for 24V DC. Supplies up to 75W, 220-240V, 50/60Hz. With protection rated at IP67</p>	<p>Fuente de alimentación de voltaje constante para 24V DC. Suministra hasta 75W, 220-240V, 50/60Hz. Con protección clasificada en IP67</p>			98324076
<p>Constant voltage power supply for 24V DC. Supplies up to 100W, 220-240V, 50/60Hz. With protection rated at IP67</p>	<p>Fuente de alimentación de voltaje constante para 24V DC. Suministra hasta 100W, 220-240V, 50/60Hz. Con protección clasificada en IP67</p>			98324101
<p>Constant voltage power supply for 24V DC. Supplies up to 150W, 220-240V, 50/60Hz. With protection rated at IP67</p>	<p>Fuente de alimentación de voltaje constante para 24V DC. Suministra hasta 150W, 220-240V, 50/60Hz. Con protección clasificada en IP67</p>			98324151
<p>Constant voltage power supply for 24V DC. Supplies up to 120W, 220-240V, 50/60Hz</p>	<p>Fuente de alimentación de voltaje constante para 24V DC. Suministra hasta 120W, 220-240V, 50/60Hz</p>			98324120

Constant voltage power supply for 24V DC. Supplies up to 180W, 220-240V, 50/60Hz	Fuente de alimentación de voltaje constante para 24V DC. Suministra hasta 180W, 220-240V, 50/60Hz			98324180
Constant voltage power supply for 24V DC. Supplies up to 150-200W, 120-240V, 50/60Hz	Fuente de alimentación de voltaje constante para 24V DC. Suministra hasta 150-200W, 120-240V, 50/60Hz			98324150U

SALES CONDITIONS / CONDICIONES DE VENTA

PRICES




Prices established in this price list cancel all the previous ones and can be modified without notice. Conditions, characteristics and product prices set in this price list are the current ones on the printing date unless misprint and are subject to possible modifications. Prices set in this price list cancel all the previous ones and can be modified without notice. Taxes and rates charged in our invoices will be met by the buyer.

The catalogue prices are public prices.

VAT IS NOT INCLUDED IN THIS PRICE LIST.

Valid prices for Germany, Belgium, Spain, France, Greece, Holland and Portugal.

COLOR CODE OF EURO COLUMN

	Products from standard range.
	Products of the range 1.
	Products of the range 2.

DELIVERIES AND INSURANCE

Before taking on the expedition, the buyer should make sure that all bulks are in perfect conditions. If any anomaly, waste or breakage is detected, opening in the presence of a transport company agent or an insurance company agent should be done.

S

Las condiciones, características y s de los productos que aparecen en esta tarifa son los vigentes a la fecha de impresión salvo error tipográfico y están sujetos a posibles modificaciones. Los s señalados en esta tarifa anulan todos los anteriores y pueden ser modificados sin previo aviso. Serán a cargo del comprador cuantos impuestos y tasas graven la operación objeto de nuestras facturas. Los s mostrados son s de venta al público (PVP). IVA NO INCLUIDO EN TARIFA.

Tarifa válida para Alemania, Bélgica, España, Francia, Grecia, Holanda y Portugal.

CÓDIGO DE COLORES DE LA COLUMNA EURO

	Productos gama estándar.
	Productos gama 1.
	Productos gama 2.

ENVIOS Y SEGUROS

Antes de hacerse cargo de la expedición, el comprador deberá asegurarse de que los bultos están en perfectas condiciones. En caso de detectar alguna anomalía, merma o rotura deberá exigir su apertura en presencia de algún agente de la compañía de transportes o de la compañía aseguradora en su caso.

PRIX

Les conditions, caractéristiques et prix des produits qui apparaissent dans ces tarifs sont ceux en vigueur à la date d'impression sauf erreur typographique et sont susceptibles de modifications.

Les prix indiqués dans ces tarifs annulent tous les prix antérieurs et peuvent être modifiés sans préavis. Les impôts et les taxes seront à la charge de l'acheteur grévant l'opération objet de nos factures. Les prix du catalogue son les prix de vente public.

TVA NON COMPRISE DANS LES TARIFS

Tarifs valables pour l'Allemagne, la Belgique, l'Espagne, la France, la Grèce, la Hollande et le Portugal.

CODE COULEUR DE LA COLONNE EURO

	Produits de la gamme standard.
	Produits gamme 1.
	Produits gamme 2.

ENVOIS ET ASSURANCES

Avant de se faire responsable de l'expédition, l'acheteur devra s'assurer que les colis sont en parfaites conditions. S'il détecte une anomalie, une perte ou une rupture, celui-ci devra exiger l'ouverture en présence d'un agent de l'entreprise de transport ou de la compagnie d'assurance.

DELIVERY TERMS

Delivery terms are approximate and start from the order approval date on the part of LOREFAR, S.L.

CLAIMS AND RETURNS

Claims should be done within 8 days from the merchandise reception. No returns which have not previously been accepted by LOREFAR, S.L. will be admitted. Merchandise not delivered in perfect conditions and free of charge will not be accepted. Returns will be accepted if faulty merchandise, not due to broken glass or missing components previous notice to LOREFAR S.L. In such cases, please get in touch with us so that we can urgently deliver required parts.

Changes or returns of merchandise in good conditions will not be accepted. In case of explicit acceptance by LOREFAR, S.L., 20% for depreciation and merchandise sorting will be charged when receiving and checking.

SAMPLES

Samples will be completely paid when returning provided that they are in perfect conditions.

PRODUCTS

All products shown in this catalogue are supplied individually (accessories, equipments and lamps). Acceptance of our invoices or delivery notes and mentioned merchandise by the buyer, means implicit consent to our general sales conditions.

PLAZOS DE ENTREGA

Los plazos de entrega se entienden aproximados y empiezan a contar desde la fecha de aceptación del pedido por parte de LOREFAR S.L.

RECLAMACIONES Y DEVOLUCIONES

Las reclamaciones deberán hacerse dentro de los ocho días siguientes a la recepción de la mercancía. No se admitirá ninguna devolución que no haya sido previamente aceptada por LOREFAR S.L., ni mercancía que no sea entregada en perfecto estado y libre de todo gasto. Previa comunicación a LOREFAR S.L. se aceptará la mercancía devuelta por defectuosa, nunca por cristales rotos o falta de algún componente. En estos casos rogamos se pongan en contacto con nosotros para enviarnos urgentemente las piezas requeridas. No se admitirán cambios ni devoluciones de mercancía en buen estado. En caso de aceptación explícita por parte de LOREFAR S.L., a su recepción y comprobación se emitirá un cargo del 20% en concepto de depreciación y clasificación de la mercancía.

MUESTRAS

Las muestras se abonarán completamente a su devolución, siempre que se encuentren en perfecto estado.

PRODUCTOS

Todos los productos que se muestran en este catálogo se suministran unitariamente (accesorios, equipos y lámparas). La aceptación por parte del comprador de nuestras facturas o albaranes y de las mercancías allí reseñadas, supone su conformidad implícita a nuestras condiciones generales de venta.

DÉLAIS DE LIVRAISON

Les délais de livraison sont approximatifs et commencent à courir à partir de la date d'acceptation de la commande de la part de LOREFAR S.L.

RÉCLAMATIONS ET RENVOIS

Les réclamations devront être réalisées dans les huit jours suivants la réception de la marchandise. Aucun renvoi non préalablement accepté par LOREFAR S.L. ne sera admis, ni aucune marchandise non livrée en parfait état et libre de tout frais. Après communication préalable à LOREFAR S.L. la marchandise défectueuse sera renvoyée, mais dans le cas de verres brisés ou de l'absence d'un composant. Dans ces cas nous vous prions de prendre contact avec nous afin que nous vous envoyions de manière urgente les pièces demandées. Les changements ou les retours de marchandises en bon état ne seront pas admis. En cas d'acceptation explicite de la part de LOREFAR S.L., lors de sa réception et de sa vérification un coût de 20% en concept de dépréciation et de classification de la marchandise sera facturé.

ÉCHANTILLONS

Les échantillons seront complètement payés lors de leur renvoi, toujours à condition qu'ils soient en bon état.

PRODUITS

Tous les produits de ce catalogue sont fournis unitairement (accessoires, équipements et lampes). L'acceptation de la part de l'acheteur de nos factures ou bordereaux et des marchandises signalées sur celles-ci, suppose sa conformité implicite à nos conditions générales de vente.



FAN

VENTILACIÓN

A modern office interior featuring a large window with a view of a building. The room includes a wooden dining table with chairs, a large potted plant, and a conference table with black chairs. The floor is made of light-colored wood. The text 'FAN' is at the top and 'VENTILACIÓN' is at the bottom.

Por qué elegir un ventilador faro

Why choose our fans

ALL YEAR ROUND
TODO EL AÑO



Reverse function.
Función inversa.

ENGINE GUARANTEE
GARANTÍA DEL MOTOR

15
YEARS

Engine guaranteed for 15 years.
Motor con garantía de 15 años.

HIGH PERFORMANCE
ALTA CALIDAD



Quality control at our laboratory.
Control de calidad en nuestro propio laboratorio.

ENERGY SAVING
AHORRO



Over 50% energy saving.
Más del 50% de ahorro energético.

Ventajas motor dc

Motor DC advantages

ENERGY SAVING
AHORRO

UP TO
70%
LESS ELECTRICITY

LIGHT WEIGHT
MÁS LIGERO



NOISELESS
MÁS SILENCIOSO



6 SPEEDS
6 VELOCIDADES

6
SPEEDS

LONG LIFE
MAYOR VIDA



Elige el tamaño de tu ventilador

Choose the size of your fan

Size is really important when selecting your ceiling fan. If a fan is too large, it can overwhelm the space. On the flip side, if the fan is too small, the airflow may be inadequate for that area.

El tamaño es muy importante a la hora de elegir tu ventilador de techo. Si un ventilador es demasiado grande, puede abrumar el espacio. Por otro lado, si el ventilador es demasiado pequeño, el flujo de aire puede ser inadecuado para esa área.

XL

EXTRA LARGE
EXTRA GRANDE

28 m² or more
300 SQ.FT or more



over \varnothing 165 cm.
over \varnothing 56 inch.



L

LARGE
GRANDE

17,6-28 m²
190-300 SQ.FT



\varnothing 127-132 cm.
 \varnothing 50-54 inch.



M

MEDIUM
MEDIANO

13-17,6 m²
140-190 SQ.FT



\varnothing 107-132 cm.
 \varnothing 44-48 inch.



S

SMALL
PEQUEÑO

13 m² or less
140 SQ.FT or less



\varnothing 107 cm. or less
 \varnothing 42 inch. or less



MODEL	DIMENSIONS MEDIDAS				TECHNOLOGY TECNOLOGÍA			LIGHT LUZ				ACCESSORIES ACCESORIOS			Ceiling mounted	Inclining roof
	S	M	L	XL	Motor DC	IP44	Summer Winter	With light	Without light	LED	Optional	Control remote	Wall control	Chain		
Alo (Light)			•				•	•		•				incl.		•
Alo			•				•		•					incl.		•
Aloha			•				•		•		•			incl.		•
Andros				•	•		•		•					incl.		•
Aoba				•	•		•		•					incl.		•
Attos NEW				•	•		•	•		•				incl.		•
Cebu	•						•	•						incl.		•
Century				•	•		•	•		•				incl.		•
Chicago	•							•						incl.		•
Cies				•	•		•		•		•			incl.		•
Cocos			•		•		•	•		•				incl.		•
Corso			•				•	•					optional		incl.	•
Cuba			•				•		•				optional		incl.	•
Decofan NEW	•				•		•		•		•			incl.		•
Disc			•		•		•	•		•				incl.		•
Easy	•						•	•						incl.		•
Eco Indus		•					•		•				optional	incl.		•
Eterfan		•			•		•		•		•			incl.		•
Factory	•						•		•						incl.	•
Feroe	•							•						incl.		•
Grid			•		•		•		•		•			incl.		•
Hydra NEW			•		•		•	•			•			incl.		•
Ibiza			•				•		•					incl.		•
Icaria			•				•	•						incl.		•
Ice			•				•	•		•				incl.		•
Indus			•						•					incl.		•
Islot NEW			•		•		•		•					incl.		•
Izaro			•		•		•	•		•				incl.		•
Just Fan S	•				•		•		•		•			incl.		•
Just Fan M		•			•		•		•		•			incl.		•
Just Fan XL				•	•		•		•		•			incl.		•
Keiki	•						•		•					incl.		•
Komodo		•					•	•							incl.	•
Lama			•				•		•					incl.		•
Lantau L			•				•		•					incl.		•
Lantau L (Light) NEW			•				•	•		•				incl.		•
Lantau XL				•			•		•					incl.		•
Lantau XL (Light)				•			•	•		•				incl.		•
Leyte			•		•		•	•		•				incl.		•
Lisboa	•						•	•					optional		incl.	•
Lombok			•				•	•					optional		incl.	•
Luzon			•						•					incl.		•
Mallorca			•				•		•					incl.		•
Malvinas			•		•		•		•					incl.		•
Manhattan				•	•		•	•		•				incl.		•
Manila			•				•	•					optional		incl.	•

MODEL	DIMENSIONS MEDIDAS				TECHNOLOGY TECNOLOGÍA			LIGHT LUZ				ACCESSORIES ACCESORIOS			Ceiling mounted	Inclining roof
	S	M	L	XL	Motor DC	IP44	Summer Winter	With light	Without light	LED	Optional	Control remote	Wall control	Chain		
Mediterráneo	•							•							incl.	
Meno				•			•		•					incl.		•
Mini Eterfan		•			•		•		•		•		incl.			
Mini Icaria	•						•	•					incl.			•
Mini Indus	•								•				incl.			
Mini Lantau	•						•		•				incl.			•
Mini Mallorca	•						•		•				incl.			•
Mini Tube		•			•		•		•		•		incl.			
Mini Ufo	•						•	•					incl.			
Molokai		•			•		•		•				incl.			•
Morea			•		•		•		•				incl.			•
Nassau		•			•		•		•				incl.			•
Nias			•		•		•		•				incl.		•	
Nisos				•			•		•			optional		incl.	•	•
Nova			•				•	•					incl.			•
Nuu			•		•		•		•				incl.			•
Nuu (Light)			•		•		•	•		•			incl.			•
Oboe	•						•		•							•
Palao	•						•	•				optional		incl.		•
Palk			•		•		•	•					incl.			•
Panay		•						•					incl.			•
Pemba			•		•		•		•		•		incl.			
Polaris			•		•		•	•		•			incl.			•
Polea			•		•		•		•				incl.			•
Poros NEW			•		•		•	•		•			incl.			•
Saona NEW			•		•		•	•		•			incl.			•
Sioux			•		•	•	•		•				incl.			•
Siros NEW			•		•		•		•				incl.			•
Rodas NEW			•		•		•	•		•			incl.			•
Tabarca			•				•	•					incl.			•
Tilos				•	•		•	•					incl.			•
Timor			•				•	•		•			incl.			
Tonic			•		•		•		•	•			incl.			•
Tonsay			•				•	•					incl.			
Tube		•							•		•		incl.			
Typhoon			•		•	•	•				•		incl.			•
Vanu				•			•	•					incl.		•	•
Vedra	•						•		•			optional	incl.			•
Vulcano			•				•	•		•			incl.			•
Winch			•				•	•					incl.		•	•
Winche			•		•	•	•				•		incl.			•
Wind			•				•	•					incl.			
Yakarta		•					•		•			optional		incl.		•



MANHATTAN

244 <small>CM</small>	96 <small>INCH</small>	 <small>> 28 M2 > 300 SQ.FT</small>	DC <small>MOTOR</small>	IoT <small>AVAILABLE</small>	 <small>SUMMER WINTER</small>	 <small>REMOTE CONTROL</small>	 <small>INCLINING ROOF</small>
---------------------------------	----------------------------------	--	-----------------------------------	--	--------------------------------------	---------------------------------------	---------------------------------------



33496


33496W **IoT VERSION (*)**

Body matt nickel/níquel mate

Blades matt nickel/níquel mate

Body Steel/Acero
 Blades Aluminium/Aluminio
 W 15-20-25-30-35-56
 RPM 50-55-60-65-70-78
 Airflow 269,12 m³ min/9500 CFM
 Voltage (V/Hz) 220-240/50-60
 Optional downrod p. 610

LED SMD I6W
 CRI>80 Driver ✓
 Diff Polycarbonate/
 Policarbonato
TEMPERATURE
DIMMABLE
 2700K 795lm
 3300K 2250lm
 4600K 1400lm




A	AI
360/14.17"	325/12.79"
B	C
200/7.87"	130/5.12"
D	E
55/2.16"	130/5.12"
F	G
2440/96"	1160/45.67"

(*)IoT VERSION More info page / Más info página 12-13

Add an W at the end of fan reference. This technology has an additional cost of 85€ (Net price. Does not support discounts).

Añade una W al final de la referencia del ventilador. Esta tecnología tiene un coste adicional de 85€ (Precio neto. No admite descuentos).



213 CM	84 INCH	> 28 M2 > 300 SQ.FT	DC MOTOR	IoT AVAILABLE	SUMMER WINTER	REMOTE CONTROL	INCLINING ROOF
------------------	-------------------	------------------------	--------------------	-------------------------	------------------	-------------------	-------------------



33494
33494W IoT VERSION (*)
Body white/blanco
Blades white/blanco




33495
33495W IoT VERSION (*)
Body brown/marrón
Blades brown/marrón



Body Metal
Blades ABS
W 5-7-12-18-28-44
RPM 30-44-58-72-86-103
Voltage (V/Hz) 220-240/60
Optional downrod p. 610

LED SMD 18W CRI>80
Driver
Diff Polycarbonate/
Policarbonato
TEMPERATURE
DIMMABLE
2700K 1000LM
3300K 1100LM
4600K 1200LM



A	AI
340/13.3"	210/8.2"
B	C
120/4.7"	130/5.1"
D	E
60/2.3"	130/5.1"
F	G
2130/84"	1020/40.1"

(*)IoT VERSION More info page / Más info página 12-13

Add an W at the end of fan reference. This technology has an additional cost of 85€ (Net price. Does not support discounts).
Añade una W al final de la referencia del ventilador. Esta tecnología tiene un coste adicional de 85€ (Precio neto. No admite descuentos).



ANDROS

213 CM	84 INCH	> 28 M2 > 300 SQ.FT	DC MOTOR	SUMMER WINTER	REMOTE CONTROL	INCLINING ROOF
------------------	-------------------	--	--------------------	--------------------------------	---------------------------------	---------------------------------



33461
Body white/blanco
Blades white/blanco



33462
Body brown/marrón
Blades brown/marrón



33465
Body matt nickel/níquel mate
Blades aluminium/aluminio

OPTIONAL DOWNROD/TIJAS OPCIONALES



34002 1220mm/48in matt nickel
níquel mate



34001 900mm/35in matt nickel
níquel mate



34000 600mm/23in matt nickel
níquel mate

34008 1220mm/48in brown
marrón

34007 900mm/35in brown
marrón


34006 600mm/23in brown
marrón

34011 1220mm/48in white
blanco

34010 900mm/35in white
blanco

34009 600mm/23in white
blanco

Body Steel/Acero
Blades Aluminium/Aluminio
W 4-6-10-15-22-35
RPM 30-41-53-64-74-88
Airflow 406,40 m3 min/14352 CFM
Voltage (V/Hz) 220-240/50-60



A	AI
460/18.1"	425/16.7"
B	C
220/8.6"	240/9.4"
D	E
50/1.96"	Ø150/5.9"
F	G
Ø2133/83.9"	950/37.4"



CIES

210 CM	83 INCH	> 28 M2 > 300 SQ.FT	DC MOTOR	IoT AVAILABLE	SUMMER WINTER	REMOTE CONTROL	INCLINING ROOF
------------------	-------------------	------------------------	--------------------	-------------------------	------------------	-------------------	-------------------



33512
33512W IoT VERSION (*)
 Body shiny white/blanco brillo
 Blades white/blanco


**OPTIONAL LIGHT KIT/
 KIT DE LUZ OPCIONAL**



33513
 white/blanco

Body Steel/Acero
 Blades ABS
 W 6-9-15-28-44
 RPM 54-67-79-98-112
 Airflow 344.4 m3 min/12159 CFM
 Voltage (V/Hz) 220-240/50-60

DIMMABLE SMD LED
 18W 3000K 900lm
 CRI>80 Driver ✓
 Diff
 ABS+Polycarbonate/
 ABS+Polycarbonato



A	AI
430/16.92"	380/14.96"
B	C
250/9.84"	230/9.05"
D	E
50/1.96"	148/5.83"
F	G
210/8.33"	930/36.61"

(*)IoT VERSION More info page / Más info página 12-13

Add an W at the end of fan reference. This technology has an additional cost of 85€ (Net price. Does not support discounts).
 Añade una W al final de la referencia del ventilador. Esta tecnología tiene un coste adicional de 85€ (Precio neto. No admite descuentos).




AOBA

<p>∅ 180 CM</p>	<p>∅ 71 INCH</p>	<p>HOUSE > 28 M2 > 300 SQ.FT</p>	<p>REMOTE CONTROL</p>
---------------------	----------------------	--	---------------------------




33349
 Body black/negro
 Blades wood/madera

Body Steel/Acero
 Blades Wood/Madera
 W 30-70-88
 RPM 74-125-152
 Airflow 120m3 min/4237,7CFM
 Voltage (V/Hz) 220-240/50
 Downrods (3) ✓
 203mm/8" | 305mm/12" | 510mm/20"



A	A1
520/20.47"	410/16.14"
B	C
200/7.87"	230/9.05"
D	E
145/5.70"	160/6.29"
F	G
1800/70.86"	780/30.70"








33430
33430W IoT VERSION (*)
Body matt black/negro mate
Blades dark walnut/nogal oscuro



33432
33432W IoT VERSION (*)
Body matt black/negro mate
Blades matt black/negro mate

Body Metal
Blades ABS
W 4-6-9-12-17-31
RPM 48-64-82-98-114-145
Airflow 175,28 m3 min/61 90,01 CFM
Voltage (V/Hz) 220-240/50-60
Downrods (3) 
101mm/3.9" | 203mm/7.8" | 457mm/17.7"



A	AI
640/25.2"	630/24.8"
B	C
180/7.05"	Ø130/5.1"
D	E
55/2.1"	Ø130/5.1"
F	G
Ø1780/70"	890/35"

(*)IoT VERSION More info page / Más info página 12-13

Add an W at the end of fan reference. This technology has an additional cost of 85€ (Net price. Does not support discounts).
Añade una W al final de la referencia del ventilador. Esta tecnología tiene un coste adicional de 85€ (Precio neto. No admite descuentos).



NISOS


178 <small>CM</small>	70 <small>INCH</small>	 <small>> 28 M2</small> <small>> 300 SQ.FT</small>	 <small>SUMMER</small> <small>WINTER</small>	 <small>INCLINING</small> <small>ROOF</small>	 <small>DIRECT CEILING</small> <small>MOUNTING</small>	 <small>CONTROLLED</small> <small>BY CHAINS</small>
---------------------------------	----------------------------------	--	--	---	--	---



33363
 Body dark brown/marrón oscuro
 Blades cherry+dark walnut/cerezo+nogal oscuro



Body Metal
 Blades Plywood
 W 26-50-88
 RPM 59-83-113
 Voltage (V/Hz) 220-240/50
 Airflow 154 m3 min/5500 CFM
 Optional downrod p. 610
 Remote control [33929/33937]



A	AI
860/33.8"	820/31.6"
B	C
200/7.87"	300/11.8"
D	E
60/2.35"	Ø130/5.1"
F	G
Ø1780/70.1"	750/29.5"

A	AI
260/10.2"	230/9"
B	C
200/7.87"	300/11.8"
D	E
60/2.35"	Ø130/5.1"
F	G
Ø1780/70.1"	750/29.5"



LANTAU

168 CM	66 INCH	> 28 M2 > 300 SQ.FT	SUMMER WINTER	REMOTE CONTROL	INCLINING ROOF
------------------	-------------------	------------------------	------------------	-------------------	-------------------



33463
 Body matt nickel/níquel mate
 Blades dark walnut/nogal oscuro




33505
 Body matt nickel/níquel mate
 Blades pine/pino



Body Steel/Acero
 Blades Wood/Madera
 W 25-47-90
 RPM 70-100-140
 Airflow 26l,6 m3 min/9235 CFM
 Voltage (V/Hz) 220-240/50
 Optional downrod p. 610



AC **LED** SMD
 12W **3000K**
 500lm CRI>80
 Diff Opal Glass/
 Cristal Opal



A	AI
410/16.1"	335/13.2"
B	C
250/9.82"	180/7.05"
D	E
70/2.79"	Ø150/5.9"
F	G
Ø1680/66.1"	840/33"



LANTAU

 168 CM	 66 INCH	 > 28 M2 > 300 SQ.FT	 SUMMER WINTER	 REMOTE CONTROL	 INCLINING ROOF
--	---	---	---	--	--




33464
 Body matt nickel/níquel mate
 Blades dark walnut/nogal oscuro



33504
 Body matt nickel/níquel mate
 Blades pine/pino



Body Steel/Acero
 Blades Wood/Madera
 W 25-50-90
 RPM 70-100-140
 Airflow 261,6 m3 min/9235 CFM
 Voltage (V/Hz) 220-240/50
 Optional downrod p. 610



A	A1
410/16.1"	335/13.2"
B	C
180/7.05"	180/7.05"
D	E
70/2.79"	Ø150/5.9"
F	G
Ø1680/66.1"	840/33"



TILOS

168 CM	66 INCH	> 28 M2 > 300 SQ.FT	DC MOTOR	IoT AVAILABLE	SUMMER WINTER	REMOTE CONTROL	INCLINING ROOF
------------------	-------------------	--	--------------------	-------------------------	--------------------------------	---------------------------------	---------------------------------



33466
33466W IoT VERSION (*)
 Body dark brown/marrón oscuro
 Blades dark brown/marrón oscuro

OPTIONAL DOWNROD/TIJAS OPCIONALES



34005
 dark brown/marrón oscuro
 1220mm/48"




34004
 dark brown/marrón oscuro
 900mm/35"



34003
 dark brown/marrón oscuro
 600mm/23"

Body Steel/Acero
 Blades ABS
 W 4-6-9-14-21-35
 RPM 31-43-55-67-78-95
 Airflow 264,05 m³ min/9325 CFM
 Voltage (V/Hz) 220-240/50-60


2 E27 MAX 15W
LED [17463]
 Diff Opal Glass/
 Cristal Opal



A	A1
500/19.6"	440/17.3"
B	C
290/11.4"	220/8.6"
D	E
60/2.3"	140/5.51"
F	G
1685/66.3"	750/29.5"

(*)IoT VERSION More info page / Más info página 12-13

Add an W at the end of fan reference. This technology has an additional cost of 85€ (Net price. Does not support discounts).
 Añade una W al final de la referencia del ventilador. Esta tecnología tiene un coste adicional de 85€ (Precio neto. No admite descuentos).



CENTURY

165 <small>CM</small>	65 <small>INCH</small>	 <small>> 28 M2 > 300 SQ.FT</small>	IoT <small>AVAILABLE</small>	DC <small>MOTOR</small>	 <small>SUMMER WINTER</small>	 <small>REMOTE CONTROL</small>	 <small>INCLINING ROOF</small>
---------------------------------	----------------------------------	--	--	-----------------------------------	--------------------------------------	---------------------------------------	---------------------------------------




33553
33553W IoT VERSION (*)
 Body white/blanco
 Blades white/blanco



33554
33554W IoT VERSION (*)
 Body matt nickel/níquel mate
 Blades grey/gris

Body Steel/Acero
 Blades Plywood
 W 5-8-12-17-25-35
 RPM 60-80-95-110-125-140
 Airflow 233,4l m3 min/8243 CFM
 Voltage (V/Hz) 220-240/50-60
 Optional downrod p. 610

LED SMD 15W
 3000K 400-1200lm
 CRI>80 Driver ✓
 Diff Opal PMMA/
 PMMA Opal









A	AI
330/12.6"	250/9.8"
B	C
170/6.7"	150/5.9"
D	E
50/1.96"	130/5.11"
F	G
1650/64.9"	750/29.5"

(*)IoT VERSION More info page / Más info página 12-13

Add an W at the end of fan reference. This technology has an additional cost of 85€ (Net price. Does not support discounts).
 Añade una W al final de la referencia del ventilador. Esta tecnología tiene un coste adicional de 85€ (Precio neto. No admite descuentos).

ALO

 152 CM	 60 INCH	 > 17,6-28 M2 190-300 SQ.FT	 SUMMER WINTER	 REMOTE CONTROL	 INCLINING ROOF
--	---	---	--	---	---




33719
Body black/negro
Blades rustic pine/pino rústico



33727 NEW
Body white/blanco
Blades rustic pine/pino rústico

Body Steel/Acero
Blades Wood/Madera
W 14-30-56
RPM 80-113-155
Airflow 129,29 m3 min/4564 CFM
Voltage (V/Hz) 220-240/50
Optional downrod p. 610

LED SMD 17W 3000K
600lm CRI>80 Driver ✓
Diff Opal Glass/Cristal
Opal



A	AI
380/14.9"	335/13.2"
B	C
210/8.26"	ø160/6.3"
D	E
60/23.6"	ø130/5.1"
F	G
ø1520/59.8"	685/27"

ALO

<p>Ø 152 CM</p>	<p>Ø 60 INCH</p>	<p> > 17,6-28 M2 190-300 SQ.FT</p>	<p> SUMMER WINTER</p>	<p> REMOTE CONTROL</p>	<p> INCLINING ROOF</p>
----------------------------	-----------------------------	---	---------------------------	----------------------------	----------------------------




33718
Body matt black/negro mate
Blades rustic pine/pino rústico



33728 NEW
Body white/blanco
Blades rustic pine/pino rústico

Body Steel/Acero
Blades Wood/Madera
W 14-30-56
RPM 80-113-155
Airflow 129,29 m3 min/4564 CFM
Voltage (V/Hz) 220-240/50
Optional downrod p. 610



A	A1
335/13.2"	320/12.6"
B	C
180/70.8"	160/6.29"
D	E
60/23.6"	Ø130/5.1"
F	G
Ø1520/59.8"	760/29.9"

VULCANO


152 <small>CM</small>	60 <small>INCH</small>	 <small>> 17,6-28 M2 190-300 SQ.FT</small>	DC <small>MOTOR</small>	 <small>SUMMER WINTER</small>	 <small>REMOTE CONTROL</small>	 <small>INCLINING ROOF</small>
---------------------------------	----------------------------------	--	-----------------------------------	--------------------------------------	---------------------------------------	---------------------------------------



33549
 Body white/blanco
 Blades white/blanco

Body Steel/Acero
 Blades ABS
 W 5-8-10,5-14,7-16,9-21,4
 RPM 80-108-126-149-161-180
 Airflow 177,88 m3 min/6281,77 CFM
 Voltage (V/Hz) 220-240/50-60
 Optional downrod p. 610

LED SMD 25W
 3000K 2000lm
 CRI>80 Driver ✓
 Diff Opal. Glass/
 Cristal Opal



A	AI
330/13"	250/9.8"
B	C
123/4.84"	284/11.2"
D	E
55/2.16"	Ø139/5.5"
F	G
Ø1524/6"	645/25.4"

TONIC

152 <small>CM</small>	60 <small>INCH</small>	 <small>> 17,6-28 M2 190-300 SQ.FT</small>	DC <small>MOTOR</small>	IoT <small>AVAILABLE</small>	 <small>SUMMER WINTER</small>	 <small>REMOTE CONTROL</small>	 <small>INCLINING ROOF</small>
---------------------------------	----------------------------------	--	-----------------------------------	--	--------------------------------------	---------------------------------------	---------------------------------------




33552
33552W IoT VERSION (*)
 Body dark brown/marrón oscuro
 Blades dark brown/marrón oscuro

Thanks to MIKIMAX

Body Steel/Acero
 Blades ABS
 Accessory cap/Tapa accesorio ✓
 W 5-7-9-11-14-18
 RPM 100-120-140-160-180-200
 Airflow 180,57 m3 min/6377 CFM
 Voltage (V/Hz) 220-240/50-60
 Optional downrod p. 610

LED SMD I5W 3000K
 400-1200lm CRI>80
 Driver ✓
 Diff Polycarbonate/
 Policarbonato



A	A1
310/12.2"	250/9.8"
B	C
190/7.48"	180/7.05"
D	E
50/1.9"	130/5.11"
F	G
1520/59.8"	870/34.2"

(*)IoT VERSION More info page / Más info página 12-13

Add an W at the end of fan reference. This technology has an additional cost of 85€ (Net price. Does not support discounts).
 Añade una W al final de la referencia del ventilador. Esta tecnología tiene un coste adicional de 85€ (Precio neto. No admite descuentos).



MOREA

152 <small>CM</small>	60 <small>INCH</small>	 <small>> 17,6-28 M2 190-300 SQ.FT</small>	DC <small>MOTOR</small>	IoT <small>AVAILABLE</small>	 <small>SUMMER WINTER</small>	 <small>REMOTE CONTROL</small>	 <small>INCLINING ROOF</small>
---------------------------------	----------------------------------	--	-----------------------------------	--	--------------------------------------	---------------------------------------	---------------------------------------




33511
33511 W IoT VERSION (*)
 Body brown/marrón
 Blades nogal wood/madera nogal



33519 NEW
33519 W IoT VERSION (*)
 Body brown/marrón
 Blades pine wood/madera pino

Body Steel/Acero
 Blades ABS
 W 3-7-12-17-38
 RPM 58-105-131-148-195
 Airflow 2 11,7 m³ min/7473 CFM
 Voltage (V/Hz) 220-240/50-60
 Optional downrod p. 610



A	AI
280/11.02"	215/8.46"
B	C
130/5.12"	170/6.69"
D	E
50/1.96"	148/5.83"
F	G
152/60"	750/29.52"

(*)IoT VERSION More info page / Más info página 12-13

Add an W at the end of fan reference. This technology has an additional cost of 85€ (Net price. Does not support discounts).
 Añade una W al final de la referencia del ventilador. Esta tecnología tiene un coste adicional de 85€ (Precio neto. No admite descuentos).



LAMA

143 <small>CM</small>	56 <small>INCH</small>	 <small>> 17,6-28 M2 190-300 SQ.FT</small>	 <small>SUMMER WINTER</small>	 <small>REMOTE CONTROL</small>
---------------------------------	----------------------------------	--	--------------------------------------	---------------------------------------




33506
 Body matt nickel/níquel mate
 Blades pine wood/madera pino





33507
 Body black/negro
 Blades nogal wood/madera nogal

Body Steel/Acero
 Blades Wood/Madera
 W 16-27-44
 RPM 84-114-143
 Airflow 178,83 m3 min/6313 CFM
 Voltage (V/Hz) 220-240/50



A	AI
272/10.6"	220/8.6"
B	C
120/4.7"	180/7.1"
D	E
25/1"	190/7.5"
F	G
1430/56.3"	610/24"

INDUS

<p>∅ 140 CM</p>	<p>∅ 55 INCH</p>	<p>  > 17,6-28 M2 190-300 SQ.FT </p>	<p>  WALL CONTROL </p>
---------------------	----------------------	---	---



33001
Body white/blanco
Blades white/blanco




33002
Body chrome/cromado
Blades chrome/cromado

P.586	P.601
M	S



Body Steel/Acero
 Blades Steel/Acero
 W 16-21-26-32-48
 RPM 113-142-173-203-260
 Airflow 155,52 m3 min/5492 CFM
 Voltage (V/Hz) 220-240/50



A	A1
483/19"	440/17.3"
B	C
160/6.29"	180/7.05"
D	E
120/4.71"	∅145/5.7"
F	G
∅1400/55.1"	555/21.9"

MALVINAS

Ø 140
CM

Ø 55
INCH

 > 17,6-28 M2
190-300 SQ.FT

 SUMMER
WINTER

 WALL
CONTROL

 INCLINING
ROOF




33110
Body dark grey/gris oscuro
Blades
walnut+reddish mahogany/
nogal+caoba rojizo



33111
Body dark brown/marrón oscuro
Blades
mahogany+reddish mahogany/
caoba+caoba rojizo



Body Steel/Acero
Blades MDF
W 24-37-48-57-80
RPM III-145-170-187-229
Airflow 176,22 m³ min/6223 CFM
Voltage (V/Hz) 220-240/50



A	A1
600/23.6"	500/19.6"
B	C
160/6.59"	200/7.87"
D	E
60/2.35"	Ø130/5.1"
F	G
Ø1400/55.1"	590/23.2"

LEYTE


138 CM	54 INCH	> 17,6-28 M2 190-300 SQ.FT	DC MOTOR	IoT AVAILABLE	DIM KELVIN&LM	SUMMER WINTER	WITH PROGRAMMER	INCLINING ROOF
------------------	-------------------	-------------------------------	--------------------	-------------------------	-------------------------	------------------	--------------------	-------------------



33780
33780W IoT VERSION (*)
 Body brown/marrón
 Blades brown/marrón

Body Steel/Acero
 Blades ABS
 With timer/Con temporizador 1-4-8hr
 W 6-10-15-23-39
 RPM 81-102-122-140-165
 Airflow 166,32 m3 min/5803 CFM
 Voltage (V/Hz) 220-240/50-60
 Optional downrod p. 610

LED SMD 20W
 CRI>80 Driver ✓
 Diff ABS
DIMMABLE
 3000K 990lm
 4000K 2250lm
 6000K 1400lm



A	AI
380/14.9"	270/10.6"
B	C
240/94.4"	350/13.7"
D	E
60/23.6"	170/6.7"
F	G
1380/54.3"	590/11.4"

(*)IoT VERSION More info page / Más info página 12-13

Add an W at the end of fan reference. This technology has an additional cost of 85€ (Net price. Does not support discounts).

Añade una W al final de la referencia del ventilador. Esta tecnología tiene un coste adicional de 85€ (Precio neto. No admite descuentos).

COCOS

137 <small>CM</small>	54 <small>INCH</small>	 <small>> 17,6-28 M2 190-300 SQ.FT</small>	DC <small>MOTOR</small>	 <small>SUMMER WINTER</small>	 <small>REMOTE CONTROL</small>	 <small>INCLINING ROOF</small>
---------------------------------	----------------------------------	--	-----------------------------------	--------------------------------------	---------------------------------------	---------------------------------------




33548
 Body white/blanco
 Blades white/blanco



Body Steel/Acero
 Blades ABS
 W 7-10-13-17-24-29
 RPM 66-88-104-115-138-146
 Airflow 234 m3 min/8266 CFM
 Voltage (V/Hz) 230/50-60
 Optional downrod p. 610

LED SMD 20W
 3000K 1600lm
 CRI>80 Driver ✓
 Diff Opal Polycarbonate/Polycarbonato
 Opal



A	Ai
500/19.6"	260/10.2"
B	C
140/5.5"	200/7.87"
D	E
55/2.16"	Ø140/5.5"
F	G
Ø1370/52"	585/23"


MENO

135 CM	53 INCH	> 17,6-28 M ² 190-300 SQ.FT	SUMMER WINTER	REMOTE CONTROL	INCLINING ROOF
------------------	-------------------	---	------------------	-------------------	-------------------



33782
Body white/blanco
Blades white/blanco

Body ABS
Blades ABS
W 22-43-85
RPM 108-162-235
Airflow 192 m³ min/6795 CFM
Voltage (V/Hz) 220-240/50
Optional downrod p. 610



A	AI
320/12.59"	275/10.82"
B	C
160/6.29"	260/10.23"
D	E
60/2.36"	150/5.9"
F	G
1350/53.14"	540/21.25"

NEW SIROS


132 CM	52 INCH	> 17,6-28 M2 190-300 SQ.FT	DC MOTOR	SUMMER WINTER	REMOTE CONTROL	INCLINING ROOF
------------------	-------------------	-------------------------------	--------------------	------------------	-------------------	-------------------



33804
Body white/blanco
Blades white/blanco



Body Steel/Acero
Blades ABS
W 6-12-19-25-38
RPM 85-108-129-150-180
Voltage (V/Hz) 220-240/50-60
Optional downrod p. 610



A	AI
250/9.8"	280/11"
B	C
80/3.1"	210/8.3"
D	E
60/2.4"	150/6"
F	G
1320/52"	580/22.8"


132 CM	52 INCH	> 17,6-28 M2 190-300 SQ.FT	DC MOTOR	SUMMER WINTER	REMOTE CONTROL	INCLINING ROOF
------------------	-------------------	-------------------------------	--------------------	------------------	-------------------	-------------------



33803
Body white/blanco
Blades white/blanco

Body Steel/Acero
Blades ABS
W 5-8-14-21-38
RPM 85-105-126-155-180
Airflow 188 m3 min 6643 CFM
Voltage (V/Hz) 220-240/50-60

LED SMD 24W **3000K**
990lm CRI>80 Driver
Diff ABS
DIMMABLE
3000K 1089lm
4000K 2475lm
6000K 1540lm



A	AI
330/12.99"	250/9.84"
B	C
150/5.90"	330/12.99"
D	E
58/2.29"	150/5.90"
F	G
ø1320/51.9"	490/19.29"

NEW ISLOT

132 CM	52 INCH	> 17,6-28 M2 190-300 SQ.FT	DC MOTOR	SUMMER WINTER	REMOTE CONTROL	INCLINING ROOF
------------------	-------------------	---	--------------------	--------------------------------	---------------------------------	---------------------------------




33802
Body white/blanco
Blades white/blanco



Thanks to **MIKMAX**

Body Steel/Acero
Blades ABS
Diff ABS
W 6-9-15-23-38
RPM 109-140-168-200-235
Airflow 185 m3 min/6550 CFM
Voltage (V/Hz) 220-240/50-60
Optional downrod p. 610



A	A1
280/11"	230/9.1"
B	C
100/3.9"	300/11.8"
D	E
70/2.7"	150/5.9"
F	G
1320/51.9"	520/20.4"






33522
33522W IoT VERSION (*)
 Body white/white
 Blades pine+white/pino+blanco



33523
33523W IoT VERSION (*)
 Body dark brown/marrón oscuro
 Blades dark brown/marrón oscuro

Body Steel/Acero
 Blades Plywood
 W 7-9-12-16-21-26
 RPM 130-145-160-178-194-210
 Airflow 246 m3 min/6300 CFM
 Voltage (V/Hz) 220-240/50-60
 Optional downrod p. 610

LED SMD 5-20W
 3000K 1200 lm
 CRI>80 Driver
 Diff Glass/Cristal



A	AI
370/14.5"	250/9.8"
B	C
230/9.1"	310/12.2"
D	E
70/2.7"	160/6.3"
F	G
1320/51.9"	580/22.8"

(*)IoT VERSION More info page / Más info página 12-13

Add an W at the end of fan reference. This technology has an additional cost of 85€ (Net price. Does not support discounts).
 Añade una W al final de la referencia del ventilador. Esta tecnología tiene un coste adicional de 85€ (Precio neto. No admite descuentos).



Thanks to MIKMAX

NEW POROS


132 CM	52 INCH	> 17,6-28 M2 190-300 SQ.FT	DC MOTOR	DIM KELVIN&LM	SUMMER WINTER	REMOTE CONTROL	INCLINING ROOF
------------------	-------------------	-------------------------------	--------------------	-------------------------	------------------	-------------------	-------------------



33524
Body white/blanco
Blades pine/pino







Body Steel/Acero
Blades Wood/Madera
W 7-9-12-15-20-26
RPM 120-132-145-160-174-185
Airflow 240 m3 min/6244 CFM
Voltage (V/Hz) 220-240/50-60
Optional downrod p. 610

LED SMD 5-19W
2700K 1200lm
CRI>80 Driver
Diff Glass/Cristal



A	AI
370/14.6"	280/11"
B	C
160/6.3"	180/7.1"
D	E
70/2.7"	160/6.3"
F	G
1320/51.9"	560/22.1"

LANTAU

 <p>132 CM</p>	 <p>52 INCH</p>	 <p>> 17,6-28 M2 190-300 SQ.FT</p>	 <p>SUMMER WINTER</p>	 <p>REMOTE CONTROL</p>	 <p>INCLINING ROOF</p>
---	--	--	--	---	---



33370
Body matt nickel/níquel mate
Blades dark walnut/nogal oscuro



33373
Body matt nickel/níquel mate
Blades pine/pino




33516 NEW
Body matt black/negro mate
Blades dark walnut/nogal oscuro



Thanks to **Monica Garrido** Photo **Felipe Scheffel**

Body Steel/Acero
Blades Wood/Madera
W 14-30-65
RPM 90-140-180
Airflow 147,56 m3 min/52 l1 CFM
Voltage (V/Hz) 220-240/50
Optional downrod p. 610



A	A1
330/13"	320/12.6"
B	C
165.6.46"	160/6.29"
D	E
70/2.79"	Ø160/6.3"
F	G
Ø1320/51.9"	660/26"

<p>Ø 132 CM</p>	<p>Ø 52 INCH</p>	<p> > 17,6-28 M2 190-300 SQ.FT </p>	<p> SUMMER WINTER </p>	<p> REMOTE CONTROL </p>	<p> INCLINING ROOF </p>
----------------------------	-----------------------------	---	---	--	--




33518
 Body matt nickel/níquel mate
 Blades dark walnut/nogal oscuro

Thanks to MIKMAX



Body Steel/Acero
Blades Wood/Madera
 W 14-30-65
 RPM 90-140-180
 Airflow 147,56 m3 min/52 l1 CFM
Voltage (V/Hz) 220-240/50
 Optional downrod p. 610

AC **LED** SMD 12W **3000K**
 500lm CRI>80
 Diff Opal Glass/Cristal Opal



A	AI
390/15.3"	290/11.4"
B	C
140/5.6"	170/6.7"
D	E
70/2.7"	150/5.9"
F	G
1320/51.9"	57/2.2"



NEW HYDRA

<p>Ø 132 CM</p>	<p>Ø 52 INCH</p>	<p>> 17,6-28 M2 190-300 SQ.FT</p>	<p>DC MOTOR</p>	<p>IoT AVAILABLE</p>	<p>SUNNY WINTER</p>	<p>REMOTE CONTROL</p>	<p>INCLINING ROOF</p>
----------------------------	-----------------------------	--	----------------------------	---------------------------------	-------------------------	---------------------------	---------------------------




33725
33725W IoT VERSION (*)
 Body black/negro
 Blades dark walnut/nogal oscuro



33726
33726W IoT VERSION (*)
 Body white/blanco
 Blades white/blanco

Body Steel/Acero
 Blades Plywood
 W 6-9-13-17-23-36
 RPM 108-130-152-170-186-218
 Voltage (V/Hz) 220-240/50
 Optional downrod p. 610

LED SMD 20W
 3000K 1100lm
 CRI>80 Driver ✓
 Diff Acrylic/
 Acrílico



A	AI
340/13.4"	300/11.8"
B	C
130/5.1"	250/9.8"
D	E
70/2.7"	130/5.1"
F	G
1350/53.1"	540/21.2"

(*)IoT VERSION More info page / Más info página 12-13

Add an W at the end of fan reference. This technology has an additional cost of 85€ (Net price. Does not support discounts).
 Añade una W al final de la referencia del ventilador. Esta tecnología tiene un coste adicional de 85€ (Precio neto. No admite descuentos).



GRID

132 CM	52 INCH	> 17,6-28 M2 190-300 SQ.FT	DC MOTOR	IoT AVAILABLE	SUMMER WINTER	REMOTE CONTROL	INCLINING ROOF
------------------	-------------------	-------------------------------	--------------------	-------------------------	------------------	-------------------	-------------------



33341
33341W IoT VERSION (*)
 Body white/blanco
 Blades cherry/cerezo



33345
33345W IoT VERSION (*)
 Body black/negro
 Blades brown/marrón


OPTIONAL LIGHT KIT/KIT DE LUZ OPCIONAL



33341K

Body Steel/Acero
 Blades ABS
 W 5-9-17-20-30
 RPM 86-135-159-175-197
 Airflow 134 m3 min/4802 CFM
 Voltage (V/Hz) 220-240/50-60

LED SMD 18W 3000K
 1500lm CRI>80
 Driver
 Diff ABS



A	AI
340/13.38"	290/11.41"
B	C
130/5.18"	190/7.48"
D	E
50/1.96"	140/5.51"
F	G
1320/51.96"	560/22.04"

(*)IoT VERSION More info page / Más info página 12-13

Add an W at the end of fan reference. This technology has an additional cost of 85€ (Net price. Does not support discounts).
 Añade una W al final de la referencia del ventilador. Esta tecnología tiene un coste adicional de 85€ (Precio neto. No admite descuentos).



NUU

— Estudi Ribaudí



132 CM	52 INCH	> 17,6-28 M2 190-300 SQ.FT	DC MOTOR	IoT AVAILABLE	SUMMER WINTER	REMOTE CONTROL	INCLINING ROOF
------------------	-------------------	-------------------------------	--------------------	-------------------------	------------------	-------------------	-------------------




3372I
3372IW IoT VERSION (*)
 Body matt white/blanco mate
 Blades matt white/blanco mate



WITH LIGHT/CON LUZ
33722
33722W IoT VERSION (*)
 Body matt white/blanco mate
 Blades matt white/blanco mate

LED SMD 15W **3000K** 600lm CRI>80 Driver
 Diff Steel+Acrylic/Acero+Acrílico

Body Steel/Acero
 Blades ABS
 W 5-8-11-14-21-35
 RPM 106-126-147-165-186-212
 Airflow 104,58m3 min/3693,43 CFM
 Voltage (V/Hz) 220-240/50-60



A	AI
330/12.99"	290/11.41"
B	C
160/6.29"	110/4.33"
D	E
55/2.16"	130/5.12"
F	G
1320/51.96"	600/23.62"





(*)IoT VERSION More info page / Más info página 12-13

Add an W at the end of fan reference. This technology has an additional cost of 85€ (Net price. Does not support discounts).
 Añade una W al final de la referencia del ventilador. Esta tecnología tiene un coste adicional de 85€ (Precio neto. No admite descuentos).



ICE

— Estudi Ribaudí 

132 CM	52 INCH	 > 17,6-28 M2 190-300 SQ.FT	 SUMMER WINTER	 REMOTE CONTROL	 INCLINING ROOF
------------------	-------------------	---	--	---	---




33460 WIRELESS SPEAKER
Body white/blanco
Blades white+maple/blanco+arce



Body Steel/Acero
Blades MDF
W 12-29-53 [33459]
W 13-25-55 [33460]
RPM 75-135-180
Airflow 157,52 m³ min/5563 CFM
Voltage (V/Hz) 220-240/50
Optional downrod p. 610

LED SMD 15W
3000K 800lm
CRI>80 Driver 
Diff Opal Glass/
Cristal Opal



A	AI
385/15.1"	270/10.6"
B	C
210/8.24"	230/7.68"
D	E
65/2.51"	Ø150/5.9"
F	G
Ø1320/51.9"	555/21.9"



DISC

— Conillas 

132 CM	52 INCH	 > 17,6-28 M2 190-300 SQ.FT	DC MOTOR	IoT AVAILABLE	 SUMMER WINTER	 WITH PROGRAMMER	 INCLINING ROOF
------------------	-------------------	---	--------------------	-------------------------	--	--	---




33397
33397W IoT VERSION (*)
 Body white/blanco
 Blades white+maple/blanco+arce



LIGHT DOWN
22W 296lm




LIGHT UP
11W 396lm



LIGHT UP & DOWN
33W 351lm

Body Steel/Acero
 Blades MDF
 W 6-10-13-23-37
 RPM 100-135-160-195-230
 Airflow 2 11,72 m3 min/7477 CFM
 Voltage (V/Hz) 220-240/50-60
 Optional downrod p. 610

LED SMD 19W 2700K
 CRI>80 Driver ✓
 Diff Polycarbonate/
 Policarbonato



A	AI
460/8.1"	330/13"
B	C
280/11"	Ø145/5.7"
D	E
55/2.1"	Ø150/5.9"
F	G
Ø1320/51.9"	576/22.7"

(*)IoT VERSION More info page / Más info página 12-13

Add an W at the end of fan reference. This technology has an additional cost of 85€ (Net price. Does not support discounts).
 Añade una W al final de la referencia del ventilador. Esta tecnología tiene un coste adicional de 85€ (Precio neto. No admite descuentos).



WIND

— Jordi Busquets




132 CM	52 INCH	 > 17,6-28 M2 190-300 SQ.FT	 SUMMER WINTER	 WITH PROGRAMMER
------------------	-------------------	-----------------------------------	----------------------	------------------------



33392
 Body white/blanco
 Blades white/blanco

Body Steel/Acero
 Blades MDF
 W 16-34-62
 RPM 96-146-190
 Airflow 166,42 m3 min/5877 CFM
 Voltage (V/Hz) 220-240/50

2 E27 MAX 15W LED
 [17463]
 Diff Opal Glass/
 Cristal Opal



A	A1
590/23.2"	450/17.7"
B	C
170/6.7"	ø300/11.8"
D	E
80/3.1"	ø130/5.1"
F	G
ø1320/51.9"	545/21.4"



POLEA

— Conillas



<p>∅ 132 CM</p>	<p>∅ 52 INCH</p>	<p> > 17,6-28 M2 190-300 SQ.FT</p>	<p>DC MOTOR</p>	<p>IoT AVAILABLE</p>	<p> SUMMER WINTER</p>	<p> REMOTE CONTROL</p>	<p> INCLINING ROOF</p>
----------------------------	-----------------------------	---	----------------------------	---------------------------------	---------------------------	----------------------------	----------------------------



33724

33724W **IoT VERSION (*)**

Body brown+black/marrón+negro

Blades walnut+black/nogal+negro

Body Steel/Acero

Blades Plywood


W 4-5-8-13-22-34

RPM 30-63-95-127-158-185

Airflow 115,15 m3 min/3846 CFM

Voltage (V/Hz) 220-240/50-60

Optional downrod p. 610



A	AI
372/14.6"	254/10"
B	C
118/4.6"	228/9"
D	E
56/2.2"	130/5.12"
F	G
1322/52"	547/21"

(*)IoT VERSION More info page / Más info página 12-13

Add an W at the end of fan reference. This technology has an additional cost of 85€ (Net price. Does not support discounts).

Añade una W al final de la referencia del ventilador. Esta tecnología tiene un coste adicional de 85€ (Precio neto. No admite descuentos).



WINCH

— Faro Lab



<p>132 CM</p>	<p>52 INCH</p>	<p>> 17,6-28 M2 190-300 SQ.FT</p>	<p>REMOTE CONTROL</p>	<p>INCLINING ROOF</p>	<p>DIRECT CEILING MOUNTING</p>
--------------------------	---------------------------	--	-----------------------	-----------------------	--------------------------------





33396

Body dark brown/marrón oscuro
Blades dark brown/marrón oscuro

Body Steel/Acero
Blades MDF
W 15-30-60
RPM 90-145-190
Airflow 151,38 m3 min/5346 CFM
Voltage (V/Hz) 220-240/50
Optional downrod p. 610

2 E27 MAX 15W LED
[17463]
Diff Opal glass/
Cristal opal



A	AI
520/20.4"	370/14.5"
B	C
350/13.7"	Ø400/16"
D	E
60/2.4"	Ø130/5.1"
F	G
Ø1320/51.9"	560/22"

A	AI
500/19.7"	330/13"
B	C
350/13.7"	Ø400/16"
D	E
60/2.4"	Ø130/5.1"
F	G
Ø1320/51.9"	560/22"



LUZON


 132 CM	 52 INCH	 > 17,6-28 M2 190-300 SQ.FT	 REMOTE CONTROL	 INCLINING ROOF
--	---	---	--	--




33750
Body white/blanco
Blades white/blanco



33751
Body brown/marrón
Blades brown/marrón

Body Steel/Acero
Blades ABS
W 23-42-65
RPM 90-120-155
Airflow 215,73 m3 min/7615 CFM
Voltage (V/Hz) 220-240/50
Downrods (3) 
105mm/3.99" | 152mm/60"
Optional downrod p. 610



A	A1
285/11.2"	235/9.2"
B	C
180/70.8"	Ø160/6.3"
D	E
60/23.6"	Ø140/5.5"
F	G
Ø1320/52"	590/23.2"

SIoux


132 CM	52 INCH	 > 17,6-28 M2 190-300 SQ.FT	DC MOTOR	IoT AVAILABLE	 IP44 OUTDOOR	 SUMMER WINTER	 WITH PROGRAMMER	 INCLINING ROOF
------------------	-------------------	-----------------------------------	--------------------	-------------------------	---------------------	----------------------	------------------------	-----------------------



33770
33770W IoT VERSION (*)
 Body white/blanco
 Blades white/blanco



Body Steel/Acero
 Blades ABS
 W 5-10-16-23-38
 RPM 106-143-174-198-233
 Airflow 164,32 m3 min/5803 CFM
 Voltage (V/Hz) 110-240/50-60
 Downrods (2)
 127mm/5" | 254mm/10"
 Optional downrod p. 610



A	AI
320/12.6"	260/10.2"
B	C
200/78.7"	220/8.6"
D	E
70/27.7"	170/6.7"
F	G
1320/52"	590/23.2"

(*)IoT VERSION More info page / Más info página 12-13

Add an W at the end of fan reference. This technology has an additional cost of 85€ (Net price. Does not support discounts).

Añade una W al final de la referencia del ventilador. Esta tecnología tiene un coste adicional de 85€ (Precio neto. No admite descuentos).

POLARIS


132 CM	52 INCH	> 17,6-28 M2 190-300 SQ.FT	DC MOTOR	IoT AVAILABLE	SUMMER WINTER	WITH PROGRAMMER	INCLINING ROOF
------------------	-------------------	-------------------------------	--------------------	-------------------------	------------------	--------------------	-------------------



33346
33346W IoT VERSION (*)
 Body white/blanco
 Blades white/blanco

Body Steel/Acero
 Blades ABS
 W 4-9-16-23-35
 RPM 86-108-130-145-175
 Airflow 163 m3 min/4900 CFM
 Voltage (V/Hz) 220-240/50-60
 Optional downrod p. 610

LED SMD I8W
 2700K 1500lm
 CRI>80 Driver ✓
 Diff Polycarbonate/
 Policarbonato



A	AI
350/13.7"	275/10.8"
B	C
180/7.1"	170/7"
D	E
50/2"	130/5.1"
F	G
1320/51.9"	555/21.8"

(*)IoT VERSION More info page / Más info página 12-13

Add an W at the end of fan reference. This technology has an additional cost of 85€ (Net price. Does not support discounts).
 Añade una W al final de la referencia del ventilador. Esta tecnología tiene un coste adicional de 85€ (Precio neto. No admite descuentos).

TIMOR


132 CM	52 INCH	 > 17,6-28 M2 190-300 SQ.FT	 SUMMER WINTER	 REMOTE CONTROL
------------------	-------------------	-----------------------------------	----------------------	-----------------------



33372
 Body white/blanco
 Blades
 white+maple/blanco+arce

Body Steel/Acero
 Blades Plywood
 W 17-30-50
 RPM 90-130-170
 Airflow 134,28 m3 min/4742 CFM
 Voltage (V/Hz) 220-240/50

LED SMD 12W
 2300K 900lm
 CRI>80 Driver ✓
 Diff Opal Acrylic/
 Acrílico Opal



A	AI
270/10.6"	240/9.4"
B	C
80/3.11"	Ø175/6.88"
D	E
50/1.9"	Ø175/6.9"
F	G
Ø1320/51.9"	570/22.4"

PALK


132 CM	52 INCH	> 17,6-28 M2 190-300 SQ.FT	DC MOTOR	IoT AVAILABLE	SUMMER WINTER	REMOTE CONTROL	INCLINING ROOF
------------------	-------------------	-------------------------------	--------------------	-------------------------	------------------	-------------------	-------------------



33470
33470W IoT VERSION (*)
 Body matt nickel/níquel mate
 Blades maple/arce

Body Steel/Acero
 Blades MDF
 W 3-5-8-13-21-32
 RPM 50-77-104-131-158-185
 Airflow 198,22 m³ min/7000 CFM
 Voltage (V/Hz) 220-240/50-60
 Optional downrod p. 610

2 E14 MAX 8W LED
 [17461]
 Diff Opal Glass/
 Cristal Opal



A	AI
390/15.3"	325/12.8"
B	C
140/5.51"	150/5.9"
D	E
60/2.35"	130/5.1"
F	G
1320/51.9"	570/22.4"

(*)IoT VERSION More info page / Más info página 12-13

Add an W at the end of fan reference. This technology has an additional cost of 85€ (Net price. Does not support discounts).
 Añade una W al final de la referencia del ventilador. Esta tecnología tiene un coste adicional de 85€ (Precio neto. No admite descuentos).



TONSAY

132 CM	52 INCH	 > 17,6-28 M2 190-300 SQ.FT	 SUMMER WINTER	 REMOTE CONTROL
------------------	-------------------	-----------------------------------	----------------------	-----------------------



33384
 Body white/blanco
 Blades white+maple/blanco+arce



33385
 Body matt nickel/níquel mate
 Blades grey+mahogany/gris+caoba




33386
 Body dark brown/marrón oscuro
 Blades cedar+wenge/cedro+wengué



Body Steel/Acero
 Blades Plywood
 W 10-24-46
 RPM 83-132-180
 Airflow 145,63 m3 min/51.43 CFM
 Voltage (V/Hz) 220-240/50

2 E27 MAX 15W LED
 [17463]
 Diff Opal Glass/
 Cristal Opal



A	AI
305/12"	270/10.6"
B	C
300/11.8"	238/9.34"
D	E
-	190/7.5"
F	G
1320/51.9"	535/20.06"



PEMBA

132 CM	52 INCH	> 17,6-28 M2 190-300 SQ.FT	DC MOTOR	IoT AVAILABLE	SUMMER WINTER	REMOTE CONTROL
------------------	-------------------	-------------------------------	--------------------	-------------------------	------------------	-------------------



33471N
33471W IoT VERSION (*)
 Body white/blanco
 Blades white/blanco



33491
33491W IoT VERSION (*)
 Body grey/gris
 Blades grey/gris



33492
33492W IoT VERSION (*)
 Body brown/marrón
 Blades brown/marrón

OPTIONAL LIGHT KIT/KIT DE LUZ OPCIONAL



33471K
 white/blanco




33491K
 grey/gris



33492K
 brown/marrón

Body Steel/Acero
 Blades ABS
 W 3-5-9-14-21-32
 RPM 50-76-102-127-157-180
 Airflow 191,14 m³ min/6750 CFM
 Voltage (V/Hz) 220-240/50-60

LED SMD 16W 3000K
 800lm CRI>95
 Driver
 Diff Polycarbonate/
 Policarbonato



A	AI
215/8.46"	190/7.5"
B	C
250/9.82"	180/70.5"
D	E
65/2.51"	170/6.7"
F	G
1320/51.9"	570/22.4"

(*)IoT VERSION More info page / Más info página 12-13

Add an W at the end of fan reference. This technology has an additional cost of 85€ (Net price. Does not support discounts).
 Añade una W al final de la referencia del ventilador. Esta tecnología tiene un coste adicional de 85€ (Precio neto. No admite descuentos).

NIAS

132 <small>CM</small>	52 <small>INCH</small>	 <small>> 17,6-28 M2 190-300 SQ.FT</small>	DC <small>MOTOR</small>	IoT <small>AVAILABLE</small>	 <small>SUMMER WINTER</small>	 <small>REMOTE CONTROL</small>
---------------------------------	----------------------------------	--	-----------------------------------	--	--------------------------------------	---------------------------------------



33472N
33472W IoT VERSION (*)
 Body matt nickel/níquel mate
 Blades walnut/nogal


**OPTIONAL LIGHT KIT/
 KIT DE LUZ OPCIONAL**



33472K
 matt nickel/níquel mate

Body Steel/Acero
 Blades Plywood
 W 2-7-9-14-21-32
 RPM 50-82-114-146-178-210
 Airflow 195,39 m³ min/6900 CFM
 Voltage (V/Hz) 220-240/50-60

LED SMD 16W
 800lm CRI>80
 Driver
 Diff Polycarbonate/
 Policarbonato



A	AI
190/7.5"	155/6.1"
B	C
-	140/5.5"
D	E
-	170/6.9"
F	G
1320/51.9"	630/24.8"

(*)IoT VERSION More info page / Más info página 12-13

Add an W at the end of fan reference. This technology has an additional cost of 85€ (Net price. Does not support discounts).

Añade una W al final de la referencia del ventilador. Esta tecnología tiene un coste adicional de 85€ (Precio neto. No admite descuentos).

VANU


132 CM	52 INCH	> 17,6-28 M2 190-300 SQ.FT	SUMMER WINTER	REMOTE CONTROL	INCLINING ROOF	DIRECT CEILING MOUNTING
------------------	-------------------	-------------------------------	------------------	-------------------	-------------------	----------------------------




33314
Body dark brown/marrón oscuro
Blades dark walnut/nogal oscuro

Body Metal
Blades Plywood
W 14-31-60
RPM 75-120-172
Airflow 163,61 m3 min/5778 CFM
Voltage (V/Hz) 220-240/50
Optional downrod p. 610


E27 MAX 15W LED
[17463]
Diff Opal Glass/
Cristal Opal



A	AI
430/16.9"	300/11.8"
B	C
220/8.63"	240/9.43"
D	E
60/2.35"	Ø130/5.1"
F	G
Ø1320/51.9"	540/21.2"



A	AI
280/11"	190/7.5"
B	C
220/8.63"	240/9.43"
D	E
60/2.35"	Ø130/5.1"
F	G
Ø1320/51.9"	540/21.2"




ICARIA

132 CM	52 INCH	> 17,6-28 M2 190-300 SQ.FT	SUMMER WINTER	REMOTE CONTROL	INCLINING ROOF
------------------	-------------------	-------------------------------	------------------	-------------------	-------------------



33700
 Body white/blanco
 Blades white+maple/blanco+arce



33701
 Body aluminium/aluminio
 Blades grey+maple/gris+arce



33702
 Body brown/marrón
 Blades brown+mahogany/marrón+caoba




33705 NEW
 Body antique brass/oro envejecido
 Blades brown+oak/marrón+roble



Body Steel/Acero
 Blades MDF
 W 15-30-56
 RPM 100-150-205
 Airflow 155,62 m3 min/5496 CFM
 Voltage (V/Hz) 220-240/50
 Optional downrod p. 610

2 E27 MAX 15W LED
[17463]
 Diff Opal Glass/
 Cristal Opal



A	A1
415/16.3"	330/12.9"
B	C
280/11"	ø270/10.6"
D	E
50/2"	ø150/5.9"
F	G
ø1320/51.9"	520/20.5"

P.589
 S





MALLORCA

<p>Ø 132 CM</p>	<p>Ø 52 INCH</p>	<p>> 17,6-28 M2 190-300 SQ.FT</p>	<p>SUMMER WINTER</p>	<p>REMOTE CONTROL</p>	<p>INCLINING ROOF</p>
---------------------	----------------------	--	--------------------------	---------------------------	---------------------------



33292
Body matt nickel/níquel mate
Blades grey+maple/gris+acre




33350
Body white/blanco
Blades white+maple/blanco+acre



33351
Body rust brown/marrón óxido
Blades mahogany+bleached oak/caoba+roble emblanquecido




Body Steel/Acero
Blades MDF
W 15-30-56
RPM 100-150-205
Airflow 154,30 m3 min/5449 CFM
Voltage (V/Hz) 220-240/50
Optional downrod p. 610



A	AI
380/15"	330/12.9"
B	C
180/7.05"	250/9.82"
D	E
60/2.35"	Ø130/5.1"
F	G
Ø1320/51.9"	520/20.4"

P.591
S





IBIZA

132 CM	52 INCH	> 17,6-28 M2 190-300 SQ.FT	SUMMER WINTER	REMOTE CONTROL	INCLINING ROOF
------------------	-------------------	-------------------------------	------------------	-------------------	-------------------



33284
Body white/blanco
Blades white/blanco




33287
Body matt nickel/níquel mate
Blades grey+maple/gris+acere



33288
Body rust brown/marrón óxido
Blades mahogany+bleached oak/caoba+roble emblanquecido

Body Steel/Acero
Blades Plywood
W 16-29-49
RPM 113-162-212
Airflow 149,57 m3 min/5282 CFM
Voltage (V/Hz) 220-240/50
Optional downrod p. 610



A	AI
330/12.9"	270/10.6"
B	C
170/6.9"	175/6.88"
D	E
60/2.35"	Ø130/5.1"
F	G
Ø1320/51.9"	570/22.4"

CORSO


132 <small>CM</small>	52 <small>INCH</small>	 <small>> 17,6-28 M2 190-300 SQ.FT</small>	 <small>SUMMER WINTER</small>	 <small>INCLINING ROOF</small>	 <small>DIRECT CEILING MOUNTING</small>	 <small>CONTROLLED BY CHAINS</small>
---------------------------------	----------------------------------	--	--------------------------------------	---------------------------------------	--	---




33274
Body dark brown/marrón oscuro
Blades reddish mahogany+pickled oak/ caoba rojizo+roble envejecido

Body Metal
 Blades Plywood
 W 23-34-57
 RPM 87-135-198
 Airflow 161,92 m3min/57 l8 CFM
 Voltage (V/Hz) 220-240/50
 Optional downrod p. 610
 Remote control [33929/33937] ⊗

4 E27 MAX 15W LED ⊗ [17463]
 Diff Translucent Glass/
 Cristal Translúcido



A	AI
520/20.5"	290/11.4"
B	C
400/15.74"	360/14.17"
D	E
60/2.35"	Ø130/5.1"
F	G
Ø1320/51.9"	525/20.7"



A	AI
460/8.1"	210/8.2"
B	C
400/15.74"	360/14.17"
D	E
60/2.35"	Ø130/5.1"
F	G
Ø1320/51.9"	525/20.7"

LOMBOK

132 CM	52 INCH	 > 17,6-28 M2 190-300 SQ.FT	 SUMMER WINTER	 INCLINING ROOF	 CONTROLLED BY CHAINS
------------------	-------------------	-----------------------------------	----------------------	-----------------------	-----------------------------




33019
 Body dark brown/marrón oscuro
 Blades rustic pine/pino rústico



Body Metal
 Blades Wood/Madera
 W 14-29-58
 RPM 85-135-185
 Airflow 123,72 m3 min/4369 CFM
 Voltage (V/Hz) 220-240/50
 Optional downrod p. 610
 Remote control [33929/33937] ✕

2 E27 MAX 15W LED ✕
 [17469]
 Diff Opal glass/
 Cristal opal



A	AI
500/19.7"	246/9.7"
B	C
330/12.9"	285/11.2"
D	E
60/2.35"	Ø130/5.1"
F	G
Ø1320/51.9"	541/21.3"

ALOHA

132 CM	52 INCH	 > 17,6-28 M2 190-300 SQ.FT	 SUMMER WINTER	 REMOTE CONTROL	 INCLINING ROOF
------------------	-------------------	-----------------------------------	----------------------	-----------------------	-----------------------



33710
 Body dark brown/marrón oscuro
 Blades walnut+dark walnut/
 nogal+nogal oscuro


OPTIONAL LIGHT KIT/ KIT DE LUZ OPCIONAL



33714
 dark brown/marrón oscuro

Body Steel/Acero
 Blades Plywood
 W 15-32-58
 RPM 80-125-180
 Airflow 128,95 m3 min/4552 CFM
 Voltage (V/Hz) 220-240/50
 Optional downrod p. 610

3 E27 MAX 15W
 LED [17426]




A	AI
315/12.4"	285/11.2"
B	C
130/5.1"	240/9.43"
D	E
60/2.36"	130/5.11"
F	G
ø1320/51.9"	530/20.9"

CUBA


132 CM	52 INCH	 > 17,6-28 M2 190-300 SQ.FT	 SUMMER WINTER	 INCLINING ROOF	 CONTROLLED BY CHAINS
------------------	-------------------	-----------------------------------	----------------------	-----------------------	-----------------------------



33352
 Body dark brown/marrón oscuro
 Blades dark brown/marrón oscuro



Body Steel/Acero
 Blades ABS
 W 20-34-65
 RPM 73-99-145
 Airflow 127,45 m3 min/450l CFM
 Voltage (V/Hz) 220-240/50
 Optional downrod p. 610
 Remote control [33929/33937]



A	AI
510/20.1"	450/17.7"
B	C
350/13.7"	370/15.5"
D	E
60/2.35"	130/5.1"
F	G
1320/51.9"	600/23"

TABARCA

132 CM	52 INCH	 > 17,6-28 M2 190-300 SQ.FT	 SUMMER WINTER	 REMOTE CONTROL	 INCLINING ROOF
------------------	-------------------	-----------------------------------	----------------------	-----------------------	-----------------------



33752
 Body shiny white/blanco brillo
 Blades
 white+maple/blanco+arce




33753
 Body shiny grey/gris brillo
 Blades
 grey+maple/gris+arce



Body Steel/Acero
 Blades Plywood
 W 23-34-50
 RPM 125-160-200
 Airflow 141,95 m3 min/50ll CFM
 Voltage (V/Hz) 220-240/50-60

2 E27 MAX 15W
 LED [17463]
 Diff Glass/Cristal



A	AI
450/17.72"	330/13"
B	C
300/11.81"	220/8.66"
D	E
60/2.36"	130/5.12"
F	G
1320/52"	540/21.25"


130 CM	51 INCH	13-17 M2 140-190 SQ.FT	DC MOTOR	IoT AVAILABLE	SUMMER WINTER	REMOTE CONTROL	INCLINING ROOF
------------------	-------------------	---------------------------	--------------------	-------------------------	------------------	-------------------	-------------------



33514
33514W IoT VERSION (*)
 Body shiny white/blanco brillo
 Blades white+maple/blanco+arce

Body Steel/Acero
 Blades Plywood
 W 5-10-16-25-37
 RPM 100-142-165-192-226
 Airflow 190,12 m3 min/67 lI CFM
 Voltage (V/Hz) 220-240/50-60
 Optional downrod p. 610

LED SMD 15W
 3000K 850lm
 CRI>80 Driver ✓
 Diff Glass/Cristal



A	AI
420/16.53"	270/10.62"
B	C
260/10.23"	230/9.05"
D	E
70/2.75"	150/5.90"
F	G
1300/51.18"	540/21.25"

(*)IoT VERSION More info page / Más info página 12-13

Add an W at the end of fan reference. This technology has an additional cost of 85€ (Net price. Does not support discounts).
 Añade una W al final de la referencia del ventilador. Esta tecnología tiene un coste adicional de 85€ (Precio neto. No admite descuentos).



TYPHOON

— Jordi Busquets



130 CM	51 INCH	13-17 M2 140-190 SQ.FT	DC MOTOR	IoT AVAILABLE	IP44 OUTDOOR	SUMMER WINTER	REMOTE CONTROL	INCLINING ROOF
------------------	-------------------	---------------------------	--------------------	-------------------------	------------------------	------------------	-------------------	-------------------



33480
33480W IoT VERSION (*)
Body white/blanco
Blades white/blanco



33489
33489W IoT VERSION (*)
Body grey/gris
Blades grey/gris



33490
33490W IoT VERSION (*)
Body brown/marrón
Blades brown/marrón

OPTIONAL LIGHT KIT/KIT DE LUZ OPCIONAL



33483
white/blanco



33489K
grey/gris




33490K
brown/marrón

Indoor/Outdoor IP44

Body ABS
Blades ABS
W 3-5-8-12-21-31
RPM 50-71-93-115-138-162
Airflow 183,09 m³ min/6463 CFM
Voltage (V/Hz) 220-240/50-60
Optional downrod p. 610

LED SMD 15W 3000K

900lm CRI>80
Driver ✓
Diff Polycarbonate/
Policarbonato



A	AI
390/15.3"	370/13.77"
B	C
200/7.87"	200/7.87"
D	E
55/2.1"	Ø130/5.1"
F	G
Ø1300/51.8"	530/20.8"

(*)IoT VERSION More info page / Más info página 12-13

Add an W at the end of fan reference. This technology has an additional cost of 85€ (Net price. Does not support discounts).
Añade una W al final de la referencia del ventilador. Esta tecnología tiene un coste adicional de 85€ (Precio neto. No admite descuentos).



130 CM	51 INCH	 13-17 M2 140-190 SQ.FT	DC MOTOR	IoT AVAILABLE	 SUMMER WINTER	 REMOTE CONTROL	 INCLINING ROOF
------------------	-------------------	--	--------------------	-------------------------	---	--	--



33481 Indoor/Outdoor IP44
33481W IoT VERSION (*)
Body black/negro
Blades dark brown/marrón oscuro



33482
33482W IoT VERSION (*)
Body chrome/cromado
Blades brown/marrón

OPTIONAL LIGHT KIT/KIT DE LUZ OPCIONAL





33484 Indoor/Outdoor IP44
black/negro



33486
grey/gris

Body Steel/Acero
Blades ABS
W 3-5-8-12-21-35
RPM 50-71-93-115-138-162
Airflow 183,01 m3 min/6463 CFM
Voltage (V/Hz) 220-240/50-60
Optional downrod p. 610

LED SMD 15W 3000K
800lm CRI>80
Driver 
Diff Polycarbonate/
Policarbonato



A	AI
390/15.3"	355/13.97"
B	C
210/8.26"	190/7.48"
D	E
55/2.1"	130/5.11"
F	G
1270/50"	530/21.8"

(*)IoT VERSION More info page / Más info página 12-13

Add an W at the end of fan reference. This technology has an additional cost of 85€ (Net price. Does not support discounts).
Añade una W al final de la referencia del ventilador. Esta tecnología tiene un coste adicional de 85€ (Precio neto. No admite descuentos).



MINI ETERFAN

— Conillas



128 CM	50 INCH	13-17 M2 140-190 SQ.FT	DC MOTOR	IoT AVAILABLE	SUMMER WINTER	REMOTE CONTROL
------------------	-------------------	---------------------------	--------------------	-------------------------	------------------	-------------------



33382
33382W IoT VERSION (*)
Body chrome/cromo
Blades transparent/transparente



32020
32020W IoT VERSION (*)
Body shiny white/blanco brillo
Blades transparent/transparente



32025
32025W IoT VERSION (*)
Body matt white/blanco mate
Blades transparent/transparente



32026
32026W IoT VERSION (*)
Body shiny black/negro brillo
Blades transparent/transparente



32027
32027W IoT VERSION (*)
Body matt black/negro mate
Blades transparent/transparente



32028
32028W IoT VERSION (*)
Body matt black/negro mate
Blades walnut/nogal



32029
32029W IoT VERSION (*)
Body shiny red/rojo brillo
Blades transparent/transparente



32030
32030W IoT VERSION (*)
Body matt black/negro mate
Blades matt black/negro mate

OPTIONAL LIGHT KIT/KIT DE LUZ OPCIONAL




33390
chrome/cromo



33391
black/negro

Body Metal+Glass/Metal+Cristal
Blades Polycarbonate/Polycarbonato
W 3-6-9-13-22-32
RPM 51-77-103-129-155-185
Airflow 145,66 m3 min/51.44 CFM
Voltage (V/Hz) 220-240/50-60

SMD **LED** 17W 3000K 600lm
CRI>80 Driver
Diff Opal Glass/Cristal Opal



A	AI
450/17.7"	420/16.5"
B	C
-	Ø160/6.3"
D	E
60/2.3"	Ø130/5.1"
F	G
Ø1280/50.4"	555/21.8"

(*)IoT VERSION More info page / Más info página 12-13

Add an W at the end of fan reference. This technology has an additional cost of 85€ (Net price. Does not support discounts).
Añade una W al final de la referencia del ventilador. Esta tecnología tiene un coste adicional de 85€ (Precio neto. No admite descuentos).





<p>Ø 128 CM</p>	<p>Ø 50 INCH</p>	<p>13-17 M2 140-190 SQ.FT</p>	<p>DC MOTOR</p>	<p>IoT AVAILABLE</p>	<p>SUMMER WINTER</p>	<p>REMOTE CONTROL</p>
---------------------	----------------------	-----------------------------------	---------------------	--------------------------	--------------------------	---------------------------



33381
33381W IoT VERSION (*)
Body chrome/cromo
Blades transparent/transparente



32000
32000W IoT VERSION (*)
Body shiny white/blanco brillo
Blades transparent/transparente



32001
32001W IoT VERSION (*)
Body matt white/blanco mate
Blades transparent/transparente



32002
32002W IoT VERSION (*)
Body shiny black/negro brillo
Blades transparent/transparente



32003
32003W IoT VERSION (*)
Body matt black/negro mate
Blades transparent/transparente



32004
32004W IoT VERSION (*)
Body matt black/negro mate
Blades walnut/nogal



32005
32005W IoT VERSION (*)
Body shiny red/rojo brillo
Blades transparent/transparente



32006
32006W IoT VERSION (*)
Body matt black/negro mate
Blades matt black/negro mate

OPTIONAL LIGHT KIT/KIT DE LUZ OPCIONAL




33390
chrome/cromo



33391
black/negro

Body Metal+Glass/Metal+Cristal
Blades Polycarbonate/Polycarbonato
W 3-6-9-13-22-32
RPM 51-77-103-129-155-185
Airflow | 45,66 m3 min/51.44 CFM
Voltage (V/Hz) 220-240/50-60

SMD LED 17W 3000K 600lm
CRI>80 Driver ✓
Diff Opal Glass/Cristal Opal



A	AI
640/25,2"	630/24,8"
B	C
-	Ø160/6,3"
D	E
60/2,3"	Ø130/5,1"
F	G
Ø1280/50,4"	555/21,8"

(*)IoT VERSION More info page / Más info página 12-13

Add an W at the end of fan reference. This technology has an additional cost of 85€ (Net price. Does not support discounts).
Añade una W al final de la referencia del ventilador. Esta tecnología tiene un coste adicional de 85€ (Precio neto. No admite descuentos).



JUSTFAN

— Conillas



128 <small>CM</small>	50 <small>INCH</small>	 <small>13-17 M2</small> <small>140-190 SQ.FT</small>	DC <small>MOTOR</small>	IoT <small>AVAILABLE</small>	 <small>SUMMER</small> <small>WINTER</small>	 <small>REMOTE CONTROL</small>
---------------------------------	----------------------------------	---	-----------------------------------	--	--	-----------------------------------



33394
33394W IoT VERSION (*)
 Body chrome/cromo
 Blades transparent/transparente



33395
33395W IoT VERSION (*)
 Body black/negro
 Blades walnut/nogal



33398
33398W IoT VERSION (*)
 Body antique brass/oro envejecido
 Blades walnut/nogal



33399
33399W IoT VERSION (*)
 Body copper/cobre
 Blades walnut/nogal



32100
32100W IoT VERSION (*)
 Body matt black/negro mate
 Blades matt black/negro mate



33417 NEW
33417W IoT VERSION (*)
 Body antique brass/oro envejecido
 Blades matt black/negro mate



33418 NEW
33418W IoT VERSION (*)
 Body copper/cobre
 Blades matt black/negro mate

OPTIONAL LIGHT KIT SUITABLE FOR/KIT DE LUZ OPCIONAL PARA 33394 & 33395



33390
 chrome/cromo




33391
 black/negro



Body Metal
 Blades Polycarbonate/ Policarbonato
 W 4-6-9-13-22-32
 RPM 51-77-103-129-155-185
 Airflow 145,66 m3 min/51.44 CFM
 Voltage (V/Hz) 220-240/50-60
 Downrods (3) ✓
 100mm/3.9" | 200mm/7.8" | 450mm/17.7"

SMD LED 17W 3000K
 600lm CRI>80 Driver ✓
 Diff Opal Glass/Cristal
 Opal



A	AI
640/25.2"	630/24.8"
B	C
180/7.05"	Ø160/6.3"
D	E
60/2.3"	Ø130/5.1"
F	G
Ø1280/50.4"	555/21.8"

(*)IoT VERSION More info page / Más info página 12-13

Add an W at the end of fan reference. This technology has an additional cost of 85€ (Net price. Does not support discounts).
 Añade una W al final de la referencia del ventilador. Esta tecnología tiene un coste adicional de 85€ (Precio neto. No admite descuentos).





33394+33431
Body chrome/cromo
Blades transparent/transparente



33395+33431
Body black/negro
Blades walnut/nogal



33398+33431
Body antique brass/oro envejecido
Blades walnut/nogal



33399+33431
Body copper/cobre
Blades walnut/nogal

OPTIONAL LIGHT KIT/KIT DE LUZ OPCIONAL



33390
chrome/cromo




33391
black/negro



Body Metal+Glass/Metal+Cristal
Blades Polycarbonate/Policarbonato
W 3-6-9-13-22-32
RPM 51-77-103-129-155-185
Airflow 145,66 m3 min/51.44 CFM
Voltage (V/Hz) 220-240/50-60


SMD **LED** 17W 3000K 600lm
CRI>80 Driver
Diff Opal Glass/Cristal Opal



A	AI
450/17.7"	420/16.5"
B	C
-	Ø160/6.3"
D	E
60/2.3"	Ø130/5.1"
F	G
Ø1280/50.4"	555/21.8"

(*)IoT VERSION More info page / Más info página 12-13

Add an W at the end of fan reference. This technology has an additional cost of 85€ (Net price. Does not support discounts).
Añade una W al final de la referencia del ventilador. Esta tecnología tiene un coste adicional de 85€ (Precio neto. No admite descuentos).



MINI TUBE

— Conillas 

128 CM	50 INCH	 13-17 M2 140-190 SQ.FT	DC MOTOR	IoT AVAILABLE	 SUMMER WINTER	 REMOTE CONTROL
------------------	-------------------	---	--------------------	-------------------------	--	---



33393
33393W IoT VERSION (*)
Body chrome/cromo
Blades transparent/transparente



32038
32038W IoT VERSION (*)
Body shiny white/blanco brillo
Blades transparent/transparente



32039
32039W IoT VERSION (*)
Body matt white/blanco mate
Blades transparent/transparente



32040
32040W IoT VERSION (*)
Body shiny black/negro brillo
Blades transparent/transparente



32041
32041W IoT VERSION (*)
Body matt black/negro mate
Blades transparent/transparente



32042
32042W IoT VERSION (*)
Body matt black/negro mate
Blades walnut/nogal



32043
32043W IoT VERSION (*)
Body matt black/negro mate
Blades matt black/negro mate

OPTIONAL LIGHT KIT/KIT DE LUZ OPCIONAL





33390
chrome/cromo



33391
black/negro

Body Metal+Glass/Metal+Cristal
Blades Polycarbonate/Polycarbonato
W 3-6-9-13-22-32
RPM 51-77-103-129-155-185
Airflow 145,66 m3 min/51.44 CFM
Voltage (V/Hz) 220-240/50-60

SMD **LED** 17W 3000K 600lm
CRI>80 Driver 
Diff Opal Glass/Cristal Opal



A	A1
290/11.4"	250/9.8"
B	C
-	160/6.3"
D	E
-	130/5.1"
F	G
1280/50.4"	430/16.9"

(*)IoT VERSION More info page / Más info página 12-13

Add an W at the end of fan reference. This technology has an additional cost of 85€ (Net price. Does not support discounts).
Añade una W al final de la referencia del ventilador. Esta tecnología tiene un coste adicional de 85€ (Precio neto. No admite descuentos).



Thanks to BSB

TUBE

— Conillas



128 CM	50 INCH	13-17 M2 140-190 SQ.FT	DC MOTOR	IoT AVAILABLE	SUMMER WINTER	REMOTE CONTROL
------------------	-------------------	---------------------------	--------------------	-------------------------	------------------	-------------------



33374
33374W IoT VERSION (*)
Body chrome/cromo
Blades transparent/transparente



32033
32033W IoT VERSION (*)
Body shiny white/blanco brillo
Blades transparent/transparente



32034
32034W IoT VERSION (*)
Body matt white/blanco mate
Blades transparent/transparente



32035
32035W IoT VERSION (*)
Body shiny black/negro brillo
Blades transparent/transparente



32036
32036W IoT VERSION (*)
Body matt black/negro mate
Blades transparent/transparente



32037
32037W IoT VERSION (*)
Body matt black/negro mate
Blades walnut/nogal



32060
32060W IoT VERSION (*)
Body matt black/negro mate
Blades matt black/negro mate

OPTIONAL LIGHT KIT/KIT DE LUZ OPCIONAL




33390
chrome/cromo



33391
black/negro

Body Metal+Glass/Metal+Cristal
Blades Polycarbonate/Polycarbonato
W 3-6-9-13-22-32
RPM 51-77-103-129-155-185
Airflow 145,66 m3 min/51.44 CFM
Voltage (V/Hz) 220-240/50-60

SMD **LED** 17W 3000K 600lm
CRI>80 Driver
Diff Opal Glass/Cristal Opal



A	A1
450/17.7"	420/16.5"
B	C
-	160/6.3"
D	E
-	130/5.1"
F	G
1280/50.4"	430/16.9"

(*)IoT VERSION More info page / Más info página 12-13

Add an W at the end of fan reference. This technology has an additional cost of 85€ (Net price. Does not support discounts).
Añade una W al final de la referencia del ventilador. Esta tecnología tiene un coste adicional de 85€ (Precio neto. No admite descuentos).



NASSAU

128 CM	50 INCH	13-17 M2 140-190 SQ.FT	DC MOTOR	IoT AVAILABLE	SUMMER WINTER	REMOTE CONTROL	INCLINING ROOF
------------------	-------------------	---------------------------	--------------------	-------------------------	------------------	-------------------	-------------------



33478
33478W IoT VERSION (*)
Body brown/marrón
Blades brown/marrón



33487
33487W IoT VERSION (*)
Body white/blanco
Blades white/blanco

OPTIONAL DOWNROD/TIJAS OPCIONALES 910MM/35.8"




33479
brown/marrón



33488
white/blanco

Body Steel/Acero
Blades MDF
W 4-6-10-16-24-37
RPM 50-87-125-162-199-237
Airflow 222,41 m3 min/7851 CFM
Voltage (V/Hz) 220-240/50-60



A	AI
400/15.7"	370/14.5"
B	C
170/6.69"	120/4.72"
D	E
60/2.36"	130/5.11"
F	G
1280/50.4"	575/22.6"

(*)IoT VERSION More info page / Más info página 12-13

Add an W at the end of fan reference. This technology has an additional cost of 85€ (Net price. Does not support discounts).
Añade una W al final de la referencia del ventilador. Esta tecnología tiene un coste adicional de 85€ (Precio neto. No admite descuentos).

MOLOKAI

125 CM	49 INCH	13-17 M2 140-190 SQ.FT	DC MOTOR	SUMMER WINTER	REMOTE CONTROL	INCLINING ROOF
------------------	-------------------	---------------------------	--------------------	------------------	-------------------	-------------------



33475
Body matt nickel/níquel mate
Blades dark walnut/nogal oscuro


**OPTIONAL LIGHT KIT/
KIT DE LUZ OPCIONAL**



33476
matt nickel/níquel mate

Body Steel/Acero
Blades Plywood
W 3-5-8-13-21-31
RPM 50-76-102-128-155-180
Airflow 195,66 m3 min/6910 CFM
Voltage (V/Hz) 220-240/50-60
Optional downrod p. 610

LED SMD 18W 3000K
1200lm CRI>80
Driver ✓



A	A1
335/13.1"	300/11.8"
B	C
200/8.63"	150/5.90"
D	E
65/2.51"	Ø140/5.51"
F	G
Ø1250/42.9"	600/23.6"

PANAY

122 <small>CM</small>	48 <small>INCH</small>	 <small>13-17 M2</small> <small>140-190 SQ.FT</small>	 <small>REMOTE CONTROL</small>	 <small>INCLINING ROOF</small>
---------------------------------	----------------------------------	--	--	--




33607
Body white/blanco
Blades
 white+maple/blanco+arce



33608
Body matt nickel/níquel mate
Blades
 matt nickel+mahogany/
 níquel mate+caoba

Body Steel / Acero
 Blades MDF
 W 14-30-58
 RPM 95-150-200
 Airflow 116,2 m3 min/4103 CFM
 Voltage (V/Hz) 220-240/50
 Optional downrod p. 610

2 E14 MAX 8W LED [17461]
 Diff Opal Glass/Cristal Opal



A	A1
280/11"	180/7.1"
B	C
150/5.9"	210/8.24"
D	E
65/2.51"	130/5.1"
F	G
122/4.8"	495/19.5"



YAKARTA

121 CM	47 INCH	13-17 M2 140-190 SQ.FT	SUMMER WINTER	INCLINING ROOF	DIRECT CEILING MOUNTING	CONTROLLED BY CHAINS
------------------	-------------------	---------------------------	------------------	-------------------	----------------------------	-------------------------



33711
Body antique brass/oro envejecido
Blades dark oak+bleached oak/
roble oscuro+roble emblanquecido



33712
Body white/blanco
Blades white+maple/blanco+arce



33713
Body brown/marrón
Blades mahogany+ dark walnut/caoba+nogal oscuro



OPTIONAL LIGHT KIT/KIT DE LUZ OPCIONAL




33714
dark brown/marrón oscuro




33716
white/blanco




33717
antique brass/oro envejecido

Body Steel/Acero
Blades Plywood
W 14-23-51
RPM 115-150-205
Airflow 94,57 m3 min/3340 CFM
Voltage (V/Hz) 220-240/50
Remote control [33929/33937] 
Optional downrod p. 610

3 E27 MAX 15W
LED  [17426]



A	AI
350/13.7"	300/11.8"
B	C
130/5.11"	-
D	E
60/2.35"	Ø130/5.1"
F	G
Ø1210/47.6"	465/18.3"



A	AI
190/7.5"	150/5.9"
B	C
130/5.11"	-
D	E
60/2.35"	Ø130/5.1"
F	G
Ø1210/47.6"	465/18.3"


ECO INDUS

<p>Ø 120 CM</p>	<p>Ø 47 INCH</p>	<p>13-17 M2 140-190 SQ.FT</p>	<p>WALL CONTROL</p>	<p>INCLINING ROOF</p>	<p>EASY INSTALL</p>
----------------------------	-----------------------------	-----------------------------------	-------------------------	---------------------------	-------------------------



33005
Body white/blanco
Blades white/blanco

Body Steel/Acero
Blades Steel/Acero
W 16-26-68
RPM 150-225-322
Airflow 189,47 m3 min/6691 CFM
Voltage (V/Hz) 220-240/50
Remote control [33929/33937] ✕



P,510 L **P,601** S



A	Ai
320/12.6"	270/10.6"
B	C
160/6.29"	190/7.5"
D	E
60/2.35"	Ø130/5.1"
F	G
Ø1200/47.2"	485/19.1"

! How to install the wall control? Visit faro.es / Visita faro.es para la instalación del regulador de pared

FEROE


107 CM	42 INCH	< 13 M2 < 140 SQ.FT	REMOTE CONTROL	INCLINING ROOF
------------------	-------------------	------------------------	----------------	----------------



33600
Body white/blanco
Blades white+maple/blanco+arce

Body Steel/Acero
Blades MDF
W10-2 I-4I
RPM 80-I 45-180
Airflow 64,16 m3 min/2265,7 CFM
Voltage (V/Hz) 220-240/50
Optional downrod p. 610

2 E14 MAX 8W
LED [17469]
Diff Opal glass/
Cristal opal



A	AI
320/12.6"	210/8.2"
B	C
160/6.3"	200/7.9"
D	E
60/2.3"	Ø130/5.1"
F	G
Ø1070/42.1"	420/16.5"



MINI ICARIA

Ø 107 CM	Ø 42 INCH	< 13 M2 < 140 SQ.FT	SUMMER WINTER	REMOTE CONTROL	INCLINING ROOF
--------------------	---------------------	------------------------	------------------	-------------------	-------------------



33695
Body antique brass/oro envejecido
Blades brown+oak/marrón+roble



33696
Body matt nickel/níquel mate
Blades transparent/transparentes



33697
Body rust brown/marrón rústico
Blades mahogany+oak/caoba+roble



33698
Body white/blanco
Blades white+maple/blanco+arce



33699
Body matt nickel/níquel mate
Blades grey+maple/gris+arce




P.553
L



Body Steel/Acero
Blades MDF
W 16-24-35
RPM 135-175-210
Airflow 101,09 m3 min/3568 CFM
Voltage (V/Hz) 220-240/50
Optional downrod p. 610

2 E14 MAX 8W
LED [1746i]



A	AI
405/15.9"	270/10.6"
B	C
280/11"	160/6.3"
D	E
60/2.35"	Ø130/5.1"
F	G
Ø1070/42"	425/16.7"



MINI MALLORCA

 107 CM	 42 INCH	 < 13 M2 < 140 SQ.FT	 REMOTE CONTROL	 INCLINING ROOF
--	--	--	---	---



33603
 Body white/blanco
 Blades white+maple/blanco+arce




33604
 Body matt nickel/níquel mate
 Blades grey+black/gris+negro



33605
 Body dark brown/marrón oscuro
 Blades
 dark brown+reddish cherry/marrón oscuro+cerezo rojizo




Body Steel/Acero
 Blades MDF
 W 10-21-41
 RPM 80-145-180
 Airflow
 64,16 m³ min/2265 CFM
 Voltage (V/Hz) 220-240/50
 Optional downrod p. 610



A	A1
235/9.3"	200/7.9"
B	C
90/3.5"	Ø220/8.6"
D	E
60/2.3"	Ø130/5.1"
F	G
Ø107/4.21"	420/16.5"







P.555
 L





Thanks to BSB

MINI LANTAU

 107 <small>CM</small>	 42 <small>INCH</small>	 <small>< 13 M2 < 140 SQ.FT</small>	 <small>SUMMER WINTER</small>	 <small>REMOTE CONTROL</small>	 <small>INCLINING ROOF</small>
---	--	--	--	---	---



33508
 Body matt nickel/níquel mate
 Blades walnut/nogal





33509
 Body matt nickel/níquel mate
 Blades pine/pino



33517 NEW
 Body black/negro
 Blades walnut/nogal

Body Steel/Acero
 Blades Wood/Madera
 W 13-26-55
 RPM 105-150-210
 Airflow 143,2 m3 min/5055 CFM
 Voltage (V/Hz) 220-240/50
 Optional downrod p. 610



A	AI
340/13.38"	300/11.81"
B	C
110/4.33"	150/5.90"
D	E
65/2.56"	150/5.9"
F	G
1070/42.12"	460/18.11"

LISBOA

Ø 107
CM

Ø 42
INCH

< 13 M2
< 140 SQ.FT

SUMMER
WINTER

INCLINING
ROOF

DIRECT CEILING
MOUNTING

CONTROLLED
BY CHAINS




33102
Body dark brown/marrón oscuro
Blades
mahogany+dark walnut/
caoba+nogal oscuro




Body Steel/Acero
Blades MDF
W 27-35-47
RPM 130-185-235
Airflow 9996 m3 min/3530 CFM
Voltage (V/Hz) 220-240/50
Optional downrod p. 610
Remote control [33929/33937] ⊗

3 E27 MAX 15W LED ⊗
[17462]
Diff Translucent Glass/
Cristal Translúcido



A	AI
460/18.1"	240/9.4"
B	C
220/8.63"	300/11.8"
D	E
60/2.35"	Ø130/5.1"
F	G
Ø1070/42.1"	420/16.5"



A	AI
280/11"	180/7.1"
B	C
220/8.63"	300/11.8"
D	E
60/2.35"	Ø130/5.1"
F	G
Ø1070/42.1"	420/16.5"

KOMODO


106 <small>CM</small>	42 <small>INCH</small>	 <small>< 13 M2</small> <small>< 140 SQ.FT</small>	 <small>SUMMER</small> <small>WINTER</small>	 <small>REMOTE CONTROL</small>	 <small>INCLINING ROOF</small>	 <small>CONTROLLED BY CHAINS</small>
---------------------------------	----------------------------------	--	--	-----------------------------------	-----------------------------------	---



33723
 Body matt black/negro mate
 Blades
 black+ walnut /negro+nogal

Body Steel/Acero
 Blades Plywood
 W 15-24-46
 RPM 146-182-256
 Airflow 88,89m³ min/3138,52 CFM
 Voltage (V/Hz) 220-240/50
 Optional downrod p. 610
 Remote control [33929/33937]

2 E14 MAX 8W LED [17461]
 Diff Metal+ Frosted Glass




A	AI
370/14.56"	220/8.66"
B	C
200/7.87"	225/8.85"
D	E
60/2.36"	130/5.12"
F	G
1070/42.04"	450/17.71"

FACTORY


106 CM	42 INCH	< 13 M2 < 140 SQ.FT	SUMMER WINTER	INCLINING ROOF	CONTROLLED BY CHAINS
------------------	-------------------	------------------------	------------------	-------------------	-------------------------



33611
Body aluminium/aluminio
Blades
grey+black/gris+negro



Body Steel/Acero
Blades MDF
W 20-29-42
RPM 80-140-190
Airflow 109 m3 min/3849,6 CFM
Voltage (V/Hz) 220-240/50
Optional downrod p. 610
Remote control [33929/33937] ✕



A	AI
300/11.8"	157/6.88"
B	C
160/6.29"	170/6.69"
D	E
60/2.35"	130/5.1"
F	G
1060/41.7"	420/16.5"

EASY

105 CM	41 INCH	< 13 M2 < 140 SQ.FT	SUMMER WINTER	WITH PROGRAMMER	INCLINING ROOF	EASY INSTALL
------------------	-------------------	------------------------	------------------	--------------------	-------------------	-----------------




33415
Body white/blanco
Blades white/blanco



33416
Body grey/gris
Blades grey/gris







Body Steel/Acero
Blades ABS
W II-23-68
RPM 105-185-285
Airflow 159,76 m3 min/5642 CFM
Voltage (V/Hz) 220-240/50

2 E27 MAX 15W
LED [17463]
Diff Opal glass/
Cristal opal



A	AI
460/18.1"	320/12.6"
B	C
100/3.93"	210/8.24"
D	E
75/2.91"	140/5.5"
F	G
105/41.3"	420/16.6"

OBOE


 105 CM	 41 INCH	 < 13 M2 < 140 SQ.FT	 SUMMER WINTER	 REMOTE CONTROL	 INCLINING ROOF
--	---	--	--	---	---



33610
 Body white/blanco
 Blades
 white+maple/blanco+arce



Body Steel/Acero
 Blades MDF
 W 8-22-38
 RPM 85-140-180
 Airflow 64,16 m3 min/3849,6 CFM
 Voltage (V/Hz) 220-240/50



A	AI
360/14.17"	270/10.6"
B	C
220/8.63"	160/6.3"
D	E
60/2.35"	Ø130/5.1"
F	G
Ø1050/41.34"	420/16.5"

CEBU

Ø 102 CM	Ø 40 INCH	< 13 M2 < 140 SQ.FT	SUMMER WINTER	REMOTE CONTROL	INCLINING ROOF
--------------------	---------------------	--	--------------------------------	---------------------------------	---------------------------------



33606
Body white/blanco
Blades
white+maple/blanco+arce




33609
Body matt nickel/níquel mate
Blades
grey+black/gris+negro



Body Steel/Acero
Blades MDF
W 8-22-38
RPM 84-140-180
Airflow 109 m3 min/3849,6 CFM
Voltage (V/Hz) 220-240/50
Optional downrod p. 610

2 E14 MAX 8W
LED [1746i]



A	AI
410/16.1"	270/10.6"
B	C
300/11.8"	180/7.05"
D	E
60/2.35"	Ø140/5.51"
F	G
Ø1020/40.2"	420/16.5"

MINI UFO

101 CM	40 INCH	< 13 M2 < 140 SQ.FT	SUMMER WINTER	REMOTE CONTROL
------------------	-------------------	------------------------	------------------	-------------------



33454
Body white/blanco
Blades
white+maple/blanco+arce




33455
Body matt nickel/níquel mate
Blades
grey+maple/gris+arce



Body Steel/Acero
Blades MDF
W 8-18-42
RPM 90-150-200
Airflow 106,92 m3 min/3776 CFM
Voltage (V/Hz) 220-240/50

2 E27 MAX 15W
LED [17463]
Diff Opal glass/
Cristal opal



A	AI
370/14.6"	245/9.6"
B	C
260/10.2"	260/10.2"
D	E
120/4.71"	Ø150/5.9"
F	G
Ø1015/40"	384/15.1"

MINI INDUS

∅ 92
CM

∅ 36
INCH


< 13 M2
< 140 SQ.FT


WALL
CONTROL


EASY
INSTALL






Thanks to BSB



33011
Body white/blanco
Blades white/blanco

Body Steel/Acero
Blades Steel/Acero
W 10-13-17-22-43
RPM 183-225-272-299-330
Airflow 74,56 m³ min/2633 CFM
Voltage (V/Hz) 220-240/50



P,510 L	P,586 M
	
A	AI
483/19"	440/17.3"
B	C
160/6.29"	∅120/4.71"
D	E
120/4.71"	∅145/5.7"
F	G
∅920/36.2"	320/12.6"

! How to install the wall control? Visit faro.es / Visita faro.es para la instalación del regulador de pared

CHICAGO

91 CM	36 INCH	 < 13 M2 < 140 SQ.FT	 REMOTE CONTROL	 INCLINING ROOF
-----------------	-------------------	----------------------------	--------------------	--------------------




33703
 Body black/negro
 Blades walnut/nogal



Body Steel/Acero
 Blades MDF
 W 15-26-49
 RPM 136-192-225
 Airflow 96,71 m3 min/341 4 CFM
 Voltage (V/Hz) 220-240/50
 Optional downrod p. 610

E27 MAX 15W LED [17463]



A	AI
475/18.7"	295/11.6"
B	C
295/11.41"	140/5.51"
D	E
50/1.96"	Ø150/5.9
F	G
Ø915/36"	380/14.96"

MEDITERRÁNEO

∅ 81
CM

∅ 32
INCH

 < 13 M2
< 140 SQ.FT

 SUMMER
WINTER

 CONTROLLED
BY CHAINS



33704
Body white/blanco
Blades
white+maple/blanco+arce




33706
Body matt nickel/níquel mate
Blades
maple+ mahogany/arce+caoba



Body Steel/Acero
Blades MDF
W 14-23-47
RPM | 98-232-280
Airflow 85,38 m3 min/3014 CFM
Voltage (V/Hz) 220-240/50
Remote control [33929/33937] ⊗

E14 MAX 8W LED
⊗ [17461]
Diff Opal glass/
Cristal opal



A	AI
385/15.2"	290/11.4"
B	C
260/10.2"	190/7.48"
D	E
110/4.3"	∅130/5.11"
F	G
∅815/32.1"	310/12.2"





33426
33426W IoT VERSION (*)
Body chrome/cromo
Blades transparent/transparente



33425
33425W IoT VERSION (*)
Body black/negro
Blades walnut/nogal



33428 NEW
33428W IoT VERSION (*)
Body antique brass/oro envejecido
Blades walnut/nogal



33423 NEW
33423W IoT VERSION (*)
Body copper/cobre
Blades walnut/nogal



33424
33424W IoT VERSION (*)
Body matt black/negro mate
Blades matt black/negro mate



33429 NEW
33429W IoT VERSION (*)
Body antique brass/oro envejecido
Blades matt black/negro mate



33427 NEW
33427W IoT VERSION (*)
Body copper/cobre
Blades matt black/negro mate


OPTIONAL LIGHT KIT/KIT DE LUZ OPCIONAL




33390
chrome/cromo



33391
black/negro

Body Metal
Blades Polycarbonate/ Policarbonato
W 2.8-3.2-4-5-6.7-9
RPM 51-86-122-158-195-235
Airflow 121,69 m3 min/4296 CFM
Voltage (V/Hz) 220-240/50-60
Downrods (2) 
100mm/3.9" | 200mm/7.8"

SMD  17W
3000K 600lm
CRI>80 Driver 
Diff Opal Glass/
Cristal Opal



P.491
L



P.573
M



A	AI
640/25.2"	630/24.8"
B	C
180/7.05"	Ø160/6.3"
D	E
55/2.1"	Ø130/5.1"
F	G
Ø810/31.8"	358/14.1"

(*)IoT VERSION More info page / Más info página 12-13

Add an W at the end of fan reference. This technology has an additional cost of 85€ (Net price. Does not support discounts).
Añade una W al final de la referencia del ventilador. Esta tecnología tiene un coste adicional de 85€ (Precio neto. No admite descuentos).



PALAO

ø81
CM

ø32
INCH

< 13 M2
< 140 SQ.FT

SUMMER
WINTER

INCLINING
ROOF

DIRECT CEILING
MOUNTING

CONTROLLED
BY CHAINS



33179
Body white/blanco
Blades multicolour/multicolor



33180
Body white/blanco
Blades white/blanco



33183
Body matt nickel/níquel mate
Blades maple/arce




33185
Body dark brown/marrón oscuro
Blades mahogany/caoba




33186
Body grey/gris
Blades grey/gris

Body Metal
Blades MDF
W 24-28-37
RPM 127-192-241
Airflow 92,37 m3 min/3262 CFM
Voltage (V/Hz) 220-240/50
Optional downrod p. 610
Remote control [33929/33937] ⊗

E14 MAX 8W LED ⊗
[17461]
Diff Opal glass/
Cristal opal



A	AI
390/15.3"	260/10.2"
B	C
190/7.5"	170/6.9"
D	E
60/2.35"	ø130/5.1"
F	G
ø810/31.8"	350/13.7"



A	AI
250/9.8"	160/6.3"
B	C
190/7.5"	170/6.9"
D	E
60/2.35"	ø130/5.1"
F	G
ø810/31.8"	350/13.7"


VEDRA

46 CM	18 INCH	< 13 M2 < 140 SQ.FT	WALL CONTROL	INCLINING ROOF
-----------------	-------------------	------------------------	-----------------	-------------------



33450
 Body antique brass/oro envejecido
 Blades walnut/nogal

Body Aluminium/Aluminio
 Blades MDF
 Adjustable/Regulable 90°
 W 19-22-34-37
 RPM 327-369-495-515
 Airflow 58,1l m3 min/2052 CFM
 Voltage (V/Hz) 220-240/50
 Remote control [33929/33937]



A	A1
540/21.2"	450/17.7"
B	C
-	-
D	E
60/2.35"	Ø145/5.7"
F	G
Ø460/18.1"	200/7.9"

How to install the wall control? Visit faro.es / Visita faro.es para la instalación del regulador de pared

KEIKI

<p>ø43 CM</p>	<p>ø17 INCH</p>	<p>< 13 M2 < 140 SQ.FT</p>	<p>SUMMER WINTER</p>	<p>WALL CONTROL</p>	<p>INCLINING ROOF</p>
-------------------	---------------------	--------------------------------------	--------------------------	-------------------------	---------------------------




33715
Body brown/marrón
Blades brown/marrón















33720
Body white/blanco
Blades white/blanco

Body Steel/Acero
Blades Plywood
Ceiling & Wall/Apto para techo y pared
Adjustable/Regulable 45°/20°
W 10-19-28
RPM 380-640-890
Airflow 38,6l m3 min/ 1363 CFM
Voltage (V/Hz) 220-240/50









A	AI
505/19.9"	440/17.3"
B	C
-	-
D	E
55/2.1"	ø150/5.11"
F	G
ø430/16.9"	150/5.90"

! How to install the wall control? Visit faro.es / Visita faro.es para la instalación del regulador de pared

300MM/11,8IN	COLOR	MATERIAL
33904	 white/blanco	Body Metal
33959	 grey/gris	Body Metal
33960	 old gold/oro envejecido	Body Metal
33962	 brown/marrón	Body Metal
33965	 satin nickel/níquel satinado	Body Metal
400MM/15,7IN	COLOR	MATERIAL
33944	 white/blanco	Body Metal
33948	 matt nickel/níquel mate	Body Metal
500MM/19,7IN	COLOR	MATERIAL
33954	 white/blanco	Body Metal
33957	 old gold/oro envejecido	Body Metal
33958	 chrome/cromo	Body Metal
33964	 brown/marrón	Body Metal
33971	 satin nickel/níquel satinado	Body Metal

OPTIONAL DOWNRODS ONLY FOR/ TIJAS OPCIONALES PARA MODELOS VULCANO, TONIC, CENTURY

1780MM/70,1IN	COLOR	MATERIAL
3R432	 matt nickel/níquel mate	Body Metal
2000MM/78,7IN	COLOR	MATERIAL
3R433	 white/blanco	Body Metal
3R434	 brown/marrón	Body Metal

REMOTE CONTROLS	BATTERY	FREQUENCY	MATERIAL	INFO
 33929	1x9V 	50/60Hz	Body PVC	-
 33937	4xAAA 	50/60Hz	Body PVC	
 WALL CONTROL 3 SPEEDS	-	-	Body ABS	-

*The wall control is not compatible with the remote control at same time, El regulador de pared no se puede usar al mismo tiempo que el mando a distancia

CHAIN				
 33907	-	-	-	300mm/11,8»

ACCESORIES

ACCESORIOS

LAMPS

LÁMPARAS

Smart Bulb



Control your light with app

All luminaires that can be controlled with our Smart Bulb are identified with [SMART 17498]

Todos las luminarias que permiten ser controladas con nuestra bombilla inteligente están identificadas con [SMART 17498]



It works with WiFi
Funciona con WiFi



Compatible with Alexa, Google assistant & Siri

Features
Funcionalidades



A60

Ref.	Socket	K	lm	CRI	I.E.E.	W	Angle°	Dimm	V	Hz	Hrs.	Caract	mm/''
17498	E27	2700	MAX. 806	≥80	A++	7	360°	✓	220-240	50/60	25.000	Filament	ø60/2,3" 102/4,5"

LED MODULE *Suitable for/Apto para FRESH/WET/RADÓN/ARGÓN/NEÓN/GAS





















	Ref.	Socket	K	lm	CRI	I.E.E.	W	Angle°	Dimm	DC Current	Hrs.	*Driver not incl.
	18030	—	2700	930	90	—	12	12°	✓	350 mA	50.000	98310114C or 98310320
	18031	—	2700	1140	90	—	12	36°	✓	350 mA	50.000	98310114C or 98310320
	18032	—	3000	1040	90	—	12	12°	✓	350 mA	50.000	98310114C or 98310320
	18033	—	3000	1140	90	—	12	36°	✓	350 mA	50.000	98310114C or 98310320
	18034	—	4000	1040	90	—	12	12°	✓	350 mA	50.000	98310114C or 98310320
	18035	—	4000	1140	90	—	12	36°	✓	350 mA	50.000	98310114C or 98310320

*See Drivers information on page 470 / Ver información de Drivers en página 470


GUI10	Ref.	Socket	K	lm	CRI	I.E.E.	W	Angle°	Dimm	V	Hz	Hrs.	Caract	mm/"
	17328	GU10	2700	600	≥80	A+	7	120°	—	220-240	50	25.000	—	ø50/1,9" 55/2,3"
	17329	GU10	4000	650	≥80	A+	7	120°	—	220-240	50	25.000	—	ø50/1,9" 55/2,3"
	17330	GU10	3000	540	≥80	A+	7	38°	—	220-240	50	25.000	Glass	ø53/1,9" 53/2,1"
	17309	GU10	3000	500	>90	A+	7	40°	—	220-240	50/60	25.000	—	ø50/1,9" 54/2,1"
	17316	GU10	2700	450	≥80	A+	8	38°	—	100-240	50/60	25.000	—	ø50/1,9" 50/1,9"
	17317	GU10	4000	480	≥80	A+	8	38°	—	220-240	50/60	25.000	—	ø50/1,9" 50/1,9"
	17320	GU10	2700	500	≥80	A+	8	60°	—	100-240	50/60	25.000	—	ø50/1,9" 50/1,9"
	17321	GU10	4000	520	≥80	A+	8	60°	—	100-240	50/60	25.000	—	ø50/1,9" 50/1,9"
	17318	GU10	2700	450	≥80	A+	8	38°	✓	100-240	50/60	25.000	—	ø50/1,9" 54/2,1"
	17319	GU10	4000	480	≥80	A+	8	38°	✓	220-240	50/60	25.000	—	ø50/1,9" 54/2,1"
	17324	GU10	2700	500	≥80	A+	8	60°	—	100-240	50/60	25.000	—	ø50/1,9" 54/2,1"
	17325	GU10	4000	520	≥80	A+	8	60°	—	100-240	50/60	25.000	—	ø50/1,9" 50/1,9"
	17331	GU10	2700	500	≥80	A+	8	60°	✓	220-240	50/60	25.000	—	ø50/1,9" 54/2,1"
	17332	GU10	4000	520	≥80	A+	8	60°	✓	220-240	50/60	25.000	—	ø50/1,9" 54/2,1"

G45

	17471	E27	4000	30	—	A+	1	A+	220-240	50/60	25.000	Coloured glass	ø45/1,7" 66/2,6"
	17472	E27	—	30	—	A+	1	A+	220-240	50/60	25.000	Coloured glass	ø45/1,7" 66/2,6"
	17473	E27	—	30	—	A+	1	A+	220-240	50/60	25.000	Coloured glass	ø45/1,7" 66/2,6"
	17474	E27	—	30	—	A+	1	A+	220-240	50/60	25.000	Coloured glass	ø45/1,7" 66/2,6"
	17475	E27	—	30	—	A+	1	A+	220-240	50/60	25.000	Coloured glass	ø45/1,7" 66/2,6"

C35	Ref.	Socket	K	lm	CRI	I.E.E.	W	Angle°	Dimm	V	Hz	Hrs.	Caract	mm/"
	I7460	E14	2700	450	≥80	A++	4	360°	—	220-240	50/60	25.000	Matt glass	ø35/1,3" 100/4"
G45														
	I7461	E14	2700	450	≥80	A++	4	360°	—	220-240	50/60	25.000	Matt glass	ø45/1,7" 78/3,1"
	I7462	E27	2700	450	≥80	A++	4	360°	—	220-240	50/60	25.000	Matt glass	ø45/1,7" 70/2,7"
	I7492	E27	4000	470	≥80	A++	4	360°	—	220-240	50/60	25.000	Matt glass	ø45/1,7" 70/2,7"
T45														
	I7437	E27	3000	550	≥80	A++	5	360°	—	220-240	50/60	25.000	Matt glass	ø45/1,7" 72/2,7"
A60														
	I7463	E27	2700	800	≥80	A++	7	360°	—	220-240	50/60	25.000	Matt glass	ø60/2,3" 102/4"
	I7484	E27	4000	830	≥80	A++	7	360°	—	220-240	50/60	25.000	Matt glass	ø60/2,3" 102/4"
	I7485	E27	2700	900	≥80	A++	8	360°	✓	220-240	50/60	25.000	Matt glass	ø60/2,3" 102/4"
	I7486	E27	4000	950	≥80	A++	8	360°	✓	220-240	50/60	25.000	Matt glass	ø60/2,3" 102/4"
	I7063	E27	2700	640	≥80	A+	8	270°	—	220-240	50/60	25.000	Polycarbonate	ø60/2,3" 110/4,3"
	I7064	E27	5000	680	≥80	A+	8	270°	—	220-240	50/60	25.000	Polycarbonate	ø60/2,3" 110/4,3"
	I7067	E27	2700	810	≥80	A+	10	270°	✓	220-240	50/60	25.000	Polycarbonate	ø60/2,3" 120/4,7"
A65														
	I7062	E27	4000	1020	≥80	A+	10	270°	—	220-240	50/60	30.000	Polycarbonate/ Sensor	ø65/2,5" 125/5"
G95														
	I7464	E27	2700	800	≥80	A++	6	360°	—	220-240	50/60	25.000	Matt glass	ø95/3,7" 138/5,4"
	I7482	E27	2700	900	≥80	A++	8	360°	✓	220-240	50/60	25.000	Matt glass	ø95/3,7" 130/5,1"
	I7483	E27	4000	950	≥80	A++	8	360°	✓	220-240	50/60	25.000	Matt glass	ø95/3,7" 130/5,1"
G120														
	I7478	E27	2700	1600	≥80	A+	19	270°	—	220-240	50/60	25.000	Polycarbonate	ø120/4,7" 155/6,1"
	I7479	E27	2700	1600	≥80	A+	19	270°	✓	220-240	50/60	25.000	Polycarbonate	ø120/4,7" 155/6,1"
	I7480	E27	4000	1700	≥80	A+	19	270°	✓	220-240	50/60	25.000	Polycarbonate	ø120/4,7" 155/6,1"
G125														
	I7465	E27	2700	800	≥80	A++	6	360°	—	220-240	50/60	25.000	Matt glass	ø125/4,9" 175/6,8"

G45	Ref.	Socket	K	lm	CRI	I.E.E.	W	Angle°	Dimm	V	Hz	Hrs.	Caract	mm/”
------------	-------------	---------------	----------	-----------	------------	---------------	----------	---------------	-------------	----------	-----------	-------------	---------------	-------------

	17417	E27	2700	220	≥80	A++	2	360°	—	220-240	50/60	25.000	Filament	ø45/1,7” 70/2,7”
--	-------	-----	------	-----	-----	-----	---	------	---	---------	-------	--------	----------	---------------------

A60

	17420	E27	2700	470	≥80	A++	4	360°	—	220-240	50/60	25.000	Filament	ø60/2,3” 105/4,7”
--	-------	-----	------	-----	-----	-----	---	------	---	---------	-------	--------	----------	----------------------

ST64

	17422	E27	2700	470	≥80	A++	4	360°	—	220-240	50/60	25.000	Filament	ø64/2,5” 146/5,7”
--	-------	-----	------	-----	-----	-----	---	------	---	---------	-------	--------	----------	----------------------


G95

	17415	E27	2700	470	≥80	A++	4	360°	—	220-240	50/60	25.000	Filament	ø95/3,7” 138/5,4”
--	-------	-----	------	-----	-----	-----	---	------	---	---------	-------	--------	----------	----------------------


G125

	17423	E27	2700	460	≥80	A++	4	360°	—	220-240	50/60	25.000	Filament	ø125/4,9” 175/6,8”
--	-------	-----	------	-----	-----	-----	---	------	---	---------	-------	--------	----------	-----------------------

T30


	17445	E27	2700	550	≥80	A+	6	360°	—	220-240	50/60	25.000	Filament Amber	ø28/1,1” 300/11,8”
--	-------	-----	------	-----	-----	----	---	------	---	---------	-------	--------	-------------------	-----------------------

C35

	17427	E14	2200	200	—	A++	2	360°	—	220-240	50/60	25.000	Filament Amber	ø36/1,4” 100/3,9”
--	-------	-----	------	-----	---	-----	---	------	---	---------	-------	--------	-------------------	----------------------

G45

	17413	E14	2200	200	—	A++	2	360°	—	220-240	50/60	25.000	Filament Amber	ø45/1,7” 78/3,1”
--	-------	-----	------	-----	---	-----	---	------	---	---------	-------	--------	-------------------	---------------------


	17414	E27	2200	200	—	A++	2	360°	—	220-240	50/60	25.000	Filament Amber	ø45/1,7” 70/2,7”
---	-------	-----	------	-----	---	-----	---	------	---	---------	-------	--------	-------------------	---------------------

	17493	E27	2200	300	—	A+	4	360°	✓	220-240	50/60	25.000	Filament Amber	ø45/1,7” 70/2,7”
--	-------	-----	------	-----	---	----	---	------	---	---------	-------	--------	-------------------	---------------------

A60

	17426	E27	2200	400	—	A++	4	360°	—	220-240	50/60	25.000	Filament Amber	ø56/2,2” 102/4”
--	-------	-----	------	-----	---	-----	---	------	---	---------	-------	--------	-------------------	--------------------

	17432	E27	2200	400	—	A+	5	360°	✓	220-240	50/60	25.000	Filament Amber	ø56/2,2” 102/4”
--	-------	-----	------	-----	---	----	---	------	---	---------	-------	--------	-------------------	--------------------

	17514	E27	2200	550	—	A+	6	360°	*✓	220-240	50/60	20.000	Filament Amber	ø60/2,3” 105/4,7”
--	-------	-----	------	-----	---	----	---	------	----	---------	-------	--------	-------------------	----------------------

ST64


	17428	E27	2200	400	—	A++	4	360°	—	220-240	50/60	25.000	Filament Amber	ø64/2,5” 146/5,7”
--	-------	-----	------	-----	---	-----	---	------	---	---------	-------	--------	-------------------	----------------------

	17433	E27	2200	400	—	A+	5	360°	✓	220-240	50/60	25.000	Filament Amber	ø64/2,5” 146/5,7”
--	-------	-----	------	-----	---	----	---	------	---	---------	-------	--------	-------------------	----------------------



SP64

	17409	E27	2000	250	—	A	5	360°	—	220-240	50/60	25.000	Filament Amber	ø64/2,5” 146/5,7”
--	-------	-----	------	-----	---	---	---	------	---	---------	-------	--------	-------------------	----------------------

*Dimmable; 1 click 100% 2 clicks 50% 3 clicks 25%

G95	Ref.	Socket	K	lm	CRI	I.E.E.	W	Angle°	Dimm	V	Hz	Hrs.	Caract	mm/"
	17429	E27	2200	400	–	A++	4	360°	–	220–240	50/60	25.000	Filament Amber	ø95/3,7" 138/5,3"

G125

	17434	E27	2200	400	–	A+	5	360°	✓	220–240	50/60	25.000	Filament Amber	ø125/4,9" 175/6,8"
	17425	E27	2200	400	–	A++	4	360°	–	220–240	50/60	25.000	Filament Amber	ø125/4,9" 175/6,8"

A160

	17447	E27	2000	280	–	A+	5	360°	✓	220–240	50/60	25.000	Filament Amber	ø160/6,3" 300/11,8"
---	-------	-----	------	-----	---	----	---	------	---	---------	-------	--------	----------------	------------------------

BT180

	17449	E27	2000	400	–	A+	8	360°	✓	220–240	50/60	25.000	Filament Amber	ø160/6,3" 390/15,3"
---	-------	-----	------	-----	---	----	---	------	---	---------	-------	--------	----------------	------------------------

G200

	17448	E27	2000	280	–	A+	5	360°	✓	220–240	50/60	25.000	Filament Amber	ø200/7,8" 300/11,8"
---	-------	-----	------	-----	---	----	---	------	---	---------	-------	--------	----------------	------------------------

*Dimmable; 1 click 100% 2 clicks 50% 3 clicks 25%

A55

	17270	E27	2700	330	≥80	A+	4	280°	–	220–240	50/60	10.000	Mirror	ø56/2,2" 100/3,9"
---	-------	-----	------	-----	-----	----	---	------	---	---------	-------	--------	--------	----------------------

A60

	17496	E27	2700	470	≥80	A++	4	360°	–	220–240	50/60	25.000	Gold	ø60/2,3" 102/4"
---	-------	-----	------	-----	-----	-----	---	------	---	---------	-------	--------	------	--------------------

G95


	17271	E27	2700	400	≥80	A++	4	180°	–	220–240	50/60	25.000	Mirror	ø95/3,7" 128/5"
---	-------	-----	------	-----	-----	-----	---	------	---	---------	-------	--------	--------	--------------------

T26







	17446	E14	2700	120	≥80	A++	1	360°	–	220–240	50/60	25.000	LED	ø25/0,1" 58/2,3"
---	-------	-----	------	-----	-----	-----	---	------	---	---------	-------	--------	-----	---------------------

R7S



	17497	JP117	2700	800	≥80	A++	8	360°	–	220–240	50/60	25.000	LED	ø13,5/0,53" 118/4,65"
---	-------	-------	------	-----	-----	-----	---	------	---	---------	-------	--------	-----	--------------------------

G4	Ref.	Socket	K	lm	CRI	I.E.E.	W	Angle°	Dimm	V	Hz	Hrs.	Caract	mm/"
	17487	G4	3000	180	≥80	A++	1,6	360°	–	12 AC	–	25.000	LED	ø10/0,4" 37/1,4"
	17494	G4	3000	90	≥80	A++	1,5	360°	–	12 AC	50/60	25.000	LED	ø11/0,5" 33/1,3"

G9

	17443	G9	2700	350	≥80	A++	3,5	360°	–	220-240	50/60	25.000	–	ø15/0,6" 50/1,9"
	17444	G9	4000	350	≥80	A++	3,5	360°	–	220-240	50/60	25.000	–	ø15/0,6" 50/1,9"
	17468	G9	2700	350	≥80	A++	3,5	360°	✓	220-240	50/60	25.000	–	ø16/0,7" 50/1,9"
	17495	G9	3000	420	≥80	A++	3,5	360°	–	220-240	50/60	25.000	–	ø13/0,5" 58/3,3"
	17466	G9	2700	500	≥80	A++	5	360°	–	220-240	50/60	25.000	–	ø16/0,7" 60/2,3"
	17467	G9	4000	500	≥80	A++	5	360°	–	220-240	50/60	25.000	–	ø16/0,7" 60/2,3"

PAR38

	17399	E27	4000	400	–	A+	10	60°	–	220-240	50/60	30.000	–	ø120/4,7" 134/5,2"
	17400	E27	4000	850	≥80	A+	10	60°	–	220-240	50/60	30.000	–	ø120/4,7" 140/5,5"
	17398	E27	3000	810	≥80	A+	12	23°	–	100-240	50/60	25.000	IP65	ø120/4,7" 134/5,2"

R63

	17476	E27	2700	700	≥80	A+	8	120°	–	220-240	50/60	25.000	LED	ø63/2,5" 102,5/4"
---	-------	-----	------	-----	-----	----	---	------	---	---------	-------	--------	-----	----------------------

R80

	17477	E27	2700	1050	≥80	A+	12	120°	–	220-240	50/60	25.000	LED	ø80/3,1" 112,5/4,4"
---	-------	-----	------	------	-----	----	----	------	---	---------	-------	--------	-----	------------------------


3U

	17438	E27	2800	855	≥70	A+	9	360°	–	110-240	50/60	20.000	LED	ø45/1,7" 138/5,4"
---	-------	-----	------	-----	-----	----	---	------	---	---------	-------	--------	-----	----------------------

JP118

	17490	R7s	2700	1000	≥80	A+	12	–	–	220-240	50/60	25.000	LED	ø23/0,9" 118/4,6"
	17491	R7s	4000	1050	≥80	A+	12	–	–	220-240	50/60	25.000	LED	ø23/0,9" 118/4,6"

JP78

	17488	R7s	2700	600	≥80	A+	7	–	–	220-240	50/60	25.000	LED	ø23/0,9" 78/3,07"
	17489	R7s	4000	650	≥80	A+	7	–	–	220-240	50/60	25.000	LED	ø23/0,9" 78/3,07"
	17499	R7s	2700	450	≥80	A++	4	–	–	220-240	50/60	25.000	LED	ø14/0,5" 78/3,07"

GX53

	17340	GX53	3000	470	≥80	A+	6	–	–	220-240	50/60	25.000	LED	ø76/2,9" 26/1,2"
---	-------	------	------	-----	-----	----	---	---	---	---------	-------	--------	-----	---------------------

WALL LAMP SHADES / PANTALLAS PARA APLIQUES

								
2P0111	2P0112	2P0113	2P0211	2P0212	2P0213	2P0411	2P0412	2P0413
white/blanco	beige/beige	black/negro	white/blanco	beige/beige	black/negro	white/blanco	beige/beige	black/negro
								
								
2P0615	2P0616	2P0617	2P0311	2P0312	2P0313	2P0710		
beige/beige	yellow/amarillo	green/verde	white/blanco	beige/beige	black/negro	rattan		
								

SUSPENDED LAMPS SHADES / PANTALLAS PARA SUSPENSIONES

					
2P0645	2P0646	2P0647	2P0710	2P0720	2P0730
beige/beige	yellow/amarillo	green/verde	rattan	rattan	rattan
					

TABLE LAMPS SHADES / PANTALLAS PARA SOBREMESAS

								
2P0121	2P0122	2P0123	2P0221	2P0222	2P0223	2P0421	2P0422	2P0423
white/blanco	beige/beige	black/negro	white/blanco	beige/beige	black/negro	white/blanco	beige/beige	black/negro
$\begin{matrix} \text{Ø}250/9.8'' \\ \text{Ø}220/8.6'' \\ 200/7.9'' \end{matrix}$	$\begin{matrix} \text{Ø}250/9.8'' \\ \text{Ø}220/8.6'' \\ 200/7.9'' \end{matrix}$	$\begin{matrix} \text{Ø}250/9.8'' \\ \text{Ø}220/8.6'' \\ 200/7.9'' \end{matrix}$	$\begin{matrix} \text{Ø}270/10.6'' \\ \text{Ø}160/6.3'' \\ 200/7.9'' \end{matrix}$	$\begin{matrix} \text{Ø}270/10.6'' \\ \text{Ø}160/6.3'' \\ 200/7.9'' \end{matrix}$	$\begin{matrix} \text{Ø}270/10.6'' \\ \text{Ø}160/6.3'' \\ 200/7.9'' \end{matrix}$	$\begin{matrix} 220/8.6'' \\ \text{Ø}190/7.5'' \\ 200/7.9'' \end{matrix}$	$\begin{matrix} 220/8.6'' \\ \text{Ø}190/7.5'' \\ 200/7.9'' \end{matrix}$	$\begin{matrix} 220/8.6'' \\ \text{Ø}190/7.5'' \\ 200/7.9'' \end{matrix}$
								
2P0625	2P0626	2P0627	2P0311	2P0312	2P0313	2P0720		
beige/beige	yellow/amarillo	green/verde	white/blanco	beige/beige	black/negro	rattan		
$\begin{matrix} \text{Ø}250/9.8'' \\ \text{Ø}220/8.6'' \\ 200/7.9'' \end{matrix}$	$\begin{matrix} \text{Ø}250/9.8'' \\ \text{Ø}220/8.6'' \\ 200/7.9'' \end{matrix}$	$\begin{matrix} \text{Ø}250/9.8'' \\ \text{Ø}220/8.6'' \\ 200/7.9'' \end{matrix}$	$\begin{matrix} \text{Ø}165/6.5'' \\ \text{Ø}130/5.1'' \\ 240/9.4'' \end{matrix}$	$\begin{matrix} \text{Ø}165/6.5'' \\ \text{Ø}130/5.1'' \\ 240/9.4'' \end{matrix}$	$\begin{matrix} \text{Ø}165/6.5'' \\ \text{Ø}130/5.1'' \\ 240/9.4'' \end{matrix}$	$\begin{matrix} \text{Ø}320/12.6'' \\ 210/8.2'' \end{matrix}$		


FLOOR LAMPS SHADES / PANTALLAS PARA LUMINARIAS DE SUELO

								
2P0131	2P0132	2P0133	2P0231	2P0232	2P0233	2P0431	2P0432	2P0433
white/blanco	beige/beige	black/negro	white/blanco	beige/beige	black/negro	white/blanco	beige/beige	black/negro
$\begin{matrix} \text{Ø}400/15.7'' \\ \text{Ø}360/14.1'' \\ 300/11.8'' \end{matrix}$	$\begin{matrix} \text{Ø}400/15.7'' \\ \text{Ø}360/14.1'' \\ 300/11.8'' \end{matrix}$	$\begin{matrix} \text{Ø}400/15.7'' \\ \text{Ø}360/14.1'' \\ 300/11.8'' \end{matrix}$	$\begin{matrix} \text{Ø}400/15.7'' \\ \text{Ø}240/9.4'' \\ 290/11.4'' \end{matrix}$	$\begin{matrix} \text{Ø}400/15.7'' \\ \text{Ø}240/9.4'' \\ 290/11.4'' \end{matrix}$	$\begin{matrix} \text{Ø}400/15.7'' \\ \text{Ø}240/9.4'' \\ 290/11.4'' \end{matrix}$	$\begin{matrix} 320/12.6'' \\ \text{Ø}270/10.6'' \\ 300/11.8'' \end{matrix}$	$\begin{matrix} 320/12.6'' \\ \text{Ø}270/10.6'' \\ 300/11.8'' \end{matrix}$	$\begin{matrix} 320/12.6'' \\ \text{Ø}270/10.6'' \\ 300/11.8'' \end{matrix}$
								
2P0635	2P0636	2P0637	2P0730					
beige/beige	yellow/amarillo	green/verde	rattan					
$\begin{matrix} \text{Ø}400/15.7'' \\ \text{Ø}360/14.1'' \\ 300/11.8'' \end{matrix}$	$\begin{matrix} \text{Ø}400/15.7'' \\ \text{Ø}360/14.1'' \\ 300/11.8'' \end{matrix}$	$\begin{matrix} \text{Ø}400/15.7'' \\ \text{Ø}360/14.1'' \\ 300/11.8'' \end{matrix}$	$\begin{matrix} \text{Ø}450/17.7'' \\ 310/12.2'' \end{matrix}$					


RECESSED DRAINAGE

EN	ES	FR	ITA
<p>Placing sunken lighting in the ground All sunken lights are ready for installing in the ground or in cement. Always ensure that they are not placed in watercourses or depressions in the ground. Position the mounting box surrounded by the fastening material to ensure that it does not tip or fall over. There must be a layer of gravel below and around the mounting box for draining purposes (see drawing). Correct drainage should allow 5 litres of water to be absorbed within 8 minutes. The glass can reach high temperatures, so contact with people and objects should be avoided. We recommend that the outside of the apparatus be cleaned regularly to stop foreign materials from preventing the dissipation of heat which leads to changes in the components and a loss of watertightness. Follow the installation and assembly instructions and maintenance recommendations very carefully.</p> <p>Condensation To minimise possible condensation inside the device, turn it on for 1 hour without the protective glass, closing it immediately once this time has elapsed.</p> <p>BEACONS To ensure the proper conservations of beacons we recommend their installation on a plinth, never directly onto the ground or lawn.</p>	<p>Colocación del empotrable en el terreno Todos los empotrables están previstos para una instalación en tierra o en cemento. Evite siempre colocarlo en vaguadas o depresiones del terreno. Coloque la caja de empotrar rodeada de material de sujeción para evitar que se incline o se hunda. Por debajo y alrededor de la caja de empotrar debe existir una capa de grava para drenaje (ver dibujo). Un drenaje correcto debe permitir la absorción de 5 litros de agua en 8 minutos. El cristal puede alcanzar temperaturas elevadas por lo tanto evite el contacto con personas o cosas. Es aconsejable limpiar frecuentemente el exterior del aparato para evitar así que materiales extraños impidan la disipación del calor con la consiguiente alteración de los componentes y pérdida de estanqueidad. Siga detenidamente las instrucciones de instalación y montaje así como las recomendaciones de mantenimiento.</p> <p>Condensación Para minimizar la posible condensación de vapor de agua dentro del aparato, debe hacerse funcionar durante 1 hora sin el cristal de protección, transcurrido ese periodo de tiempo, ciérralo inmediatamente.</p> <p>BALIZAS Para una correcta conservación de las balizas, recomendamos su aplicación sobre una pilastra a un nivel superior, y nunca sobre tierras o césped.</p>	<p>Installation de l'encastrable sur le terrain Tous les luminaires encastrables sont prévus pour une installation dans la terre ou le ciment. Évitez toujours de les installer dans des lignes de creux ou des dépressions du terrain. Installer le boîtier d'encastrement avec ses supports afin d'éviter qu'il ne soit incliné ni trop enfoncé. Sous le boîtier d'encastrement et autour de celui-ci, il doit y avoir une couche de gravier pour le drainage (voir dessin). Un drainage correct doit permettre l'absorption de 5 litres d'eau en 8 minutes. Le verre peut atteindre des températures élevées, évitez par conséquent tout contact avec les personnes ou des objets. Il est conseillé de nettoyer fréquemment l'extérieur de l'appareil, afin d'éviter que des corps étrangers n'empêchent la dissipation de la chaleur puis l'altération des composants et la perte d'étanchéité. Suivez attentivement les instructions d'installation et de montage, ainsi que les recommandations de maintenance.</p> <p>Condensation Pour minimiser les risques de condensation de la vapeur d'eau intérieur de l'appareil doit être exploité pendant une heure sans le verre de protection, après cette période temps, fermer immédiatement.</p> <p>BALISES Pour un bon maintenance de balises, nous recommandons son application sur un pilier à un niveau supérieur, et jamais sur terre ou sur l'herbe.</p>	<p>Collocazione dell'incasso nel terreno Tutti gli incassi sono pensati per la collocazione in terra o cemento. Evitare sempre di installarli in zone umide o depressioni del cemento. Installare sempre l'incasso circondato da materiale d'appoggio, per evitare che si inclini o affondi. Sotto ed intorno all'incasso deve sempre esserci sabbia drenante (disegno). Un drenaggio efficace deve permettere l'assorbimento di 5 litri d'acqua in 8 minuti. Il vetro può raggiungere temperature elevate, per tanto evitare il contatto con persone o cose. Si consiglia di pulire frequentemente l'esterno degli apparati per evitare che corpi estranei impidano la dissipazione del calore con conseguente alterazione dei componente e perdita delle staghezza. Seguire attentamente le indicazioni di installazione e montaggio, così come le norme di manutenzione.</p> <p>Condensazione Per evitare la possibile condensazione di vapore acqueo all'interno dell'apparato, deve porsi in funzione durante una ora senza il cristallo di protezione e poi procedere alla chiusura immediatamente.</p> <p>PALETTI Per una corretta conservazione dei paletti raccomandiamo la sua applicazione su di una base ad un livello più alto, mai su terra o erba.</p>
<p>⚠ In order to validate the warranty the external connection must have always the protection index (IP) with an equal or a superior value of the ip shown on the lamp.</p>	<p>⚠ Para poder hacer uso de la garantía es imprescindible que la conexión externa sea de un índice de protección (IP) igual o superior a la luminaria adquirida.</p>	<p>⚠ Pour que la garantie soit valable, il est indispensable que la connexion externe soit d'un indice de protection (IP) égal ou supérieur à celui du luminaire acheté.</p>	<p>⚠ Per poter usufruire della garanzia è imprescindibile che la connessione esterna sia di un indice di protezione (IP) uguale o superiore a quello indicato sulla lampada acquistata.</p>

Placing sunken lighting in the ground
Colocación del empotrable en el terreno
Installation de l'encastrable sur le terrain
Installazione dell'incasso nel terreno



Minimum drainage measures
Medidas mínimas de drenaje
Mesures de drainage minimum
Misure minime di drenaggio


























STAINLESS STEEL

EN	ES	FR	ITA
<p>Cleaning and maintenance of stainless steel It is advisable to follow the recommendations listed below for the correct maintenance and upkeep of all products manufactured from stainless steel In industrial or coastal areas localized corrosion can be caused by the accumulation of contaminants carried by the air. By using a cloth or duster will insure the elimination of these contaminants. In the case dirt which is more difficult to remove, it is recommended the use of a cleaner which includes phosphoric acid, ensuring that a scrubber or soft nylon brush is used, never use a steel scrubber. It is recommendable to clean stainless steel every 6 to 12 months for average dirt and every 3 months for more severe cases. Especially in the following atmospheric conditions - Marine atmospheres. - Atmospheres which contain a lot of industrial contaminants. - Atmospheric and traffic pollution.</p>	<p>Limpieza y mantenimiento del acero inoxidable Le aconsejamos que siga las siguientes recomendaciones para la conservación y mantenimiento de todos aquellos artículos fabricados en acero inoxidable. En zonas industriales o costeras se pueden producir corrosiones localizadas por acumulaciones de contaminantes llevados por el aire, asegúrese que se eliminan dichos contaminantes utilizando un paño húmedo o una gamuza. En caso de suciedad más difícil le recomendamos que utilice un limpiador que incluya ácido fosfórico siempre con el uso de estropajos o cepillos suaves de nylon, nunca usar estropajos de acero. La frecuencia de limpieza que le recomendamos para una suciedad moderada es de 6-12 meses y de 3 meses cuando es más abundantes. Especialmente en ambientes que recojan las siguientes condiciones: - Atmósferas marinas. - Ambientes cargados de contaminantes industriales. - Suciedad atmosférica y del tráfico.</p>	<p>Nettoyage et entretien de l'acier inoxydable Nous vous conseillons de suivre les suggestions pour la conservation et entretien de tous les articles fabriqués en acier inoxydable. Dans les zones industrielles ou proches au littoral, il peut s'y produire des corrosions localisées par l'accumulation de contaminants apportés par l'air, assurez-vous que ces contaminants puissent s'éliminer avec un torchon humide ou une peau de chamois. En cas de saleté plus difficile, nous vous conseillons d'utiliser un nettoyant à base d'acide phosphorique, toujours à utiliser avec des tampons à récurer ou des brosses douces en nylon, ne jamais utiliser de tampons à récurer en acier. La fréquence de nettoyage que nous vous conseillons pour une saleté modérée est de 6 à 12 mois et de 3 mois quand celle-ci est plus abondante. Surtout dans les ambiances avec les conditions suivantes: - Atmosphères marines. - Ambiances chargées de contaminants industriels. - Saleté atmosphérique et de circulation.</p>	<p>Pulizia e manutenzione dell'acciaio inossidabile Consigliamo di seguire le raccomandazioni per la conservazione e manutenzione di tutti quei prodotti fabbricati in acciaio inossidabile. In zone industriali o costiere si possono produrre corrosioni localizzate a causa dei contaminanti presenti nell'aria; suddette corrosioni si possono eliminare utilizzando un panno umido o di camoscio. In caso di sporcizia più difficile raccomandiamo l'utilizzo di acido fosforico come prodotto di pulizia e manutenzione (utilizzando spugnette, panni soffici o spazzole di nylon). La frequenza raccomandata è: 6-12 mesi per una sporcizia moderata, 3 mesi per le più difficili. Ambienti critici: - Atmosfera marina - Ambienti carichi di contaminanti industriali - Atmosfere cittadine con elevato indice di traffico.</p>

EN	ES	FR	ITA	PT	GER
<p>The first digit (IP x...) indicates the protection from solid objects.</p> <p>0 Non protected.</p> <p>1 Protected against solid objects bigger than 50 mm.</p> <p>2 Protected against solid objects bigger than 12 mm.</p> <p>3 Protected against solid objects bigger than 2,5 mm.</p> <p>4 Protected against solid objects bigger than 1 mm.</p> <p>5 Dust protected.</p> <p>6 Dust tight.</p> <p>The second digit (IP ...y) indicates protection from moisture.</p> <p>0 Non protected.</p> <p>1 Protected against dripping water.</p> <p>2 Protected against dripping water when tilted up to 15°.</p> <p>3 Protected against spraying water.</p> <p>4 Protected against splashing water.</p> <p>5 Protected against water jets.</p> <p>6 Protected against heavy seas.</p> <p>7 Protected against the effects of immersion.</p> <p>8 Protected against submersion.</p>	<p>La primera cifra (IP x...) indica la protección del aparato contra la penetración de cuerpos sólidos.</p> <p>0 No protegido</p> <p>1 Protegido contra la penetración de cuerpos sólidos con $\varnothing \geq 50$ mm</p> <p>2 Protegido contra la penetración de cuerpos sólidos con $\varnothing \geq 12$ mm</p> <p>3 Protegido contra la penetración de cuerpos sólidos con $\varnothing \geq 2,5$ mm</p> <p>4 Protegido contra la penetración de cuerpos sólidos con $\varnothing \geq 1$ mm</p> <p>5 Protegido contra el polvo</p> <p>6 Totalmente protegido contra el polvo</p> <p>La segunda cifra (IP ...y) indica la protección del aparato contra la lluvia.</p> <p>0 No protegido</p> <p>1 Protegido contra la caída vertical de gotas de agua</p> <p>2 Protegido contra la lluvia con un ángulo máx de 15° sobre la vertical</p> <p>3 Protegido contra la lluvia con un ángulo máx de 60° sobre la vertical</p> <p>4 Protegido contra salpicaduras y protección del agua</p> <p>5 Protegido contra chorros de agua</p> <p>6 Protegido contra potentes chorros de agua</p> <p>7 Protegido contra inundaciones temporales.</p> <p>8 Protegido contra inmersiones prolongadas</p>	<p>Le premier chiffre (IP x...) indique le degré de protection des parties contre les corps solides.</p> <p>0 Pas de protection.</p> <p>1 Protection contre corps de diamètre supérieur à 50 mm.</p> <p>2 Protection contre corps de diamètre supérieur à 12 mm.</p> <p>3 Protection contre corps de diamètre supérieur à 2,5 mm.</p> <p>4 Protection contre corps de diamètre supérieur à 1 mm.</p> <p>5 Protection contre dépôts de poussière.</p> <p>6 Protection contre toute infiltration de poussière.</p> <p>Le deuxième chiffre (IP ...y) indique le degré de protection contre l'eau.</p> <p>0 Pas de protection.</p> <p>1 Protection contre chute verticale de gouttes d'eau.</p> <p>2 Protection contre chute de gouttes d'eau jusqu'à 15° de la verticale.</p> <p>3 Protection contre pluie de 0° à 60° de la verticale et ruissellement.</p> <p>4 Protection contre projections d'eau de toutes les directions.</p> <p>5 Protection contre jets d'eau de toutes les directions.</p> <p>6 Protection contre jets d'eau de forte pression et paquets de mer.</p> <p>7 Protection contre immersion à moins d'un metre de profondeur.</p> <p>8 Protection contre immersion permanente à plus d'un metre de profondeur.</p>	<p>La prima cifra (IP x...) indica la protezione del sistema contro l'ingresso di corpi solidi.</p> <p>0 Non protetto</p> <p>1 Protetto contro l'ingresso di corpi solidi con $\varnothing \geq 50$ mm.</p> <p>2 Protetto contro l'ingresso di corpi solidi con $\varnothing \geq 12$ mm.</p> <p>3 Protetto contro l'ingresso di corpi solidi con $\varnothing \geq 2,5$ mm.</p> <p>4 Protetto contro l'ingresso di corpi solidi con $\varnothing \geq 1$ mm.</p> <p>5 Protetto contro la polvere.</p> <p>6 Totalmente protetto contro la polvere.</p> <p>La seconda cifra (IP ...y) indica la protezione del sistema contro la pioggia.</p> <p>0 Non protetto</p> <p>1 Protetto contro la caduta verticale di gocce d'acqua.</p> <p>2 Protetto contro la pioggia con angolo max. di 15° sulla verticale.</p> <p>3 Protetto contro la pioggia con angolo max. di 60° sulla verticale.</p> <p>4 Protetto contro gli spruzzi e l'ingresso di acqua.</p> <p>5 Protetto contro i getti d'acqua.</p> <p>6 Protetto contro i getti potenti d'acqua.</p> <p>7 Protetto contro inondazioni temporanee.</p> <p>8 Protetto contro le immersioni prolungate.</p>	<p>O primeiro dígito (IP x...) indica o grau de protecção contra corpos sólidos.</p> <p>0 Sem protecção.</p> <p>1 Protegido contra a penetração de corpos sólidos com $0 > 50$ mm.</p> <p>2 Protegido contra a penetração de corpos sólidos com $0 > 12$ mm.</p> <p>3 Protegido contra a penetração de corpos sólidos com $0 > 2,5$ mm.</p> <p>4 Protegido contra a penetração de corpos sólidos com $0 > 1$ mm.</p> <p>5 Protegido contra o pó.</p> <p>6 Totalmente protegido contra o pó.</p> <p>O segundo dígito (IP ...y) indica o grau de protecção contra po e chuva.</p> <p>0 Sem protecção.</p> <p>1 Protegido contra a queda vertical de gotas de água.</p> <p>2 Protegido contra água em forma de chuva com um angulo max. de 15°.</p> <p>3 Protegido contra água em forma de chuva com um angulo max. de 60°.</p> <p>4 Protegido contra projecções de água.</p> <p>5 Protegido contra jactos de água em todas as direcções.</p> <p>6 Protegido contra potentes jactos de água.</p> <p>7 Protegido contra a imersão temporária.</p> <p>8 Protegido contra a imersão prolongada.</p>	<p>Die erste Ziffer (IP x...) gibt den Schutz des Apparats gegen das Eindringen von festen Körpern an.</p> <p>0 Nicht geschützt.</p> <p>1 Geschützt gegen das Eindringen von festen Körpern mit $\varnothing \geq 50$ mm.</p> <p>2 Geschützt gegen das Eindringen von festen Körpern mit $\varnothing \geq 12$ mm.</p> <p>3 Geschützt gegen das Eindringen von festen Körpern mit $\varnothing \geq 2,5$ mm.</p> <p>4 Geschützt gegen das Eindringen von festen Körpern mit $\varnothing \geq 1$ mm.</p> <p>5 Geschützt gegen Staub.</p> <p>6 Vollkommen gegen Staub geschützt.</p> <p>Die zweite Ziffer (IP ...y) gibt den Schutz des Apparats gegen Regen an.</p> <p>0 Nicht geschützt.</p> <p>1 Geschützt gegen vertikal fallende Wassertropfen.</p> <p>2 Geschützt gegen Regenfall mit einem Winkel von max. 15° über die aleanSenkrechte.</p> <p>3 Geschützt gegen Regenfall mit einem Winkel von max. 60° über die Senkrechte.</p> <p>4 Geschützt gegen Spritzer und Schutz gegen Wasser.</p> <p>5 Geschützt gegen Wasserschauer.</p> <p>6 Geschützt gegen starke Wasserschauer.</p> <p>7 Geschützt gegen zeitweilige Überschwemmungen.</p> <p>8 Geschützt bei länger anhaltendem Eintauchen.</p>
NL	GRK	RUS	CZ	BL	PL
<p>Het eerste cijfer (IP x...) geeft de beschermingsgraad weer van het apparaat tegen het binnendringen van vaste elementen.</p> <p>0 Biedt geen bescherming</p> <p>1 Biedt bescherming tegen het binnendringen van vaste elementen met $\varnothing \geq 50$ mm.</p> <p>2 Biedt bescherming tegen het binnendringen van vaste elementen met $\varnothing \geq 12$ mm.</p> <p>3 Biedt bescherming tegen het binnendringen van vaste elementen met $\varnothing \geq 2,5$ mm.</p> <p>4 Biedt bescherming tegen het binnendringen van vaste elementen met $\varnothing \geq 1$ mm.</p> <p>5 Biedt bescherming tegen stof.</p> <p>6 Biedt volledige bescherming tegen stof.</p> <p>Het tweede cijfer (IP ...y) geeft de beschermingsgraad van het apparaat tegen de regen weer.</p> <p>0 Biedt geen bescherming</p> <p>1 Biedt bescherming tegen het verticaal neerkomen van waterdruppels.</p> <p>2 Biedt bescherming tegen regen met een max. hoek van 15° over verticaal.</p> <p>3 Biedt bescherming tegen regen met een max. hoek van 60° over verticaal.</p> <p>4 Biedt bescherming tegen spetters en tegen water.</p> <p>5 Biedt bescherming tegen waterstralen.</p> <p>6 Biedt bescherming tegen krachtige waterstralen.</p> <p>7 Biedt bescherming tegen tijdelijke overstromingen.</p> <p>8 Biedt bescherming tegen langdurige onderdompelingen.</p>	<p>Το πρώτο νούμερο (IP x...) υποδεικνύει την προστασία της συσκευής κατά της διείσδυσης στερεών αντικειμένων.</p> <p>0 Χωρίς προστασία</p> <p>1 Με προστασία κατά της διείσδυσης στερεών αντικειμένων διαμέτρου $\varnothing \geq 50$ mm</p> <p>2 Με προστασία κατά της διείσδυσης στερεών αντικειμένων διαμέτρου $\varnothing \geq 12$ mm</p> <p>3 Με προστασία κατά της διείσδυσης στερεών αντικειμένων διαμέτρου $\varnothing \geq 2,5$ mm</p> <p>4 Με προστασία κατά της διείσδυσης στερεών αντικειμένων διαμέτρου $\varnothing \geq 1$ mm</p> <p>5 Με προστασία κατά της σκόνης</p> <p>6 Με πλήρη προστασία κατά της σκόνης</p> <p>Το δεύτερο νούμερο (IP ...y) υποδεικνύει την προστασία της συσκευής κατά της βροχής.</p> <p>0 Χωρίς προστασία</p> <p>1 Με προστασία κατά της κάθετης πτώσης σταγόνων νερού</p> <p>2 Με προστασία κατά της βροχής με μέγιστη γωνία 15° επί καθέτου</p> <p>4 Με προστασία κατά των πτισλισμάτων και προστασία νερού</p> <p>5 Με προστασία κατά της ροής νερού</p> <p>7 Με προστασία κατά των παροδικών πλημμυρών</p> <p>8 Με προστασία κατά της μακρόχρονης βύθισης</p>	<p>Первая цифра (IP x...) указывает на защиту прибора от проникновения твердых тел.</p> <p>0 Не защищен</p> <p>1 Защищен от проникновения твердых тел $\varnothing \geq 50$ мм</p> <p>2 Защищен от проникновения твердых тел $\varnothing \geq 12$ мм</p> <p>3 Защищен от проникновения твердых тел $\varnothing \geq 2,5$ мм</p> <p>4 Защищен от проникновения твердых тел $\varnothing \geq 1$ мм</p> <p>5 Защищен от пыли</p> <p>6 Полностью защищен от пыли</p> <p>Вторая цифра (IP ...y) указывает на защиту прибора от воды.</p> <p>0 Не защищен</p> <p>1 Защищен от попадания вертикальных капель воды</p> <p>2 Защищен от дождевых струй под углом до 15° по вертикали</p> <p>4 Защищен от брызг и попадания воды</p> <p>5 Защищен от потоков воды</p> <p>6 Защищен от сильных потоков воды</p> <p>7 Защищен от проникновения воды при временном затоплении</p> <p>8 Защищен от проникновения воды при длительном погружении.</p>	<p>První číslice (IP x...) označuje stupeň ochrany přístroje proti průniku pevných částic.</p> <p>0 Nechráněno</p> <p>1 Chráněno proti průniku pevných částic s $\varnothing \geq 50$ mm</p> <p>2 Chráněno proti průniku pevných částic s $\varnothing \geq 12$ mm</p> <p>3 Chráněno proti průniku pevných částic s $\varnothing \geq 2,5$ mm</p> <p>4 Chráněno proti průniku pevných částic s $\varnothing \geq 1$ mm</p> <p>5 Chráněno proti prachu</p> <p>Kompletně chráněno proti prachu</p> <p>Druhá číslice (IP ...y) označuje ochranu proti vníkaní vlhkosti.</p> <p>0 Bez ochrany.</p> <p>1 Ochrana před vislele kapající vodou.</p> <p>2 Ochrana před vodou kapající se sklonem do 15°.</p> <p>3 Ochrana před vodou dopadající se sklonem 60° (dešti).</p> <p>4 Ochrana před stříkající vodou.</p> <p>5 Ochrana před tryskající vodou (tlakovou vodou).</p> <p>6 Ochrana před intenzivně tryskající vodou.</p> <p>7 Ochrana při dočasném ponoření.</p> <p>8 Ochrana při trvalém ponoření.</p>	<p>Първата цифра (IP x...) означава защита на уреда от попадане на твърди тела.</p> <p>0 Без защита</p> <p>1 Защита от попадане на твърди тела с $\varnothing \geq 50$ mm</p> <p>2 Защита от попадане на твърди тела с $\varnothing \geq 12$ mm</p> <p>3 Защита от попадане на твърди тела с $\varnothing \geq 2,5$ mm</p> <p>4 Защита от попадане на твърди тела с $\varnothing \geq 1$ mm</p> <p>5 защита от прах</p> <p>6 Изцяло защитен от прах</p> <p>Втората цифра (IP ...y) указва нивото на защита от влага.</p> <p>0 не е защитен</p> <p>1 защитен от капеща вода под наклон до 15°</p> <p>2 защитен от капеща вода под наклон до 15°</p> <p>3 защитен от пръски вода</p> <p>4 защитен от пръскаща вода</p> <p>5 защитен от водна струя</p> <p>6 защитен срещу обилни валежи</p> <p>7 защитен от ефекта на потапане</p> <p>8 защитен при потапане във вода</p>	<p>Pierwsza cyfra (IP x...) oznacza zabezpieczenie urządzenia przed wnikaniami ciał stałych.</p> <p>0 Niezabezpieczono</p> <p>1 Zabezpieczono przed wnikaniami ciał stałych za pomocą $\varnothing \geq 50$ mm</p> <p>2 Zabezpieczono przed wnikaniami ciał stałych za pomocą $\varnothing \geq 12$ mm</p> <p>3 Zabezpieczono przed wnikaniami ciał stałych za pomocą $\varnothing \geq 2,5$ mm</p> <p>4 Zabezpieczono przed wnikaniami ciał stałych za pomocą $\varnothing \geq 1$ mm</p> <p>5 Zabezpieczono przed pyłem</p> <p>6 Całkowicie zabezpieczono przed pyłem</p> <p>Druga z cyfr kodu (IP ...y) oznacza stopień ochrony przed wilgocią.</p> <p>0 brak ochrony</p> <p>1 chronione przed kroplami wody (kapiącymi pionowo)</p> <p>2 ochrona przed kroplami wody padającymi pod kątem 15° z każdej strony</p> <p>3 ochrona przed natryskującą wodą</p> <p>4 ochrona przed rozbryzującą się wodą</p> <p>5 ochrona przed strumieniami wody</p> <p>6 ochrona przed dużymi strumieniami wody</p> <p>7 ochrona przed zanurzeniem krótkotrwałym w wodzie</p> <p>8 ochrona przed całkowitym zalaniem wodą (zanurzenie ciągłym)</p>

SYMBOLS

	EN	ES	FR	ITA	PT	GER
	Has a protective earth Class I protection	Con toma de tierra Aisla. clase I	Avec prise de terre Catégorie de protection I	Con messa a terra Isola. tipo I	Com ligação terra Isolamento classe I	Mit Erdung Isolierung der Klasse I
	Reinforced or double insulation (class II protection)	Aislamiento clase II	Isolement de protection (classe de protection II)	Isolamento tipo II	Isolamento (clase II)	Isolierung der Klasse II
	Low voltage protection (class III protection)	Aislamiento clase III	Très basse tension de protection (classe protec. III)	Isolamento tipo III	Isolamento (clase III)	Isolierung der Klasse III (für montage auf)
	Cable	Cable	Câble	Cavo	Cabo	Kabel
	Weight	Peso	Poids	Peso	Peso	Gewicht
	Switch / Double Switch	Interruptor / Doble Interruptor	Interrupteur / Double Interrupteur	Interruttore / Doppio Interruttore	Interruptor / Doble Interruptor	Schalter / Doppelter Schalter
T	Special transformer	Transformador especial	Transformateur spécial	Trasformatore Speciale	Transformador especial	Spezieller transformator
	USB Charger	Cargador USB	Chargeur USB	Caricatore USB	Carregador USB	USB-Ladegerät
	Cut out	Agujero para empotrar	Trou d'encastrement	Foro per incasso	Furo para encastrar	Bohrloch zum Einbauen
	Maximum thickness for luminaire anchoring point	Espesor máximo para punto de anclaje de luminarias	Épaisseur maximale du point d'ancrage du luminaire	Spessore massimo per il punto di ancoraggio dell'apparecchio	Espessura máxima para o ponto de ancoragem da luminária	Maximale Stärke für Leuchtenbefestigungspunkt
	AdjusTABLE	OrienTABLE	OrienTABLE	Regolabile	Ajustável	Verstellbar
	Dimmable	Dimable	Réglable	Regolabile	Regulável	Dimmbar
	Spike	Espiga	Pointe	Spuntone	Espigão	Spitze
	Resistance in kg	Resistencia en kg	Résistance en kg	Resistenza in kg	Resistência em kg	Widerstand in kg
IK08	Shock resistance	Resistencia a los golpes	Résistance au choc	Resistenza agli urti	Resistência ao choque	Stoßfestigkeit
	Maintenance steel	Acero de mantenimiento	Acier d'entretien	Acciaio di manutenzione	Manutenção de aço	Wartungsstahl
	Light up / down / up and down	Luz arriba / abajo / arriba y abajo	Lumière de haut / vers les bas / de haut en bas	Luce su / giù / su e giù	Luz para cima / baixo / cima e para baixo	Licht auf / nach unten / auf und ab
	Beam angle	Grados apertura	Grades halo lumineux	Gradi di luce	Notas luz	Light grade
	Remote control	Mando a distancia	Télécommande	Doppia Intensità	Comando à distancia	Vernbedienung
	RECESSED box	Caja empotrar	Boîte encastrée	Incasso box	Recesso box	Einbaugeschäuse
RPM	Revolutions per minute	Revoluciones por minuto	Tours/minute	Giri al minuto	Voltas/minuto	Umdrehungen pro Minute
W	Consumiption in W, according to the speed of the motor	Consumo en W, según velocidad del motor	Consommation en W, selon la vitesse du moteur	Consumo in W secondo la velocità del motore	Consumo en W, de acordo com a velocidade do motor	Stromverbrauch in W
IPXY	Ingress Protection Marking against dust (X) and water (Y)	Grado de protección ante el polvo (X) y líquidos (Y)	Indice de protection contre la poussière (X) et l'eau (Y)	Protezione dall'ingresso Marcatura contro polvere (X) e acqua (Y)	Proteção de entrada Marcação contra poeira (X) e água (Y)	Schutz gegen Eindringen von Staub (X) und Wasser (Y)
	Passive Infrared sensor (PIR)	Detector de movimineto pasivo (PIR)	Captteur infrarouge passif (PIR)	SENSORE PASSIVO A INFRAROSSI (PIR)	Sensor infravermelho passivo (PIR)	Passiver Infrarot-Sensor (PIR)
	Day / night sensor	Sensor día/noche	Captteur jour / nuit	Sensore giorno / notte	Sensor dia / noite	Tag- / Nachtsensor
	With light / Without light / With and without light	Con luz / Sin luz / Con y sin luz	Avec la lumière / Sans lumière / Avec et sans lumière	Con luce / senza luce / Con e senza luce	Com luz / Sem luz / Com e sem luz	Mit Licht / Ohne Licht / Mit und ohne Licht
	Compliance of incandescent wire regulatory	Cumplimiento de la normativa incandescente de alambre.	Conformité de la réglementation des câbles à incandescence	Conformità del regolamento sui fili ad incandescenza	Conformidade de regulagem de fio incandescente	Einhaltung der Vorschriften für Glühdraht
	Leading & Trailing-edge dimming	Regulación con regulador de corte al inicio y/o al final de fase	Gradation avant et arrière	Dimmer iniziale e finale	Regulação de inclinação e tração	Vorder- & Hinterkantendimmen

NL	GRK	RUS	CZ	BL	PL
Met aardleiding Isolatie klasse I	Με γείωση Μόνωση κλάσης I	С контактом заземления Изоляция класс I	S uzemněním Izolace třídy I	Със заземяване Изоляция клас I	Z uziemieniem Izolacja klasy I
Isolatie klasse II	Μόνωση κλάσης II	Изоляция класс II	Izolace třídy II	Изоляция клас II	Izolacja klasy II
Isolatie klasse III	Μόνωση κλάσης III	Изоляция класс III	Izolace třídy III	Изоляция клас III	Izolacja klasy III
Kabel	Καλώδιο	Кабель	Kabel	Καβελ	Kabel
Gewicht	βάρος	вес	Hmotnost	τεγλο	Waga
Schakelaar / Dubbele Schakelaar	Διακόπτης Διπλός / Διακόπτης	Выключатель / Двойной Выключатель	Vypínač / Dvojité Vypínač	Πρεкъсвач / Двоен Πρεкъсвач	Wyłącznik / Podwójny Wyłącznik
Speciale transformator	Ειδικός Μετασχηματιστής	Специальный Трансформатор	Speciální Transformátor	Специален Трансформатор	Specjalny Transformator
Usb oplader	Φορτιστής USB	USB-зарядное устройство	Nabíječka USB	USB зарядно устройство	Ładowarka USB
Gat om in te bouwen	Οπή για εντοιχισή	Отверстие для встраивания	Otvor k vložení	Μонтажен отвор	Otwór do mocowania
Maximale dikte voor armatuurverankeringspunt	Μέγιστο πάχος για το σημείο αγκύρωσης του φωτιστικού	Максимальная толщина для точки крепления светильника	Maximální tloušťka kotevniho bodu svítidla	Μαξимална дебелина на точката на закрепване на осветителното тяло	Maksymalna grubość dla punktu kotwienia oprawy
Verstelbare	Ρυθμιζόμενο	Регулируемый	Nastavitelný	Ρегулируеми	Orientacja
Dimbaar	Ροοστάτη	Затемняемый	Stmívatelné	Димιране	Ściemniania
Aar	Ακίδα	колос	Špice	шип	Kolec
Weerstand in kg	Αντίσταση σε kg	Сопротивление в кг	Odolnost v kg	Съпротивление в кг	Odporność w kg
Schokbestendig	Αντοχή σε κραδασμούς	Ударопрочность	Odolnost proti nárazu	Устойчивост на удар	Odporność na uderzenia
Onderhoud staal	Συντήρηση χάλυβα	Стальная сталь	Údržba oceli	Поддържаща стомана	Konserwacja stali
Lichte omhoog / omlaag / boven en beneden	Φωσ εγγραφή / κάτω / εγγραφή και κάτω	Свет вверх / вниз / вверх и вниз	Osvětlit / dolů / nahoru a dolů	Λαίτ нагоре / надолу / нагоре и надолу	Zapalać się / w dół / w górę i w dół
Licht rangen	φωσ βαθμών	Светлые сорта	Světlo třídy	Светлини марки	Lekkie klasy
Dubbele intensiteit	Τηλεχειριστήριο	Дистанционное Управление	Dálkové Ovládání	Дистанционно Управление	Zdalne Sterowanie
RECESSED box	Χωνευτα κουτι	Монтажная коробка	RECESSED box	За вграждане box	Puszka
Omwentelingen per minuut	Στροφές ανά λεπτό	Обороты в минуту	Otáčky za minutu	Обороты в минута	Obroty na minutę
Verbruik in W	Κατανάλωση σε βατ, σύμφωνα με την ταχύτητα του μοτέρ	Потребление в Вт, в зависимости от скорости мотора	Spotřeba ve W, dle rychlosti motoru	Spotřeba ve W, dle rychlosti motoru	Zużycie energii w W, w zależności od prędkości silnika
Ingress Protection Markering tegen stof (X) en water (Y)	Προστασία εισχώρησης Σήμανση σκόνης (X) και νερού (Y)	Защита от взлома Маркировка против пыли (X) и воды (Y)	Ochrana proti přehřátí Označení proti prachu (X) a vodě (Y)	Защитна защита срещу прах (X) и вода (Y)	Oznaczenie ochrony przed pyłem (X) i wodą (Y)
Passieve infraroodsensor (PIR)	Παθητικός αισθητήρας υπερύθρων (PIR)	Пассивный инфракрасный датчик (PIR)	Pasivní infračervený snímač (PIR)	Пасивен инфрачервен датчик (PIR)	Pasywny czujnik pod- zerwieni (PIR)
Dag / nacht-sensor	Αισθητήρας ημέρας / νύχτας	Датчик день / ночь	Denní / noční snímač	Дневен / нощен сензор	Czujnik dzień / noc
Met licht / Zonder licht / Met en zonder licht	Με φως / Χωρίς φως / Με και χωρίς φως	С подсветкой / Без света / С подсветкой и без света	Se světlem / bez světla / S nebo bez světla	Със светлина / без светлина / С и без светлина	Ze światłem / bez światła / Z światłem i bez niego
Naleving van regelgeving voor gloeilampen	Συμμόρφωση της ρύθμισης συρμάτων πυρακτώσεως	Соблюдение регламентации ламп накаливания	Dodržování předpisů o žárovkách	Съответствие на нормативната уредба с нажежаема жичка	Zgodność z normami doty- czącymi żarówek
Voor- en achterraand dimmen	Καμπύλη οδηγού και τελειώματος	Ведущее и заднее диммирование	Přední a koncové stmívání	Водещо и затымняващо затымнение	Przyciemnianie wiodące i końcowe

MATERIALS

EN	ES	FR	ITA	PT	GER
ABS	ABS	ABS	ABS	ABS	ABS
Acrylic	Acrílico	Acrylique	Acrílico	Acrílico	Acryl
Aluminium	Aluminio	Aluminium	Alluminio	Alumínio	Aluminium
Beige Ribbon Shade	Tela encintada	Tissu adhésif	Tessuto registrato	Tecido gravado	Geklebte Gewebe
Bubble Glass	Cristal Burbuja	Verre bullé	Vetro bolla	Vidro bolha	Blasenglas
Brass	Latón	Laiton	Ottone	Latão	Messing
Die Cast Aluminium	Aluminio Inyectado	Fonte d'aluminium	Ghisa alluminio	Alumínio fundido	Aluminiumguss
Fiber Glass	Fibra de Vidrio	Fibre De Verre	Fibra Di Vetro	Fibra De Vidro	Fiberglas
Glass	Cristal	Verre	Vetro	Vidro	Glas
Leather	Piel	Peau	Pelle	Pele	Haut
Linen	Lino	Lin	Biancheria	Roupa de cama	Leinen
Marble	Mármol	Marbre	Marmo	Mármore	Marble
Metal	Metal	Métal	Metallo	Metal	Metall
Opal Acrylic	Acrílico Opal	Acrylique opale	Acrílico opale	Opal acrílico	Opalacryl
Opal Glass	Cristal Opal	Verre opale	Vetro opalino	Vidro opal	Opalglas
Opal PMMA	PMMA Opal	PMMA opale	PMMA opale	PMMA opal	Opal PMMA
Opal Polycarbonate	Policarbonato Opal	Polycarbonate opale	Policar-bonato opale	Policar-bonato opal	Opal polycarbonat
Opal PVC	PVC Opal	PVC opale	PVC opale	PVC opal	Opal PVC
Papyrus	Papiro	Papyrus	Papiro	Papiro	Papyrusses
Parchment	Pergamino	Parchemin	Pergamena	Pergaminho	Pergament
PEMD	PEMD	PEMD	PEMD	PEMD	PEMD
PET Polyethylene Terephthalate	PET Polietileno tereftalato	PET Polyéthylène téréphtalate	PET polietilene tereftalato	PET tereftalato de polietileno	PET Polyethylenterephthalat
Plaster	Yeso	Gypse	Gesso	Gesso	Gips
PMMA	PMMA	PMMA	PMMA	PMMA	PMMA
Polycarbonate	Policarbonato	Polycarbonate	Policarbonato	Policarbonato	Polycarbonat
Polyethylene	Polietileno	Polyéthylène	Polietilene	Polietileno	Polyethylen
Polymer	Polímero	Polymères	Polimero	Polímero	Polymer
Polypropylene	Polipropileno	Polyéthylène	Polietilene	Polietileno	Polyethylen
PVC	PVC	PVC	PVC	PVC	PVC
Rattan	Ratán	Rotin	Malacca	Rattan	Rattan
Resine	Resina	Résine	Resina	Resina	Harz
Rustic Glass	Cristal Rústico	Verre rustique	Vetro rustico	Vidro rústico	Rustikale Glas
Silicone	Silicona	Silicone	Silicone	Silicone	Silicon
Stainless Steel	Acero Inoxidable	Acier inoxydable	Acciaio inossi.	Aço inoxidável	Edelstahl Rostfreier
Steel	Acero	Acier	Acciaio	Aço	Stahl
Teflon	Teflón	Teflon	Teflon	Teflon	Teflon
Textile	Téxtil	Textile	Tessile	Têxtil	Textile
Translucent Glass	Cristal Translúcido	Verre translucide	Vetro traslucido	Vidro translúcido	Translucent Glas
Translucent Polycarbonate	Policarbonato Translúcido	Polycarbonate translucide	Policar-bonato transl.	Policar-bonato transl.	Translucent polycarbonat
Transparent Glass	Cristal Transparente	Verre transparent	Vetro trasparente	Vidro transpa.	Transparentem Glas
Transparent PMMA	PMMA Transparente	PMMA transparent	PMMA trasparente	PMMA transpa.	Transparentem PMMA
Wood	Madera	Bois	Legno	Madeira	Holz
Zinc	Zinc	Zinc	Zinco	Zinco	Zink

NL	GRK	RUS	CZ	BL	PL
ABS	ABS	ABS	ABS	ABS	ABS
Acryl	Ακρυλικό	Акриповый	Akryl	Акрил	Akrylowy
Aluminium	Αλουμίνιο	Алюминий	Hliník	Алуминий	Aluminium
Getapete stof	Μαγνητοσκοπημένο ύφασμα	Ткань	Páskové tkaniny	Лепени тъкани	Taśma tekstylna
Bubble glas	Υαλί φούσκα	Рузырь стекло	Bublina sklo	балон стъкло	Szklane bańki
messing	Ορείχαλκος	латунь	Mosaz	месинг	Mosiądz
Gegoten aluminium	Χυτό αλουμίνιο	Ритого алюминия	Z litého hliníku	Рят алуминий	Odlew aluminiowy
Glasvezel	Πολυεστερικες	Стекловолокно	Laminát	Фибростъкло	Włókno Szklane
Glas	Υαλί	Стекло	Sklo	Стъкло	Szko
Huid	Δέρμα	кожа	Kůže	кожа	Skóra
Linnen	Λευκά είδη	белье	Linen	бельо	Poścień
Marmeren	Μαρμαρα	Мрамор	Mramorová	Мрамор	Marmur
Metaal	Μέταλλο	Металл	Kov	Метал	Metal
Opaal acrylaat	Οπαί ακρυλικό	Опалового акрила	Opálový akrylát	Опал акрил	Opal akryl
Opaal glas	Οπαί υαλί	Матовое стекло	Opálové sklo	Млечно стъкло	Szko mleczne
Opaal PMMA	Οπαί PMMA	PMMA ακριλωσης	Opal PMMA	Опал PMMA	Mlecznego PMMA
Opaal polycarbonnat	Οπαί πολυάνθρακας	Опал поликарбонат	Opal polykarbonát	Опал поликарбонат	Mlecznego Poliwęglan
Opaal PVC	Οπαί PVC	Опал PVC	Opal PVC	Опал PVC	PVC Poliwęglan
Papyrus	Πάπυρος	Папирус	Papyrus	Раругус	Papyrus
Perkament	Περγαμινή	Пергамент	Pergamen	Пергамент	Pergamin
PEMD	PEMD	Пемд	PEMD	PEMD	PEMD
PET Polyethyleentereftalaat	Τερεφθαλικό πολυαιθυλένιο PET	ПЭТ Полиэтилентерефталат	PET polyethylentereftalát	PET полиэтилен терефталат	PET Politereftalan etylenu
Gips	Γύψος	Гипс	Sádrovec	Гипс	Gips
PMMA	PMMA	PMMA	PMMA	PMMA	PMMA
Polycarbonaat	Πολυκαρβονικά	Поликарбонат	Polykarbonát	Поликарбонат	Poliwęglan
Polyethyleen	Πολυαιθυλένιο	полиэтилен	Polyethylen	полиэтилен	Polietylen
Polymeer	Πολυμερές	Полимер	Polymer	Полимер	Polimer
Polyethyleen	Πολυαιθυλένιο	Полиэтилен	Polyethylen	Полиэтилен	Polietylen
PVC	PVC	PVC	PVC	PVC	PVC
Rotan	Rattan	ротанг	Ratan	ратан	Rattan
Hars	Ρητινouxo	Смола	Pryskyřice	Смола	Żywica
Rustieke Glass	ρουστικός Γυαλί	Сельский стекла	Rustikální sklo	Рустик стъкло	Rustic Szko
Silicone	Σιλικονη	Силикон	Silikonová	Силикон	Silikon
Roestvrij staal	Ανοξειδωτο χάλυβα	нержавеющая сталь	Nerez	неръждаема стомана	Stali nierdzewnej
Staal	χάλυβας	сталь	Ocel	Стомана	Stal
Teflon	Τεφλόν	Тефлон	Teflon	Тефлоново	Teflon
Textiel	Υφάσματα	Текстильный	Textilní	Текстилен	Włókienniczy
Doorschijnend glas	Διαφανές υαλί	Прозрачные стекла	Translucent stъklo	Průhledné sklo	Przezroczyste szklo
Doorschijnend polycarbo.	Διαφανές πολυάνθρακας	Прозрачные поликарбонат	Translucent polykarbonát	Průhledné поликарбонат	Przezroczyste Poliwęglan
Transparant glas	Διαφανές υαλί	Прозрачное стекло	Průhledné sklo	Прозрачно стъкло	Przezroczystego szkła
Transparant PMMA	Διαφανές PMMA	Прозрачное PMMA	Průhledné PMMA	Прозрачно PMMA	Przezroczystego PMMA
Hout	Ξύλο	Дерево	Dřevo	Дърво	Drewno
Zink	Ψευδάργυρος	Цинк	Zinek	Цинк	Cynk

GENERAL INFORMATION

EN	ES	FR	ITA
<p>The technical information detailed in our catalogue can be modified in order to improve the features or design of our products.</p> <p>Faro Barcelona keeps the right to cancel or modify any model without prior notice and without any charge for complaints.</p> <p>The conditions, technical characteristics and prices of the products that appear in this catalogue are the effective ones in the date of impression of the catalogue except for typographical error and are subject to possible changes.</p> <p>The catalogue prices are public prices. RATES DO NOT INCLUDE VAT. Price list not valid for Italy and Switzerland.</p> <p>Returned goods shall only be accepted, after prior notice being given to LOREFAR, on the grounds of being defective and never on the basis of broken glass or missing parts. In such cases, please contact us so that we can send you the required parts as a matter of urgency.</p> <p>Exchanges or returns of goods in good condition will not be accepted. In the event of express acceptance by LOREFAR, a 20% charge shall be incurred, on receipt and checking, for depreciation and classification of the goods.</p>	<p>La información referente a nuestros productos puede ser modificada con el fin de mejorar las características técnicas o de diseño.</p> <p>Faro Barcelona se reserva el derecho de anular o modificar cualquier modelo sin previo aviso y sin que sea motivo de reclamaciones.</p> <p>Las condiciones, características y precios de los productos que aparecen en este catálogo son los vigentes en la fecha de impresión del catálogo salvo error tipográfico y están sujetos a posibles modificaciones.</p> <p>Los precios mostrados son precios de venta al público (PVP).</p> <p>IVA NO INCLUIDO EN TARIFA</p> <p>Tarifa no válida para Italia y Suiza.</p> <p>Previa comunicación a Lorefar sólo se aceptará la mercancía devuelta por defectuosa, nunca por cristales rotos o falta de algún componente. En estos casos rogamos se pongan en contacto con nosotros para enviarles urgentemente las piezas requeridas.</p> <p>No se admitirán cambios ni devoluciones de mercancía en buen estado. En caso de aceptación explícita por parte de Lorefar, a su recepción y comprobación se emitirá un cargo del 20% en concepto de depreciación y clasificación de la mercancía.</p>	<p>L'information qui se réfère à nos produits peut être modifiée afin d'améliorer les caractéristiques technique ou de design.</p> <p>Faro Barcelona se réserve le droit d'annuler ou de modifier n'importe quel modèle sans préavis et sans que cela soit motif de réclamations.</p> <p>Les conditions, caractéristiques et prix des produits qui apparaissent dans ce catalogue sont celles en vigueur à la date d'impression du catalogue sauf erreur typographique et sont susceptibles d'être modifiées ultérieurement.</p> <p>Les prix du catalogue sont les prix de vente public . IVA NON COMPRISE DANS LE TARIF.</p> <p>Liste de prix pas valable pour l'Italie et la Suisse.</p> <p>Seule sera acceptée en retour la marchandise défectueuse, et ce après communication à LOREFAR. LOREFAR n'acceptera jamais de retour pour du verre brisé ou pour l'absence d'un composant quelconque. Dans ces derniers cas, nous vous prions de vous mettre en contact avec nous afin que nous vous fassions parvenir dans les plus brefs délais les pièces nécessaires. La marchandise en bon état ne sera ni reprise ni échangée. En cas d'acceptation explicite de sa part, LOREFAR retiendra 20% au titre de la dépréciation et de la classification du produit.</p>	<p>La informazione che si riferisce ai nostri articoli può essere soggetta a modifiche con il fine di migliorare le caratteristiche, tecniche o di design, dei nostri prodotti. Faro Barcelona si riserva il diritto di annullare o modificare qualsiasi modello senza previo avviso e senza che sia motivo di reclami.</p> <p>Le condizioni, caratteristiche e prezzi dei prodotti che compaiono in questo catalogo sono quelli vigenti alla data della stampa del catalogo ad eccezione di errori tipografici e sono soggetti a possibili modificazioni.</p> <p>I prezzi indicati sono prezzi di vendita al pubblico. IVA NON INCLUSA IN LISTINO.</p> <p>Il listino non è valido per l'Italia e la Svizzera.</p> <p>LOREFAR accetta previa comunicazione, solo la merce restituita perché difettosa; in nessun caso accetterà la merce restituita per presenza di vetri rotti o per mancanza di qualche componente. In questi casi vi preghiamo di contattarci per potervi mandare al più presto i pezzi richiesti.</p> <p>Non si effettuano cambi né si ammettono restituzioni di merci in buono stato. In caso di accettazione esplicita da parte di LOREFAR, al momento del ricevimento e della verifica della merce si emetterà un addebito del 20% a titolo di deprezzamento e classificazione.</p>
PT	GER	NL	GRK
<p>A informação referente aos nossos produtos pode ser modificada com o fim de melhorar as características técnicas ou de desenho.</p> <p>A Faro Barcelona reserva-se o direito de anular ou modificar qualquer modelo sem aviso prévio e sem que seja motivo de reclamações.</p> <p>As condições, características e preços dos produtos que aparecem neste catálogo são os vigentes na data de impressão do catálogo salvo erro tipográfico e estão sujeitos a possíveis modificações. Os preços mostrados são preços de venda ao público (PVP).</p> <p>IVA NÃO INCLUIDO NA LISTA DE PREÇOS</p> <p>Lista de preços não é válido para a Itália e Suíça.</p> <p>Mediante comunicação prévia à Lorefar, apenas se aceitará a mercadoria devolvida por defeito, nunca por vidros partidos ou falta de algum componente. Nestes casos pedimos que entrem em contacto conosco para lhes enviarmos urgentemente as peças requeridas.</p> <p>Não serão admitidas alterações nem devoluções de mercadoria em bom estado. Em caso de aceitação explícita por parte da Lorefar, na sua recepção e comprovação emitir-se-á um débito de 20% a título de depreciação e classificação da mercadoria.</p>	<p>Die Information über unsere Produkte kann im Zusammenhang mit den Verbesserungen ihrer technischen Eigenschaften und ihres Designs jederzeit geändert werden.</p> <p>Faro Barcelona behält sich das Recht vor, seine Modelle jederzeit und ohne vorherige Ankündigung vom Markt zu nehmen, ohne dass sich daraus ein Anrecht auf Beschwerden ableiten könnte.</p> <p>Die Bedingungen, Eigenschaften und Preise der Produkte in diesem Katalog gelten zum Datum der Drucklegung des Katalogs vorbehaltlich Druckfehler und können jederzeit geändert werden. Diese Preise gelten für den Direktverkauf an den Kunden.</p> <p>DIE MEHRWERTSTEUER IST NICHT IN DEN PREISEN EINGESCHLOSSEN</p> <p>Preisliste gilt nicht für Italien und die Schweiz.</p> <p>Nach vorheriger Kommunikation kann Lorefar die Rücklieferung von schadhafter Ware akzeptieren, jedoch niemals wegen beschädigten Glasteilen oder fehlenden Komponenten. In letzteren Fällen setzen Sie sich bitte zwecks schneller Zusage der notwendigen Teile in Verbindung.</p> <p>Wir tauschen keine Waren in gutem Zustand an oder nehmen sie zurück. Bei ausdrücklicher Annahme durch Lorefar nach Erhalt und Überprüfung stellen wir Ihnen 20% des Preises für Wertverminderung und Handhabung der Ware in Rechnung.</p>	<p>De informatie over onze producten kan gewijzigd worden met als doel de technische eigenschappen of het design te verbeteren.</p> <p>Faro Barcelona behoudt zich het recht voor onaangekondigd modellen te schrappen of te wijzigen en zonder dat dit aanleiding tot een klacht vormt.</p> <p>De voorwaarden, eigenschappen en prijzen van de producten in deze catalogus zijn geldig op het moment van druk van de catalogus tenzij sprake is van een drukfout. Zij zijn onderhevig aan mogelijke wijzigingen. De getoonde prijzen betreffen verkooprijzen.</p> <p>Btw NIET BIJ DE PRIJS INBEGREPEN</p> <p>Tairfa niet geldig voor Italië en Zwitserland.</p> <p>Lorefar aanvaardt uitsluitend defecte teruggezonden goederen nadat zij hierover van tevoren op de hoogte is gesteld. Dit geldt niet voor gebroken glas of het ontbreken van onderdelen. In deze gevallen wordt u verzocht met ons contact op te nemen zodat wij u zo snel mogelijk de gewenste onderdelen kunnen leveren.</p> <p>Ruilen of terugsturen van goederen in correcte staat is niet toegestaan. In geval van uitdrukkelijke aanvaarding door Lorefar wordt bij ontvangst en controle een heffing van 20% voor waardevermindering en classificatie van de goederen toegepast.</p>	<p>Οι πληροφορίες σχετικά με τα προϊόντα μας ενδέχεται να τροποποιηθούν με στόχο τη βελτίωση των τεχνικών χαρακτηριστικών ή του σχεδίου.</p> <p>Η Faro Barcelona διατηρεί το δικαίωμα ακύρωσης ή τροποποίησης οποιασδήποτε μοντέλου χωρίς προηγούμενη προειδοποίηση και χωρίς αυτό να αποτελεί αιτία απαίτησης επιστροφής χρημάτων.</p> <p>Οι όροι, τα χαρακτηριστικά και οι τιμές των προϊόντων που παρουσιάζονται σε αυτόν τον κατάλογο είναι αυτά που ισχύουν κατά την ημερομηνία της εκτύπωσης του καταλόγου, εκτός τυπογραφικών λαθών, και υπόκεινται σε αλλαγές. Οι τιμές που εμφανίζονται είναι τιμές λιανικής.</p> <p>Ο ΦΠΑ ΔΕΝ ΣΥΜΠΕΡΙΛΑΜΒΑΝΕΤΑΙ ΣΤΗΝ ΤΙΜΗ</p> <p>Μετά από συνεννόηση με τη Lorefar, γίνονται αποδεκτές επιστροφές μόνο αν πρόκειται για ελαττωματικά εμπορεύματα και όχι για θραύση κρυστάλλων ή απουσία κάποιου στοιχείου. Στις περιπτώσεις αυτές, παρακαλούμε να έρθετε σε επαφή μαζί μας για να σας στείλουμε επιταγόντως τα απαιτούμενα μέρη.</p>
RUS	CZ	BL	PL
<p>Информация относящаяся к нашей продукции может быть модифицирована с целью улучшить технические или внешние характеристики.</p> <p>Faro Barcelona сохраняет за собой право аннулировать или модифицировать любую модель без предупреждения и без того что это послужит причиной для жалоб.</p> <p>Δεν γίνονται αποδεκτές αλλαγές ή επιστροφές για εμπορεύματα σε καλή κατάσταση. Σε περίπτωση ρητής αποδοχής εκ μέρους της Lorefar, κατά την παραλαβή και τον έλεγχο τους θα πραγματοποιηθεί χρέωση 20% για έσοδα απόσβεσης και ταξινόμησης των εμπορευμάτων.</p> <p>Условия, характеристики и цены на изделия, указанные в данном каталоге, действительны на дату его выпуска, за исключением опечаток в каталоге, и могут быть изменены. В каталоге указаны розничные цены.</p> <p>БЕЗ УЧЕТА НДС</p> <p>В соответствии с правилами, компания Lorefar принимает возврат изделий только при наличии дефектов, но ни в коем случае не при разбитии стекла или отсутствии какой-либо детали. В таком случае, пожалуйста, свяжитесь с нами, чтобы мы отправили вам необходимые детали. Товар в рабочем состоянии не подлежит обмену или возврату. В случае подтверждения компанией Lorefar наличия дефектов, после возврата и проверки, начисляется 20% стоимости с учетом амортизации и классификации товаров.</p>	<p>Technické informace uvedené v katalogu mohou být modifikovány za účelem zdokonalování vlastností svítidel nebo jejich designu.</p> <p>Producent Faro Barcelona si vyhrazuje právo konstrukčních změn nabízených modelů bez předcházejícího oznámení a tato skutečnost nemůže být předmětem jakékoliv stížnosti či reklamace.</p> <p>Podmínky, technické specifikace a ceny produktů uvedené v katalogu jsou platné ke dni vydání katalogu. Producent si vyhrazuje právo konstrukčních změn nabízených modelů, pokud tyto nepovedou k zásadním změnám charakteru výrobků. Informace z tohoto katalogu postřadají platnosti v den vydání katalogu nového.</p> <p>VŠECHNY CENY JSOU UVEDENY BEZ DPH., Zboží může být vráceno pouze po předchozím souhlasu od sPOLEČNOSTI PAXI, na základě poruchy nebo vady ovšem nikdy na základě poškozeného skla nebo chybějícího dílu. V takových případech nás, prosím, kontaktujte, abychom Vám mohli požadované části svítidel urgentně zaslat. Výměny nebo vrácení zboží v dobrém technickém stavu je nepřijatelné.</p>	<p>Техническая информация, представленная в данном каталоге, может быть изменена с целю да подобрать представяемого или дизайна на продуктите.</p> <p>Фаро Барселона си запазва правото да отменя или променя всеки модел без предварително осведомяване и без това да се счита причина за оплаквания.</p> <p>Условията, техническите характеристики и цените на продуктите показани в този каталог са ефективни към датата на отпечатването на каталога, с изключение на грешки при отпечатване и са обект на възможни промени.</p> <p>Цените в каталога са публичните цени.</p> <p>ЦЕНИТЕ НЕ ВКЛЮЧВАТ ДДС.</p> <p>Връщане на закупена стока ще да бъдат приета единствено след писмено осведомяване на ЛОРЕФАР на основание дефекти и в никакъв случай на основание случено стъкло или липсващи части. В такива случаи моля свържете се с нас, за да ви изпратим липсващите части по спешност.</p> <p>Размяна или връщане на стока в добро състояние няма да бъде извършвана. В случай на спешно приемане от ЛОРЕФАР 20 % такса ще бъде наложена за приемане и проверка, за обезценяване и класификация на продуктите.</p>	<p>Informacje techniczne wyszczególnione w naszym katalogu mogą być modyfikowane w celu poprawienia właściwości lub wzornictwa produktów.</p> <p>Faro Barcelona ma prawo do anulowania i modyfikowania każdego z modeli bez uprzedniego informowania i nie przyjmuje skarg z tego tytułu.</p> <p>Warunki, opis techniczny oraz ceny artykułów, które pojawiają się w katalogu są aktualne do czasu przedruku katalogu za wyjątkiem pomyłek w druku, które podlegają ewentualnej zmianie. Ceny w katalogu są cenami publicznymi.</p> <p>CENY NIE ZAWIERAJĄ STAWKI VAT.</p> <p>Ewentualne zwroty mogą być zaakceptowane po uprzedniej zgodzie przez Lorefar na podstawie stwierdzenia, że są wadliwe, nigdy nie przyjmowane są zwroty artykułów, z powodu stłuczenia szkła czy brakujących części, w tym przypadku prosimy o kontakt w celu wysłania potrzebnych części w trybie natychmiastowym.</p> <p>Wymiany lub zwroty artykułów w dobrym stanie nie będą zaakceptowane. W przypadku wyraźnej akceptacji przez Lorefar, 20% opłaty może być poniesione na otrzymanie i sprawdzenie, w celu sklasyfikowania uszkodzenia artykułu.</p>

OUR COMMITMENT

EN	ES	FR	ITA
<p>Faro Barcelona Technical Laboratory Faro Barcelona has extended the capacity of its Quality Control Department by equipping its laboratory with machinery that can conduct the following tests:</p> <ul style="list-style-type: none"> - IP Tests,., - Incandescent thread. - Electric shocks,., - Thermal and mechanical resistance. - Impacts,., - Consumption and power factors. <p>Thanks to these advances, Faro Barcelona has raised the bar regarding the thoroughness of its tests and ensures that European regulations and standards are complied with fully.</p> <p>Faro collaborates on improvements to the environment With its commitment to efficient light bulbs and its contribution to energy saving and the campaign against global warming. In Faro catalogues, next to the standard-use light bulb given for each item, you will see the recommended bulb, highlighted by this symbol: [LED ref.]</p>	<p>Laboratorio técnico propio de Faro Barcelona Faro Barcelona ha ampliado la capacidad de su Departamento de Control de Calidad, dotando su laboratorio de una maquinaria capaz de hacer los siguientes ensayos:</p> <ul style="list-style-type: none"> - Pruebas de IP,.- Hilo incandescente. - Choques eléctricos,., - Resistencia térmica y mecánica. - Choques de impacto. - Consumos y factores de potencia. <p>Gracias a estos avances, Faro Barcelona eleva el nivel de rigurosidad en sus ensayos y garantiza el estricto cumplimiento de las normativas y estándares europeos.</p> <p>Faro colabora en la mejora del medio ambiente Apostando por las bombillas eficientes y contribuyendo con el ahorro energético y la lucha contra el calentamiento global. En los catálogos Faro podrá encontrar junto a la bombilla de uso standard de cada artículo cual es la bombilla que recomendamos y lo diferenciamos con este símbolo: [LED ref.]</p>	<p>Laboratoire technique appartenant à Faro Barcelona Faro Barcelona a élargi la capacité de son Département de contrôle qualité, en dotant son laboratoire de machines capables de procéder aux essais suivants:</p> <ul style="list-style-type: none"> - Essais d'IP - Fil incandescent. - Chocs électriques,., - Résistance thermique et mécanique. - Chocs d'impact. - Consommations et facteurs de puissance. <p>Grâce à ces avancées, Faro Barcelona élève le niveau de rigueur de ses essais et garantit le strict respect des réglementations et normes européennes.</p> <p>Faro participe à l'amélioration de l'environnement En misant sur des ampoules efficaces, en contribuant aux économies d'énergie et en participant à la lutte contre le réchauffement de la planète. Dans les catalogues Faro, vous trouverez, à côté de l'ampoule standard utilisée pour chaque article, l'ampoule recommandée et identifiée parce symbole: [LED ref.]</p>	<p>Laboratorio tecnico proprio di Faro Barcelona Faro Barcellona ha ampliato la capacità del suo Dipartimento di Controllo della Qualità, dotando il suo laboratorio di macchinari in grado di realizzare i seguenti test:</p> <ul style="list-style-type: none"> - Prove di IP,., - Filo incandescente. - Scariche elettriche,., - Resistenza termica e meccanica. - Test di impatto. - Consumi e fattori di potenza. <p>Grazie a questi progressi, Faro Barcelona alza il livello di rigorosità nei suoi test e garantisce il rigido rispetto delle normative e degli standard europei.</p> <p>Faro collabora al miglioramento dell'ambiente Scommettendo sulle lampadine efficienti e contribuendo al risparmio energetico e alla lotta contro il riscaldamento globale. Nei cataloghi Faro potrete trovare, assieme alla lampadina d'uso standard di ogni articolo, la lampadina di basso consumo consigliata e che si distingue con questo simbolo: [LED rif.]</p>
PT	GER	NL	GRK
<p>Laboratório técnico próprio da Faro Barcelona A Faro Barcelona ampliou a capacidade do seu Departamento de Controlo de Qualidade, dotando o seu laboratório de uma maquinaria capaz de fazer os seguintes ensaios:</p> <ul style="list-style-type: none"> - Testes de IP,., - Fio incandescente. - Choques eléctricos,.- Resistência térmica e mecânica. - Choques de impacto,., - Consumos e factores de potência. <p>Graças a estes avanços, a Faro Barcelona eleva o nível de rigor nos seus ensaios e garante o estrito cumprimento das normas e padrões europeus.</p> <p>A Faro colabora na melhoria do meio ambiente Apostando nas lâmpadas eficientes e contribuindo para a poupança energética e para a luta contra o aquecimento global. Nos catálogos Faro poderá encontrar, junto à lâmpada de uso padrão de cada artigo, a lâmpada recomendada e que se diferencia com este símbolo: [LED ref.]</p>	<p>Eigenes technisches Labor von Faro Barcelona Faro Barcelona hat die Leistungsfähigkeit seiner Qualitätssicherungsabteilung durch die Ausstattung seines Labors mit Einrichtungen für folgende Tests erweitert.</p> <ul style="list-style-type: none"> - IP-Tests, - Thermische und mechanische - Elektroschocks Widerstandskraft - Mechanische Stöße - Verbrauchs- und Leistungsaspekte - Glühfäden <p>Dank dieser Erweiterungen kann Faro Barcelona jetzt seine Produktprüfungen noch wesentlich rigoroser durchführen und eine strikte Erfüllung der europäischen Normen und Standards garantieren.</p> <p>Faro bemüht sich ständig um den Umweltschutz Daher verwenden wir immer mehr effiziente Leuchtmittel und tragen damit zum Einsparen von Energie und zum Kampf gegen die Klimaerwärmung bei. In den Katalogen von Faro finden Sie neben den Standard-Leuchtmitteln für die einzelnen Artikel auch jeweils passende Sparbirnen, die mit folgendem Symbol gekennzeichnet sind: [LED ref.]</p>	<p>Eigen technisch laboratorium van Faro Barcelona Faro Barcelona heeft de capaciteit van haar Afdeling Kwaliteitscontrole uitgebreid met een laboratorium waarin de volgende testen kunnen worden uitgevoerd:</p> <ul style="list-style-type: none"> - Testen van de IP-code - Gloeidraad. - Elektrische schokken. - Thermische en mechanische weerstand. - Schok door impact,., - Verbruik en vermogensfactoren. <p>Dankzij deze vooruitgang is er bij Faro Barcelona sprake van een hoger striktheidniveau tijdens het testen en garandeert een strikte naleving van de Europese normen en standaards.</p> <p>Faro werkt mee aan de verbetering van het milieu Middels het gebruik van efficiënte lampen. Zo draagt zij bij aan de energiebesparing en aan de strijd tegen de opwarming van de aarde. In de catalogi van Faro treft u naast de lamp voor standaardgebruik van ieder artikel de aanbevolen lamp met laag verbruik aan die met dit symbool wordt onderscheiden: [LED ref.]</p>	<p>Faro Barcelona Technical Laboratory H Faro Barcellona έχει διευρύνει τις δυνατότητες του Τμήματος Ελέγχου Ποιότητας, εξοπλίζοντας το εργαστήριο της με μηχανήματα που πραγματοποιούν τα εξής τεστ:</p> <ul style="list-style-type: none"> - Τεστ IP - Νήμα πυρακτώσεως. - Ηλεκτροπληξία. - Θερμική και μηχανική αντοχή. - Κρούση. - Κατανάλωση και παράγοντες ισχύος. <p>Χάρη σε αυτές τις εξελίξεις, η Faro Barcelona αυξάνει το επίπεδο αυστηρότητας στις δοκιμές της και εξασφαλίζει την απόλυτη τήρηση των ευρωπαϊκών κανονισμών και προτύπων.</p> <p>H Faro συμβάλλει στη βελτίωση του περιβάλλοντος χρησιμοποιώντας αποδοτικούς λαμπτήρες και συμβάλλοντας στην εξοικονόμηση ενέργειας και την καταπολέμηση της υπερθέρμανσης του πλανήτη. Στους καταλόγους της Faro μπορείτε να βρείτε, μαζί με τον συμβατικό λαμπτήρα για κάθε προϊόν, τον συνιστώμενο λαμπτήρα χαμηλής κατανάλωσης που διακρίνεται με αυτό το σύμβολο: [LED αναφ.]</p>
RUS	CZ	BL	PL
<p>Собственная техническая лаборатория компании Faro Barcelona Потенциал Отдела контроля качества компании Faro Barcelona увеличился благодаря появлению в лаборатории оборудования, с помощью которого можно проводить следующие испытания:</p> <ul style="list-style-type: none"> - Тестирование IP,.- Механическое и - Поражение электрическим током. - Воздействие от столкновения,.- - Потребление и - Спираль накаливания, коэффициент мощности. <p>Благодаря этому компания Faro Barcelona предъявляет все более жесткие требования к проведению исследований и обеспечивает строгое соответствие европейским стандартам и нормам.</p> <p>Faro заботится об окружающей среде делая ставку на эффективные электрические лампы, позволяющие экономить энергию и бороться с глобальным потеплением. В каталогах Faro можно найти как стандартные лампы различных типоразмеров, так и рекомендуемые энергосберегающие лампы, отмеченные специальным символом: [LED ссы.]</p>	<p>Собственная техническая лаборатория компании Faro Barcelona Потенциал Отдела контроля качества компании Faro Barcelona увеличился благодаря появлению в лаборатории оборудования, с помощью которого можно проводить следующие испытания:</p> <ul style="list-style-type: none"> - Тестирование IP - Механическое и - Поражение электрическим током. - тепловое сопротивление,., - Воздействие от столкновения,.- - Потребление и - Спираль накаливания, коэффициент мощности. <p>Благодаря этому компания Faro Barcelona предъявляет все более жесткие требования к проведению исследований и обеспечивает строгое соответствие европейским стандартам и нормам.</p> <p>Používáním efektivních žárovek přispívá firma Faro Ke zlepšení životního prostředí, úspoře elektrické energie a boji proti globálnímu oteplování. V katalozích Faro naleznete vedle standardní žárovky vhodné pro jednotlivé zboží i doporučenou žárovku s nízkou spotřebou, která je označena tímto symbolem: [LED ref.]</p>	<p>Собствена техническа лаборатория на Faro Barcelona Faro Barcelona разшири капацитета на своя Отдел за контрол на качеството, като обзаведе лабораториите си с оборудване за осъществяване на следните изпитвания:</p> <ul style="list-style-type: none"> - Изпитвания за степен на защита (IP) - Термична и механична - Токови удари.Сустойчивост. - Удари в твърд предмет,., - Консумирана мощност - Нажежена жичка. и коэффициент на мощността. <p>По този начин Faro Barcelona повишава точността на изпитванията и гарантира стриктно съпазване на европейските.</p> <p>Faro съдейства за подобряване на околната среда чрез използване на енергоспестяващи крушки, с което дава своя принос в борбата с глобалното затопляне. В каталозите на Faro всеки продукт може да се използва както със стандартна, така и с енергоспестяваща крушка, която е препоръчителна и е означена със следния символ: [LED с пра.]</p>	<p>Laboratorium techniczne należące do Faro Barcelona Firma Faro Barcelona rozszerzyła zakres kompetencji swojego Działu Kontroli Jakości, wyposażając laboratorium w urządzenia wykonujące następujące testy:</p> <ul style="list-style-type: none"> - Próby IP - Włókno żarzenia. - Porażenia prądem. - Wytrzymałość termiczna i mechaniczna. - Wstrząsy,., - Zużycie i czynniki mocy. <p>Dzięki tym procedurom firma Faro Barcelona zaostroszyła poziom testów, gwarantując bezwzględne przestrzeganie norm i standardów europejskich.</p> <p>Firma Faro chroni środowisko Stawiając na wydajne żarówki i oszczędność energii, przyczyniając się tym samym do walki z globalnym ociepleniem. Oprócz informacji o standardowych żarówkach, katalogi Faro zawierają zalecenia dotyczące żarówek energooszczędnych wyróżnione tym symbolem: [LED odni.]</p>

Ref	Pag.	Ref	Pag.	Ref	Pag.	Ref	Pag.
01000	155	03100401	255	17471	615	20034+20035	57
01001	155	03100402	255	17472	615	20034+20036	57
01005	195	03100501	255	17473	615	20034+20037	91
01006	195	03100502	255	17474	615	20035	57
01007	42	17062	616	17475	615	20036	57
01009	158	17063	616	17476	619	20037	91
01014	158	17064	616	17477	619	20045	198
01015	39	17067	616	17478	616	20046	117
01016	39	17270	618	17479	616	20047	117
01017	39	17271	618	17480	616	20048	117
01025	42	17309	615	17482	616	20049	198
01026	158	17316	615	17483	616	20050	117
01027	158	17317	615	17484	616	20051	117
01040	201	17318	615	17485	616	20060	159
01041	201	17319	615	17486	616	20061	159
01045	157	17320	615	17487	619	20062	159
01046	58	17321	615	17488	619	20094	230
02070101	253	17324	615	17489	619	20095	230
02090201	251	17325	615	17490	619	20098	133
02100101	257	17328	615	17491	619	20099	133
02100201	252	17329	615	17492	616	20100	132
02100301	252	17330	615	17493	617	20101	140
02100401	252	17331	615	17494	619	20101 DA	140
02100501	252	17332	615	17495	619	20102	140
02100502	252	17340	619	17496	618	20102 DA	140
02100503	252	17398	619	17497	618	20103	140
02100601	252	17399	619	17498	614	20103 DA	140
02100602	252	17400	619	17499	619	20104	140
02100603	252	17409	617	17514	617	20104 DA	140
02100701	253	17413	617	18030	615	20110	138
02100702	253	17414	617	18031	615	20116	137
02100801	253	17415	617	18032	615	20117	137
02100901	253	17417	617	18033	615	20118	137
02101001	251	17420	617	18034	615	20119	137
02101002	251	17422	617	18035	615	20120	137
02101101	251	17423	617	20000	198	20121	137
02101102	251	17425	618	20003	68	20122	137
02101301	251	17426	617	20005	68	20123	137
02101302	251	17427	617	20009	68	20124	136
02101401	253	17428	617	20016	117	20125	136
02101501	251	17429	618	20019	68	20126	136
02101601	251	17432	617	20020	68	20127	136
02150101	254	17433	617	20021	179	20128	136
02150201	254	17434	618	20022	179	20129	136
02150301	254	17437	616	20023	179	20130	136
02200501	252	17438	619	20024	179	20131	136
02200502	252	17443	619	20025	96	20160	107
02200503	252	17444	619	20026	96	20161	107
03020401	254	17445	617	20029	96	20162	107
03020402	254	17446	618	20030	96	20162+20164	69
03020403	254	17447	618	20031	156	20162+20165	153
03020501	254	17448	618	20031+20035	156	20162+20166	107
03020502	254	17449	618	20031+20036	156	20163	107
03020503	254	17460	616	20031+20037	174	20163+20164	69
03030101	254	17461	616	20032	156	20163+20165	153
03030102	254	17462	616	20032+20035	156	20163+20166	107
03030103	254	17463	616	20032+20036	156	20164	69
03030201	255	17464	616	20032+20037	174	20165	153
03030202	255	17465	616	20033	57	20166	107
03030203	255	17466	619	20033+20035	57	20167	152
03040102	255	17467	619	20033+20036	57	20168	152
03040202	255	17468	619	20034	57	20170	170

Ref	Pag.	Ref	Pag.	Ref	Pag.	Ref	Pag.
20171	170	24015	186	28375-1L	129	29327	180
20172	170	24016	186	28375-2L	129	29328	180
20173	170	24020	73	28375-3L	129	29329	180
20200	194	24020+2P0522	73	28375-4L	129	29330	180
20201	115	24020+2P0524	73	28375-5L	129	29331	180
20202	115	24023	73	28376	128	29332	95
20203	115	24023+2P0532	73	28376-1L	129	29333	95
20204	194	24023+2P0534	73	28376-2L	129	29335	95
20205	115	24030	164	28376-3L	129	29336	95
20206	115	24031	164	28376-4L	129	29340	184
20207	115	24032	164	28376-5L	129	29341	184
20300	165	24033	164	28378	43	29468	118
20301	165	24034	78	28379	43	29565	161
20302	165	24035	78	28380	46	29566	161
20302+20310	165	24036	79	28382	46	29567	131
20302+20311	165	24037	79	28383	46	29568	63
20302+20312	165	24500	112	28385	46	29569	63
20303	165	24501	112	28386	37	29680	171
20303+20310	165	24502	154	28387	44	29681	171
20303+20311	165	24503	154	28388	44	29682	171
20303+20312	165	24504	112	28389	37	29683	171
20304	80	24505	112	28393	145	29684	84
20304+20313	80	24521	65	28394	145	29685	84
20304+20314	80	24522	64	28398	118	29686	85
20304+20315	80	24523	36	28399	118	29687	85
20305	80	24524	36	28401	49	29690	151
20305+20313	80	24527	157	28408	49	29691	104
20305+20314	80	24528	157	28413	182	29692D	60
20305+20315	80	28200	176	28414	182	29693D	61
20306	80	28201	176	28415	182	29694	105
20306+20316	81	28202	71	28480	177	29695	151
20306+20317	81	28203	71	28481	177	29696	104
20306+20318	81	28204	71	29025	226	29697	60
20307	80	28205	71	29026	226	29698	61
20307+20316	81	28206	176	29027	226	29699	105
20307+20317	81	28207	71	29028	226	29764	100
20307+20318	81	28208	71	29031	263	29816	114
20308	142	28209	128	29032	263	29844	114
20308+20319	142	28209-1L	129	29033	226	29845	160
20308+20320	142	28209-2L	129	29034	226	29846	62
20308+20321	142	28209-3L	129	29035	226	29847	62
20309	142	28209-4L	129	29039	226	29848	130
20309+20319	142	28209-5L	129	29040	226	29849	130
20309+20320	142	28210	128	29041	226	29864	144
20309+20321	142	28210-1L	129	29042	226	29865	144
20310	165	28210-2L	129	29043	226	29866	93
20311	165	28210-3L	129	29044	226	29867	93
20312	165	28210-4L	129	29045	263	29868	93
20313	80	28210-5L	129	29046	263	29869	93
20314	80	28211	43	29047	67	29871	260
20315	80	28212	43	29048	67	29872	260
20316	80	28365	35	29049	67	29873	224
20317	80	28366	35	29050	67	29874	224
20318	80	28367	35	29051	226	29875	224
20319	142	28368	35	29306	199	29876	224
20320	142	28369	35	29307	90	29877	234
20321	142	28370	45	29309	144	29878	234
24005	169	28371	45	29310	199	29879	234
24006	169	28372	47	29311	90	29880	234
24007	169	28373	129	29312	90	29881	66
24008	82	28374	129	29313	144	29882	66
24009	83	28375	128	29326	180	29883	66

Ref	Pag.	Ref	Pag.	Ref	Pag.	Ref	Pag.
29884	66	29998	91	32029	569	33398	573
29886	124	2P0111	164	32030	569	33398+33431	575
29887	124	2P0112	164	32033	579	33399	573
29888	202	2P0113	164	32034	579	33399+33431	575
29889	202	2P0121	74	32035	579	33415	597
29890	202	2P0122	74	32036	579	33416	597
29891	202	2P0123	74	32037	579	33417	573
29894	124	2P0131	75	32038	577	33418	573
29895	124	2P0132	75	32039	577	33423	605
29896	260	2P0133	75	32040	577	33424	605
29897	224	2P0211	169	32041	577	33425	605
29898	66	2P0212	169	32042	577	33426	605
29899	66	2P0213	169	32043	577	33427	605
29935	181	2P0221	82	32060	579	33428	605
29936	181	2P0222	82	32100	573	33429	605
29937	94	2P0223	82	33001	510	33430	491
29938	94	2P0231	83	33002	510	33431	575
29940	178	2P0232	83	33005	586	33432	491
29941	178	2P0233	83	33011	601	33450	608
29942	97	2P0311	171	33019	559	33454	600
29943	97	2P0312	171	33102	594	33455	600
29944	145	2P0313	171	33110	511	33460	531
29945	178	2P0411	170	33111	511	33461	485
29946	178	2P0412	170	33179	607	33462	485
29947	97	2P0413	170	33180	607	33463	495
29948	97	2P0421	621	33183	607	33464	497
29949	145	2P0422	621	33185	607	33465	485
29950	181	2P0423	621	33186	607	33466	499
29951	181	2P0431	621	33274	558	33470	545
29952	181	2P0432	621	33284	557	33471K	549
29953	181	2P0433	621	33287	557	33471N	549
29954	94	2P0522	73	33288	557	33472K	550
29955	94	2P0524	73	33292	555	33472N	550
29958	94	2P0532	73	33314	551	33475	582
29959	94	2P0534	73	33341	527	33476	582
29962	185	2P0615	166	33341K	527	33478	581
29964	185	2P0616	166	33345	527	33479	581
29965	185	2P0617	166	33346	543	33480	565
29970	48	2P0625	74	33349	489	33481	567
29971	48	2P0626	74	33350	555	33482	567
29974	179	2P0627	74	33351	555	33483	565
29975	179	2P0635	135	33352	561	33484	567
29976	179	2P0636	135	33363	493	33486	567
29977	179	2P0637	135	33370	522	33487	581
29978	89	2P0645	135	33372	544	33488	581
29979	89	2P0646	135	33373	522	33489	565
29980	181	2P0647	135	33374	579	33489K	565
29981	181	2P0710	135	33381	571	33490	565
29982	181	2P0720	135	33382	569	33490K	565
29983	181	2P0730	135	33384	547	33491	549
29984	89	32000	571	33385	547	33491K	549
29985	89	32001	571	33386	547	33492	549
29986	146	32002	571	33390	569	33492K	549
29987	146	32003	571	33391	569	33494	483
29988	146	32004	571	33392	535	33495	483
29989	146	32005	571	33393	577	33496	481
29991	177	32006	571	33394	573	33504	497
29992	177	32020	569	33394+33431	575	33505	495
29993	177	32025	569	33395	573	33506	509
29995	174	32026	569	33395+33431	575	33507	509
29996	174	32027	569	33396	539	33508	593
29997	91	32028	569	33397	533	33509	593

Ref	Pag.	Ref	Pag.	Ref	Pag.	Ref	Pag.
33511	507	33780	512	40123	247	43407	248
33512	487	33782	514	40124	247	43408	248
33513	487	33802	517	41025N	188	43409	249
33514	563	33803	516	40126	247	43410	249
33516	522	33804	515	40127	247	43411	249
33517	593	33904	610	40550	227	43412	249
33518	523	33907	610	40551	227	43413	249
33519	507	33928	610	40552	227	43500	225
33522	519	33929	610	40553	227	43501	225
33523	519	33937	610	40554	227	43502	225
33524	521	33944	610	40555	227	43520	223
33548	513	33948	610	40556	227	43521	223
33549	504	33954	610	40557	227	43522	223
33552	505	33957	610	40558	227	43523	223
33553	501	33958	610	40559	227	43524	223
33554	501	33959	610	40560	227	43525	223
33600	587	33960	610	40562	262	43526	223
33603	591	33962	610	40563	262	43527	223
33604	591	33964	610	40564	262	43528	223
33605	591	33965	610	40660	222	43529	233
33606	599	33971	610	40661	222	43530	233
33607	583	34000	485	40662	222	43531	233
33608	583	34001	485	40663	222	43532	233
33609	599	34002	485	40664	222	43533	233
33610	598	34003	499	40665	222	43534	233
33611	596	34004	499	40666	222	43535	261
33695	589	34005	499	40667	222	43536	261
33696	589	34006	485	40994	186	43700	244
33697	589	34007	485	40996	186	43701	244
33698	589	34008	485	41019	186	43702	244
33699	589	34009	485	41020	186	43703	244
33700	553	34010	485	41023	188	43704	244
33701	553	34011	485	41025	188	43705	244
33702	553	3R432	610	41026	188	43706	245
33703	602	3R433	610	41028	188	43707	245
33704	603	3R434	610	41029	188	43710	245
33705	553	40062	200	41030	188	43720	264
33706	603	40070	200	41031	188	43721	264
33710	560	40076	209	41032	188	43722	220
33711	585	40077	241	42919	250	43723	220
33712	585	40078	126	42921	248	43724	264
33713	585	40085	208	42926	256	43725	264
33714	585	40086	208	42927	256	43726	220
33715	609	40087	208	42928	256	43727	220
33716	585	40090	150	42929	256	43728	220
33717	585	40091	150	42930	256	43729	220
33718	503	40092	150	42931	256	43730	220
33719	502	40100	265	43056	250	43731	220
33720	609	40101	265	43057	250	43732	220
33721	529	40110	246	43059	250	43740	221
33722	529	40111	246	43065	246	43741	221
33723	595	40112	246	43396	248	43742	221
33724	537	40113	246	43397	248	43743	221
33725	525	40114	246	43398	248	43744	221
33726	525	40115	246	43399	249	43745	221
33727	502	40116	246	43400	249	43746	237
33728	503	40117	246	43401	249	43747	237
33750	541	40118	246	43402	249	43748	202
33751	541	40119	246	43403	249	43749	202
33752	562	40120	246	43404	249	43750	202
33753	562	40121	246	43405	249	43751	202
33770	542	40122	247	43406	248	43752	250

Ref	Pag.	Ref	Pag.	Ref	Pag.	Ref	Pag.
43753	250	62099	176	62706	184	63281	257
43754	122	62100	176	62707	193	63282	257
43755	122	62105	197	62708	193	63283	257
43900	250	62108	197	62709	193	63284	205
46060	257	62112	194	62710	193	63285	205
46067	388	62113	194	62711	193	63286	248
50065	52	62114	193	62800	121	63290	248
50066	52	62115	185	62801	121	63291	241
50067	52	62116	192	62802	121	63309	240
50120	55	62117	192	62803	121	63310	240
50121	55	62118	192	62804	121	63311	203
50122	55	62120	192	62805	121	63312	203
51129	187	62121	192	62806	121	63318	216
51133	187	62122	192	62807	200	63319	216
51134	187	62123	192	62809	199	63320	210
51135	187	62124	192	62810	199	63321	210
51136	187	62125	192	62819	203	63322	210
51908	55	62126	193	62820	203	63323	210
51909	55	62128	193	62961	238	63393	238
51910	55	62129	193	62965	241	63394	238
51916	54	62130	190	62966	241	63395	238
51917	54	62131	190	62968	241	63397	239
52045	54	62132	231	62969	241	63398	239
52057	53	62133	231	62980	241	63399	240
52058	53	62134	231	62981	241	63403	240
52059	188	62135	231	62983	241	63404	240
52061	188	62136	113	62986	207	63405	240
52064	54	62137	113	62987	207	63406	239
52065	54	62138	113	62988	184	63407	241
52071	55	62139	113	63008	213	63408	239
53414	54	62140	231	63009	213	63410	239
53415	54	62141	231	63038	212	63500	217
55191	52	62142	231	63043	212	63501	217
57210	87	62143	231	63124	236	63502	217
57211	87	62144	231	63125	236	63503	211
57212	87	62145	231	63146	217	63504	211
57213	87	62146	231	63148	212	63505	211
57214	87	62147	231	63156	207	63507	214
57215	87	62150	196	63167	197	63508	214
57300	163	62151	196	63173	204	63509	214
57301	163	62152	196	63174	204	63510	209
57302	163	62153	196	63175	204	63600	215
57303	162	62154	196	63176	204	63601	215
57304	162	62155	196	63177	204	63602	215
57305	162	62156	44	63178	204	64026	197
57306	51	62157	44	63184	205	64027	150
57307	51	62161	190	63186	207	64028	150
57308	51	62162	190	63199	207	64096	230
57309	163	62163	190	63216	236	64097	230
57310	162	62164	190	63225	205	64098	110
57311	51	62300	196	63268	235	64099	110
57400	53	62301	196	63269	235	64128	119
57401	53	62302	196	63270	235	64133	119
60000	201	62303	196	63271	235	64137	119
60004	127	62350	191	63272	235	64159	123
60005	199	62351	191	63273	235	64160	123
61080	206	62352	191	63274	235	64162	123
61081	206	62353	191	63275	235	64168	200
61082	206	62355	195	63276	235	64169	200
61083	206	62703	189	63277	235	64170	116
61084	206	62704	189	63278	205	64172	116
61085	206	62705	184	63279	205	64174	147

Ref	Pag.	Ref	Pag.	Ref	Pag.	Ref	Pag.
64175	127	65134	119	68492	168	70165	377
64177	212	65137	237	68493	168	70226	368
64182	232	65138	250	68494	168	70227	368
64183	232	65139	216	68495	168	70245	367
64184	111	66191	198	68496	185	70246	367
64185	111	66200	199	68497	193	70260	365
64186	111	66204	126	68498	185	70261	366
64187	111	66205	126	68499	193	70262	339
64188	240	66208	199	68500	98	70263	339
64198	236	66209	199	68501	98	70264	342
64199	236	66210	125	68502	98	70265	376
64200	236	66211	125	68503	98	70266	376
64201	236	66212	125	68504	183	70267	342
64202	265	66213	125	68505	183	70268	342
64203	265	66214	125	68506	183	70269	343
64204	236	66215	125	68507	183	70270	343
64205	236	66227	124	68530	99	70271	381
64206	236	66228	124	68531	99	70272	379
64207	236	66229	124	68532	183	70273	379
64210	265	66230	124	68533	147	70274	379
64211	265	66231	124	68544	184	70275	379
64212	265	66232	124	68545	101	70276	379
64213	265	66233	124	68546	101	70277	379
64214	265	66234	124	68547	101	70278	379
64215	265	66235	124	68548	147	70279	379
64219	203	66236	124	68549	147	70280	379
64221	116	66403	172	68561	127	70281	379
64222	122	66404	172	68562	127	70283	343
64223	122	66405	172	68563	127	70284	343
64224	123	66406	172	68564	127	70285	348
64250	232	66407	172	68569	126	70286	348
64251	232	66408	172	68591	108	70287	348
64300	183	66409	172	68592	108	70302	385
64301	183	66410	172	68593	108	70303	385
64302	167	66411	173	68594	108	70304	385
64303	167	66412	173	68595	108	70305	385
64304	167	66413	173	68596	108	70306	385
64305	167	66414	173	68597	108	70307	385
64308	166	66415	173	70025	363	70395	376
64309	166	66416	173	70026	363	70396	376
64310	74	68138	200	70035	360	70397	376
64311	74	68139	127	70036	360	70398	376
64312	75	68145	119	70037	360	70399	376
64313	75	68146	119	70038	360	70402	378
64314	135	68153	127	70134	384	70403	378
64315	135	68283	147	70135	384	70404	343
64318	186	68284	147	70140	365	70405	341
64319	186	68298	237	70146	380	70406	341
64320	124	68317	237	70147	380	70407	365
64321	124	68323	237	70148	380	70408	348
64322	183	68334	49	70151	366	70409	348
64323	183	68417	99	70154	381	70445	383
64400	175	68418	99	70155	381	70446	376
64500	109	68420	184	70156	365	70447	389
64501	109	68423	49	70157	365	70448	389
65046	113	68461	118	70158	369	70449	387
65047	113	68462	100	70159	369	70450	379
65071	119	68463	100	70160	364	70451	379
65080	119	68488	88	70161	364	70453	382
65081	120	68489	88	70162	377	70455	388
65082	120	68490	168	70163	377	70456	388
65133	200	68491	168	70164	377	70458N	382

Ref	Pag.	Ref	Pag.	Ref	Pag.	Ref	Pag.
70459N	382	70696	356	70901	379	71217	298
70462N	383	70697	356	70906	351	71222	329
70469	368	70714	356	70907	351	71223	329
70472	388	70715	352	70908	351	71224	289
70474	388	70719	372	70909	351	71225	289
70475	388	70720	355	70910	351	71242	278
70476	388	70722	372	70911	351	71243	278
70498	282	70726	382	70912	364	71244	278
70499	282	70728	382	70913	368	71272	336
70501	350	70729	382	70914	284	71273	336
70508	350	70730	382	70992	335	71274	352
70525	364	70731	382	70993	373	71276	340
70546	349	70732	382	70996	335	71277	340
70547	349	70749	346	70997	335	71278	346
70564	349	70753	306	70998	335	71279	327
70566N	346	70754	306	70999	335	71282	327
70567N	346	70755	306	71000	357	71285	328
70573	355	70756	306	71002	357	71286	291
70573B	355	70761	303	71003	357	71287	291
70575	372	70766	330	71046	341	71295	331
70576	308	70767	296	71047	341	71296	331
70579	339	70768	296	71048	341	71297	331
70581	366	70771	302	71049	341	71299	295
70582	346	70772	303	71050	341	71300	295
70583	346	70773	353	71051	341	71301	295
70586	387	70774	311	71052	341	71303	353
70587	387	70775	283	71053	341	71304	353
70588	386	70776	283	71062	341	71305	353
70589	386	70777	283	71063	341	71306	353
70591	387	70778	283	71064	341	71352	310
70592N	386	70780	333	71065	341	71353	347
70593N	386	70781	333	71095	365	71362L	339
70634	342	70782	308	71106	321	71363	347
70635	353	70783	308	71108	321	71366	347
70637	343	70784	285	71110	334	71367	347
70638	381	70785	311	71116	317	71372	372
70644	340	70786	283	71117	317	71374	372
70645	340	70799	372	71118	317	71383	364
70646	340	70802	342	71128	334	71388	347
70647	340	70806	373	71129	334	71389	364
70648	346	70808	343	71138	321	71390	364
70649	366	70811	342	71139	321	71424	355
70655	350	70812	342	71140	334	71480	377
70656	350	70813	342	71141	334	71481	377
70657	350	70819	354	71142	321	71482	377
70658	350	70821	373	71143	321	71483	388
70659	350	70823	354	71158	373	71489N	388
70660	383	70824	348	71159	373	71490	377
70661	383	70825	348	71194	345	71491	377
70662	383	70826	348	71195	345	71495	388
70663	354	70827	352	71196	345	71496N	384
70664	354	70828	342	71198	306	71497N	384
70665	354	70829	353	71199	306	71498N	384
70666	354	70830	346	71206	304	71499N	384
70667	354	70831	346	71207	304	71516	337
70668	354	70832	346	71208	304	71517	337
70682	354	70833	378	71209	312	71519	339
70683	354	70834	378	71212	337	71528	363
70686	343	70887	355	71213	305	71536	351
70687	343	70888	341	71214	305	71537	351
70689	352	70899	340	71215	337	71538	352
70690	372	70900	379	71216	298	71539	352

Ref	Pag.	Ref	Pag.	Ref	Pag.	Ref	Pag.
71546	362	73450	301	75000	333	98310536	471
71547	362	73460	301	75001	301	98111012	472
71548	362	73695	333	75002	321	98111020	472
71549	362	73696	321	75003	301	97197	472
71556	281	74139	328	75500	344	98324006	472
71562	281	74141	288	75501	344	98324020U	472
71563	281	74142	288	75502	344	98324030	472
71564	281	74261	334	75503	344	98324031	472
71565	282	74400	345	75519	307	98324060	472
71569	270	74401	338	75520	307	98324076	472
71575	270	74407	345	75521	302	98324101	472
71576	270	74408	345	75522	297	98324151	472
71577	270	74411	310	75523	297	98324120	472
71578	270	74419	347	75524	316	98324180	473
71579	270	74422	280	75529	330	98324150U	473
71582	270	74423	280	75531	292	DT00062G	143
71583	270	74424	280	75532	312	DT00063G	180
71584	270	74427	320	75533	330	DT00065G	92
71585	270	74427+74428	320	75536	330	DT00065N	92
71586	270	74427+74429	320	75537	293	DT00066G	92
71587	270	74427+74430	320	75538	293	DT00073	173
71588	270	74427+74437	320	75540	338	DV00022	114
71589	270	74428	320	75541	290	DV00023	114
71593	270	74429	320	75600	297	DV00024	114
71597	270	74430	320	75601	297	DV00025	114
71598	270	74432	320	75602	316	DV00032	114
71606	333	74432+74428	332	75603	296	DV00034	114
71607	355	74432+74429	332	75604	296	DV00035	114
71608	355	74432+74430	332	75605	298	DV00037	114
71609	270	74432+74437	332	75606	298		
71613	368	74433	320	75607	316		
71619	270	74433+74428	300	75608	284		
71620	270	74433+74429	300	75700	331		
71701	384	74433+74430	300	75701	331		
71702	384	74433+74437	299	75800	388		
71703	384	74434	320	75801	388		
72000	357	74434+74428	300	98101050	248		
72001	357	74434+74429	300	98310509C	470		
72002	357	74434+74430	300	98310620	470		
72010	356	74434+74437	299	98310510C	470		
72011	356	74435	320	98310110LC	470		
72082	336	74435+74428	314	98310114C	470		
72083	336	74435+74429	314	98310118LC	470		
72092	377	74435+74430	315	98310116	470		
72093	377	74436	320	98310620	470		
72094	377	74436+74428	314	98310103	470		
72095	377	74436+74429	315	98310307C	470		
72269	340	74436+74430	315	98310321 LC	470		
72272	336	74437	320	98310321	470		
72280	356	74440	333	98310306	470		
72281	356	74441	294	98310210	471		
72298	310	74442	294	98310220LC	471		
72310	303	74444E	312	98310236C	471		
72311	309	74450	336	98310233	471		
72312	309	74451	307	98310228	471		
72330	348	74452	307	98310203	471		
72351	303	74453	330	98310206E	471		
73100	369	74454	285	98310444	471		
73111	369	74455	347	98311320	471		
73150	369	74996	320	98310599	471		
73260	331	74997	301	98311315	471		
73440	301	74998	333	98310538	471		

1968	47	SURFACE	180	CENTURY	501	POLE	312	FLASH	
ACADEMY		BIANCA NEW	209	CERES	355	SURFACE	333	SUSPENDED	115
TABLE&FLOOR	70	BIC	239	CHANDRA	310	DECOFAN NEW	575	SURFACE	194
SURFACE	176	BLACK	100	CHARLOTTE	127	DEEP NEW	419	FLIN NEW	186
ADAY	340	BLIND	342	CHERAS	204	DERBY	357	FLOW	362
AGRA	306	BLISS	49	CHICAGO	602	DESLIZ	177	FLUX	366
AIM	252	BLOCK		CIES	487	DISC	533	FOC	
AINA	147	BOLLARD	288	CLAIRE	121	DIULA	207	SPIKE	365
AKANE	45	SURFACE	328	CLARA	119	DOKA	210	PROJECTOR	369
ALFA	363	BLOME	176	CLAUSS	339	DOLME		FOLD NEW	167
ALO	503	BLUB'S		CLEAR	252	SUSPENDED	110	FONOVIA NEW	138
ALOHA	560	BOLLARD	300	CLOE	240	CEILING	230	FONOVIA NEW	461
ALP		POLE	315	COBO	343	DRAGMA	339	FORO	240
BOLLARD	307	SUSPENDED	320	COCO NEW	222	DRAK	348	FOX NEW	251
SURFACE	336	SURFACE	332	COCOS	513	DRUM NEW	73	FRAME	170
AMBO	207	BOARD	201	COCOTTE		EACO	204	FRED	354
AMI	239	BOB	54	SUSPENDED	111	EASY	597	FRESH	253
ÁNCORA	338	BOC	193	CEILING	232	EBBA	250	FROL	384
ANDROS	485	BOKEN	188	COLIN	431	ECO INDUS	586	FRUM	383
ANDY	368	BOL	250	COMPACT	253	EDEL	388	FUGA	401
ANOUK	54	BONN	356	CONIK		EDGE	217	FUSTA	145
AOBA	489	BORDA	335	SUSPENDED	116	ELE	347	FUTURE	337
ARGÓN	249	BOW	254	SURFACE	203	ELSA	205	GALA	211
ARGOT	355	BRACKET	336	CORSO	558	ERES	197	GALO	376
ARGUS	285	BRONX	345	COSMOS	123	ESCA	377	GARTEN	369
ART	119	BROW	348	COTTON	173	ESSENTIAL	184	GAS	249
ARTIS		BRUC	342	CRÁTER	118	ESTAY	356	GEISER	385
TABLE&FLOOR	88	BRUME		CRIPTA	357	ESTORIL		GINA	
SURFACE	168	SUSPENDED	126	CROSBY	382	SUSPENDED	321	BOLLARD	310
ATTOS NEW	483	SURFACE	209	CUBA	561	SURFACE	334	SURFACE	347
AUREA	185	CEILING	241	CURTIS	383	ETER	114	GINGKO	254
AXEL	336	BU-OH!		CYLINDER	411	ETERFAN	571	GIZA	
BACO	354	BOLLARD	305	DADO	333	ETERNA		BOLLARD	296
BALDA	282	POLE	312	DAKRON	372	TABLE&FLOOR	82	SURFACE	330
BALDER	368	SURFACE	337	DAKYU	372	SURFACE	169	GOZ	372
BANKER	49	CABO	335	DALLAS	207	ETNA	114	GRADA NEW	351
BAOBAB	55	CADAQUÉS NEW	279	DANG	376	FACTORY	596	GRANT	350
BEL	188	CAGENE W	284	DANKA	122	FADA	124	GRAVA	389
BERET		CANON	346	DANUBIO	215	FALCON	255	GRID	527
BOLLARD	297	CAT	281	DART NEW	379	FAUNA	124	GRON	384
SURFACE	316	CEBU	599	DAS	307	FEDON	356	GROP	
BERNI		CELA	356	DATNA		FEROE	587	BOLLARD	297
TABLE&FLOOR	95	CELIA	200	BOLLARD	294	FILTER	379	POLE	316

GROW	304	INDO	217	LAMA	509	LIST	201	MASKNEW	327
GRU	54	INDUS	510	LANG	121	LIT	365	MAUREN	373
GRUND	382	INVITING		LANTAU NEW		LIZ	119	MEDITERRÁNEO	603
GUADALUPE NEW		TABLE	51	XL	495	LOA	199	MEGA NEW	239
TABLE&FLOOR	57	SURFACE	163	L	523	LOG	342	MENO	514
SURFACE	156	IRIS	238	LAO		LOGAR	298	MIA	127
GUEST NEW		ISLOT NEW	517	TABLE&FLOOR	67	LOGOS	241	MILA	302
FLOOR	58	ITO	55	SPOTLIGHT	226	LOKE	186	MINE	
SURFACE	157	IZARO	563	TRACK	263	LOMBOK	559	TABLE	43
GUIZA	346	JANET	237	LAOS	210	LOOP		SUSPENDED	129
HALF	351	JELLYFISH		LASS	213	TABLE&FLOOR	63	MINI CARTER	378
HALITA	119	PORTABLE	36	LE PETIT	190	SUSPENDED	131	MINI ETERFAN	569
HALO	52	TABLE&FLOOR	64	LE VITA		SURFACE	161	MINI ICARIA	589
HAN	155	JOY NEW	150	TABLE&FLOOR	61	LOTH NEW	348	MINI INDUS	601
HANDY	182	JULIET	188	SUSPENDED	105	LOTUS		MINI LANTAU	593
HANNA	183	JUSTFAN		SURFACE	151	BOLLARD	289	MINI MALLORCA	591
HANOI	173	XL	491	LEAD	189	SURFACE	329	MINIRACING	378
HARU	236	M	573	LED-18	384	LOU	121	MINITUBE	577
HAT	49	S	605	LENA		LUAN	256	MINI UFO	600
MELGA	124	KA LA	346	TABLE	53	LULA	46	MINIPROJECT	364
HELMET	373	KALE	189	SURFACE	188	LUNA	205	MISTU	
HIKARI	352	KAMEN	203	LESER	188	LUPE		BOLLARD	300
HOMS	197	KANE	383	LEYTE	512	TABLE&FLOOR	91	POLE	314
HONEY		KAO	240	LIANA	126	SURFACE	174	SUSPENDED	320
SUSPENDED	321	KARL	366	LINDA		LUR	352	SURFACE	332
SURFACE	333	KAULA		TABLE&FLOOR	90	LUZON	541	MITIC	
HOOK	35	KEENAN	349	SUSPENDED	144	MAGMA	118	TABLE&FLOOR	99
HORUS	381	KEIKI	609	SURFACE	199	MAGRITTE	206	SURFACE	184
HOSHI		KERA	196	LINE	216	MALLORCA	555	MIX	
PORTABLE	37	KERALA		LING	342	MALVINAS	511	TABLE	48
TABLE	44	PORTABLE	285	LINK		MAMBO NEW		SURFACE	185
HOTEL		SURFACE	330	TABLE&FLOOR	66	TABLE&FLOOR	74	MOIST	253
TABLE&FLOOR	97	KEW	365	CEILING	234	SUSPENDED	135	MOL	355
SUSPENDED	145	KLAMP		SPOTLIGHT	224	SURFACE	166	MOLOKAI	582
SURFACE	178	BOLLARD	310	TRACK	260	MANHATTAN	481	MOMA	
HUDSON	199	SURFACE	345	SURFACE	328	MARE	353	TABLE&FLOOR	98
HUE NEW	271	KOI	248	LIO	388	MARGOT	127	SURFACE	183
HUE-IN	136	KOMBO NEW	108	LIRIA	207	MARINA		MONTREALNEW	
HYDE	247	KOMODO	595	LISBOA	594	SUSPENDED	127	TABLE&FLOOR	78
HYDRA NEW	525	KUBICK	352	LISE		SURFACE	199	SURFACE	164
IBIZA	557	LACE	342	SUSPENDED	124	MARLIN	200	MOOD	159
ICARIA	553	LACRE	342	SURFACE	202	SUSPENDED	119	MOON	
ICE	531	LAGO	211	LISO	377	SURFACE	200	BOLLARD	299

SUSPENDED	320	NINE	336	PETRA	200	TABLE&FLOOR	68	SUSPENDED	113
SURFACE	332	NISOS	493	PHILL	133	SUSPENDED	117	CEILING	231
MOREA	507	NIT	195	PICCOLA	367	SURFACE	198	SIGMA	407
MOU	121	NOBORU	308	PILL	348	RING		SIGNAL	257
MÓVIL	250	NOON NEW	195	PISTÓN	343	SPOTLIGHT	227	SIOUX	542
MOY	150	NORAY	335	PIVOT NEW	353	TRACK	262	SIRET	212
MUFFIN		NORD	248	PIXIE	186	ROB	185	SIROS NEW	515
BOLLARD	300	NUDOS		PLANET	113	RODA	184	SLIM	
POLE	314	SUSPENDED	127	PLAS	257	RODAS NEW	519	SUSPENDED	112
SUSPENDED	320	SURFACE	200	PLAT	119	RON NEW	175	SURFACE	154
SURFACE	332	NUSA	251	PLAZA	316	RONDA	240	SLOT	360
MUGA	296	NUU	529	PLEC		ROOM	179	SMILE	190
MUST	350	OBOE	598	SUSPENDED	125	ROSE	120	SNAP NEW	53
MUTE	140	OKI	364	SURFACE	199	ROY	303	SNOW	205
NAHIR	335	OKO	364	PLIM		SABA		SOBEK	366
NAIROBI	346	OLAF	205	BOLLARD	295	TABLE&FLOOR	101	SOGO	238
NALA		OLAN	343	SURFACE	331	SUSPENDED	147	SOLEIL	311
BOLLARD	303	OLOT	372	PLOM NEW	364	SURFACE	184	SON	256
SURFACE	353	ONZE	303	PROJECTOR	364	SABANA	177	SOUN	379
NANDA	298	OPTIC	427	SPIKE	368	SABI	124	SPARK	377
NAOS NEW	109	ORA		PLOT	265	SAC	198	SPY	308
NASE	376	SUSPENDED	124	PLUMA	116	SAHARA	184	SQUAD	236
NASH	203	SURFACE	202	POL	353	SALT	387	STAN NEW	
NASSAU	581	ORLEANS		POLARIS	543	SAMI	188	SUSPENDED	122
NAT	381	SPOTLIGHT	223	POLEA	537	SAONA NEW	516	CEILING	237
NATRON	355	CEILING	233	POMO NEW	353	SAURA	311	SPOTLIGHT	221
NATSU	236	TRACK	261	POROS NEW	521	SAVOY NEW		TRACK	264
NÁUTICA		ORWELL NEW	331	POTE	236	TABLE&FLOOR	80	SURFACE	202
POLE	317	OSLO	205	PRESS NEW	191	SUSPENDED	142	RECESSED	250
SUSPENDED	321	OTTO	54	PROA	345	SURFACE	165	STAND-UP	86
SURFACE	334	OVAL	340	PROJECT	364	SEDNA	380	STEPS	344
NAYA	306	ÓVALO	357	PURE	157	SERA	196	STICKER	
NEGUS	356	OVO	197	QUART	339	SERP	52	BOLLARD	290
NEÓN	249	PALAO	607	RADÓN	248	SETE	302	SURFACE	338
NESO NEW	395	PALK	545	RAM	265	SEVEN		STONE	225
NEU	248	PAM	123	RAS	200	SUSPENDED	147	STOOD	
NIAS	550	PANAY	583	REL	236	SURFACE	237	TABLE&FLOOR	62
NIDIA	49	PAPUA	100	RELAX	212	SHADOW NEW	309	SUSPENDED	130
NIDO	127	PATH NEW	350	REM		SHELBY		SURFACE	160
NIKO		PAULINE	132	TABLE&FLOOR	84	BOLLARD	293	STORE	379
TABLE	42	PEMBA	549	SURFACE	171	SURFACE	330	STRIPE	377
SURFACE	158	PEPPER	200	REMAKE	55	SHOW	365	STUDIO	187
NILO	216	PERLA	208	RETRO		SIDE		SUAU	193

SUMA	346	TABLE&FLOOR	99	TABLE&FLOOR	89
SUN	354	SUSPENDED	147	SUSPENDED	146
SUNSET	343	SURFACE	183	SURFACE	181
SURAT	303	THON NEW	343	VIA	455
SURIA-12	386	TILOS	499	VIC	366
SURIA-24	387	TIMON	335	VIEW	339
SURIA-3	386	TIMOR	544	VOILA NEW	282
SURIA-3	386	TINIA	347	VOLGA	214
SVEN	235	TIRA NEW	183	VOLTA	
SWEET		TOC NEW		TABLE&FLOOR	96
TABLE&FLOOR	94	PORTABLE	283	SURFACE	179
SURFACE	181	SURFACE	333	VUK	240
SWING	194	TOD	256	VULCANO	504
SYNCH	423	TOLA	241	WABI NEW	250
TABARCA	562	TOLUCA	341	WALLY	334
TACANA	341	TOM	354	WEST	341
TACOS	341	TONE	352	WET	253
TAIMA	347	TONI	363	WHIZZ	
TAKE AWAY	39	TONIC	505	TABLE&FLOOR	69
TAKUA	340	TONO	369	SUSPENDED	106
TAMASHI	353	TONSAY	547	SURFACE	153
TAMI	372	TORAN	365	WILMA	
TANE	340	TORE	346	BOLLARD	301
TANGO		TRAM		SUSPENDED	321
TABLE&FLOOR	92	BOLLARD	292	SURFACE	333
SUSPENDED	143	POLE	312	WINCH	
SURFACE	180	SURFACE	330	FAN	539
TARO	387	TRAS NEW	384	SUSPENDED	126
TARRAGO	331	TREE		SURFACE	199
TASA	373	TABLE&FLOOR	93	WINCHE	567
TASK NEW	284	SUSPENDED	144	WIND	535
TECNO	388	TROOP	244	WOOD	347
TECTO	235	TUBE	579	YAKARTA	585
TED	256	TWIST		YEN	372
TEJO	355	BOLLARD	291	YUTAI	241
TEKO	447	SURFACE	328	ZON	241
TEN		TYPHOON	565		
TABLE&FLOOR	44	UVE	376		
SURFACE	196	VANU	551		
TENDER	230	VEDRA	608		
TERA	205	VERNO	301		
TERMA	212	VERSUS	280		
THANA	147	VESPER			

www.faro.es

